

# THREE VALLEYS REGIONAL URBAN WATER MANAGEMENT PLAN

APRIL 2026

---

2025 Part 4: *Urban Water Management Plan*  
*Agency Supporting Information*

**PUBLIC REVIEW DRAFT**

A decorative graphic at the bottom of the page consisting of a halftone pattern of small dots in various shades of blue, arranged in a wavy, horizontal band.

# THREE VALLEYS REGIONAL URBAN WATER MANAGEMENT PLAN

APRIL 2026

---

## 2025 Part 4: Urban Water Management Plan Agency Supporting Information




Prepared by GEI Consultants, Inc. and Water Systems Consulting, Inc.

# H

---

**2025 RUWMP Part 4**  
**Walnut Valley Water District**  
**Appendix H**



# H1: UWMP Compliance Checklist

Retail (x = required)	Order	2025 Guidebook Location	Water Code Section	Summary as Applies to UWMP	Subject	Relevant Submittal Table	2025 UWMP Location
x	1	Chapter 1	10615	A plan shall describe and evaluate sources of supply, reasonable and practical efficient uses, reclamation and demand management activities.	Introduction and overview	n/a	Part 2 Chapter 8 Part 1 Chapter 3
x	1	Chapter 1	10630.5	Each plan shall include a simple description of the Supplier's plan including water availability, future requirements, a strategy for meeting needs, and other pertinent information. Additionally, a Supplier may also choose to include a simple description at the beginning of each chapter.	Plan preparation	n/a	Part 2 Chapter 8 Executive Summary
x	2.1	Section 2.1	10620(b)	Every person that becomes a Supplier shall adopt UWMP within one year after it has become a Supplier.	Plan preparation	n/a	Part 2 Chapter 8
x	2.5	Section 2.5	10644	Supplier shall report the Public Water Systems number, volume of delivered water, and number of connections that are included in this UWMP.	Plan preparation	2-1	Part 2 Chapter 8 Section 2.1
x	2.5	Section 2.5	10644	Supplier shall report if this UWMP is an individual UWMP and whether the Supplier belongs to a regional UWMP or regional alliance.	Plan preparation	2-2	Part 2 Chapter 8
x	2.5	Section 2.5	10644	Supplier shall report whether the data is in fiscal or calendar years and the units of measure used for reporting water volumes.	Plan preparation	2-3	Part 2 Chapter 8
x	2.4	Section 2.4	10642	Provide supporting documentation that the Supplier has encouraged active involvement of diverse social, cultural, and economic elements of the population within the service area prior to and during the preparation of the plan and contingency plan.	Plan preparation	n/a	Part 2 Chapter 8 Section 9 Part 4 Appendix H-2
x	2.4	Section 2.4.2	10620(d)(3)	Coordinate the preparation of its plan with other appropriate agencies in the area, including other Suppliers that share a common source, water management agencies, and relevant public agencies, to the extent practicable.	Plan preparation	n/a	Part 4 Appendix H-2
x	2.4	Section 2.4.1	10631(h)	Retail Suppliers will include documentation that they have provided their Wholesale Supplier(s)—if any—with water use projections from that source.	Plan preparation	2-4 R	Part 1 Chapter 5
n/a	2.4	Section 2.4.1	10631(h)	Wholesale Suppliers will provide their Suppliers with identification and quantification of the existing and planned sources of water available from the Wholesale Supplier to the Supplier during various water year types.	Plan preparation	2-4 W	n/a
x	3	Chapter 3.0	10631(a)	Describe the Supplier service area.	System description	n/a	Part 2 Chapter 8 Section 1.1
x	3.3	Section 3.3	10631(a)	Describe the climate of the Supplier's service area.	System description	n/a	Part 2 Chapter 8 Section 1.1
x	3.4	Section 3.4.1	10631(a)	Provide the current and projected service area populations for 2030, 2035, 2040, 2045 and optionally 2050.	System description	3-1	Part 2 Chapter 8 Section 1.1
x	3.4	Section 3.4.2	10631(a)	Describe other social, economic, and demographic factors affecting the Supplier's water management planning.	System description	n/a	Part 2 Chapter 8 Section 1.1
x	3.5	Section 3.5	10631(a)	Describe the land uses within the service area... include the current and projected land uses within the existing or anticipated service area affecting the Supplier's water management planning. Describe the land uses within the service area.	System description and baselines	n/a	Part 2 Chapter 8 Section 1.1
x	4.2	Sections 4.2.3 and 4.2.4	10631(d)(1)	Quantify past, current, and projected water use, identifying the uses among water use sectors.	System water use	4-1 and 4-2	Part 2 Chapter 8 Section 2
x	4.3	Section 4.3.1	10631(d)(3)(A)	Report the distribution system water loss for each of the five years preceding the plan update.	System water use	4-5	Part 2 Chapter 8 Section 2.1.3
x	4.3	Section 4.3.2	10631(d)(3)(C)	Retail Suppliers shall provide data to show the distribution loss standards were met.	System water use	4-6	Part 2 Chapter 8 Section 2.1.3
x	4.2	Section 4.2.5.4	10631.1(a)	Include projected water use needed for lower income housing projected in the service area of the Supplier.	System water use	4-3	Part 2 Chapter 8 Section 2.3
x	4.2	Section 4.2.5.3	10631(d)(4)(A)	In projected water use, include estimates of water savings from adopted codes, plans, and other policies or laws.	System water use	4-3	Part 2 Chapter 8 Section 2.2

x	4.2	Section 4.2.5.3	10631(d)(4)(B)	Provide citations of codes, standards, ordinances, or plans used to make water use projections.	System water use	4-3	Part 2 Chapter 8 Section 2.2
x	4.2	Section 4.2.5.3	10631(d)(4)(B)(ii)	To the extent that a Supplier reports the information described in subparagraph (A), an urban water Supplier shall... Indicate the extent that the water use projections consider savings from codes, standards, ordinances, or transportation and land use plans. Water use projections that do not account for these water savings shall be noted of that fact.	System water use	4-3	Part 2 Chapter 8 Section 2
x	4.2	Section 4.2.5.6	10635(b)	Demands under climate change considerations must be included as part of the drought risk assessment.	System water use	n/a	Part 2 Chapter 8 Section 2.4 Part 1 Chapter 5
n/a	5.1	Section 5.1	10608.36	Wholesale Suppliers shall include an assessment of present and proposed future measures, programs, and policies to help their Retail Suppliers achieve targeted water use reductions.	Baselines and targets	n/a	n/a
x	5.2	Section 5.2	10608.4	Retail Suppliers shall report on their compliance in meeting their water use targets. Reporting requirements will vary depending on whether the Supplier: - Was considered an urban retail water supplier in 2020, - Met its 2020 target in 2020, or - Was part of a merger or consolidation since 2020. Chapter 5 Subsections 5.2.1, 5.2.2, and 5.2.3 address each of these situations.	Baselines and targets	5-1	Part 2 Chapter 8 Section 3
x	6.1	Section 6.1	10631(b)(2)	When multiple sources of water supply are identified, describe the management of each supply in relationship to other identified supplies.	System supplies	n/a	Part 2 Chapter 8 Section 4 Part 1 Chapter 3
x	6.1	Sections 6.1 and 6.2	10631(b)(1)	Provide a discussion of anticipated supply availability under a normal, single dry year, and a drought lasting five years, as well as more frequent and severe periods of drought, including changes in supply due to climate change.	System supplies	n/a	Part 2 Chapter 8 Section 4 Part 2 Chapter 8 Section 5.3 Part 1 Chapter 5 Section 2
x	6.2	Section 6.2.2	10631(b)(4)(C)	Indicate whether groundwater is an existing or planned source of water available to the Supplier. If groundwater is identified as an existing or planned source of water... (include) a detailed description and analysis of the location, amount and sufficiency of groundwater pumped by the Supplier for the past five years.	Water supplies and recycled water	6-1	Part 2 Chapter 8 Section 4.2
x	6.2	Section 6.2.2	10631(b)(4)(A)	Indicate whether a groundwater sustainability plan or groundwater management plan has been adopted by the Supplier or if there is any other specific authorization for groundwater management. Include a copy of the plan or authorization.	System supplies	n/a	Part 2 Chapter 8 Section 4.2 Part 1 Chapter 3
x	6.2	Section 6.2.2	10631(b)(4)(B)	Describe the groundwater basin.	System supplies	n/a	Part 2 Chapter 8 Section 4.2 Part 1 Chapter 3
x	6.2	Section 6.2.2	10631(b)(4)(B)	Indicate if the basin has been adjudicated and include a copy of the court order or decree and a description of the amount of water the Supplier has the legal right to pump.	System supplies	n/a	Part 2 Chapter 8 Section 4.2 Part 1 Chapter 3
x	6.2	Section 6.2.2	10631(b)(4)(B)	For unadjudicated basins... (include) information as to whether DWR has identified the basin as a high- or medium-priority basin in the most current official departmental bulletin...	Water supplies and recycled water	n/a	Part 2 Chapter 8 Section 4.2 Part 1 Chapter 3
x	6.2	Section 6.2.2	10631(b)(4)(B)	For unadjudicated basins... describe efforts by the Supplier to coordinate with sustainability or groundwater agencies to achieve sustainable groundwater conditions.	Water supplies and recycled water	n/a	Part 2 Chapter 8 Section 4.2 Part 1 Chapter 3
x	6.2	Section 6.2.2.	10631(b)(4)(C)	If groundwater is identified as an existing or planned source of water... (include) a detailed description and analysis of the location, amount and sufficiency of groundwater pumped by the Supplier for the past five years.	System supplies	n/a	Part 2 Chapter 8 Section 4.2

x	6.2	Section 6.2.2	10631(b)(4)(D)	Provide a detailed description and analysis of the amount and location of groundwater that is projected to be pumped.	System supplies	6-9	Part 2 Chapter 8 Section 4.8
x	6.1	Section 6.1	10631(b)	Identify and quantify the existing and planned sources of water available for 2025, 2030, 2035, 2040, 2045 and optionally 2050.	System supplies	6-8 and 6-9	Part 2 Chapter 8 Section 4.8 Part 1 Chapter 3 Part 1 Chapter 5
x	6.2	Section 6.2.7	10631(c)	Describe the opportunities for exchanges or transfers of water on a short-term or long-term basis.	System supplies	n/a	Part 2 Chapter 8 Section 4.6
x	6.2	Section 6.2.5	10633(a)	Describe the wastewater collection and treatment systems in the Supplier's service area with quantified amount of collection and treatment and the disposal methods.	System supplies (recycled water)	6-2	Part 2 Chapter 8 Section 4.5
x	6.2	Section 6.2.5	10633(b)	Describe the quantity of treated wastewater that meets recycled water standards, is being discharged, and is otherwise available for use in a recycled water project.	System supplies (recycled water)	6-3	Part 2 Chapter 8 Section 4.5
x	6.2	Section 6.2.5	10633(c)	Describe the recycled water currently being used in the Supplier's service area.	System supplies (recycled water)	6-4	Part 2 Chapter 8 Section 4.5.1
x	6.2	Section 6.2.5	10633(d)	Describe and quantify the potential uses of recycled water and provide a determination of the technical and economic feasibility of those uses.	System supplies (recycled water)	6-4	Part 2 Chapter 8 Section 4.5 Part 1 Chapter 3 Section 5
x	6.2	Section 6.2.5	10633(e)	Describe the projected use of recycled water within the Supplier's service area at the end of 5, 10, 15, and 20 years, and describe the actual use of recycled water in comparison to uses previously projected.	System supplies (recycled water)	6-4 and 6-5	Part 2 Chapter 8 Section 4.5 Part 1 Chapter 3 Section 5
x	6.2	Section 6.2.5	10633(f)	Describe the actions that may be taken to encourage the use of recycled water and the projected results of these actions in terms of acre-feet of recycled water used per year.	System supplies (recycled water)	6-6	Part 1 Chapter 3 Section 5
x	6.2	Section 6.2.5	10633(g)	Provide a plan for optimizing the use of recycled water in the Supplier's service area.	System supplies (recycled water)	n/a	Part 1 Chapter Section 5
x	6.2	Section 6.2.6	10631(g)	Describe desalinated water project opportunities for long-term supply.	System supplies	6-7	Part 1 Chapter 3 Section 8
x	6.2	Section 6.2.10	10631(f)	Describe the expected future water supply projects and programs that may be undertaken by the water Supplier to address water supply reliability in average, single-dry, and for a period of drought lasting five consecutive water years.	System supplies	6-7	Part 2 Chapter 1 Section 4.7 Part 1 Chapter 3 Section 9
x	6.3	Section 6.3 and Appendix O	10631.2(a)	The UWMP must include energy information, as stated in the code, that a Supplier can readily obtain.	System suppliers, energy intensity	O-1A, O-1B, O-1C, and O-2	Part 2 Chapter 8 Section 4.9 Part 4 Appendix H
x	7.1	Section 7.1	10634	Provide information on the quality of existing sources of water available to the Supplier and the manner in which water quality affects water management strategies and supply reliability.	Water supply reliability assessment	n/a	Part 2 Chapter 8 Section 5 Part 1 Chapter 3
x	7.2	Section 7.2	10635(a)	Service Reliability Assessment: Assess the water supply reliability during normal, dry, and a drought lasting five consecutive water years by comparing the total water supply sources available to the Supplier with the total projected water use over the next 20 years.	Water supply reliability assessment	7-2, 7-3, and 7-4	Part 2 Chapter 8 Section 5.3 Part 1 Chapter 5 Section 2
x	7.2	Section 7.2.3	10620(f)	Describe water management tools and options to maximize resources and minimize the need to import water from other regions.	Water supply reliability assessment	n/a	Part 1 Chapter 3
x	7.3	Section 7.3	10635(b)	Provide a drought risk assessment as part of information considered in developing the demand management measures and water supply projects.	Water supply reliability assessment	n/a	Part 2 Chapter 8 Section 2.4 Part 1 Chapter 5
x	7.3	Section 7.3	10635(b)(1)	Include a description of the data, methodology, and basis for one or more supply shortage conditions that are necessary to conduct a drought risk assessment for a drought period that lasts five consecutive years.	Water supply reliability assessment	n/a	Part 2 Chapter 8 Section 6 Part 1 Chapter 5

x	7.3	Section 7.3	10635(b)(2)	Include a determination of the reliability of each source of supply under a variety of water shortage conditions.	Water supply reliability assessment	n/a	Part 2 Chapter 8 Section 6 Part 1 Chapter 5
x	7.3	Section 7.3	10635(b)(3)	Include a comparison of the total water supply sources available to the Supplier with the total projected water use for the drought period.	Water supply reliability assessment	7-5	Part 2 Chapter 8 Section 6 Part 1 Chapter 5
x	7.3	Section 7.3	10635(b)(4)	Include considerations of the historical drought hydrology, plausible changes on projected supplies and demands under climate change conditions, anticipated regulatory changes, and other locally applicable criteria.	Water supply reliability assessment	n/a	Part 2 Chapter 8 Section 5.1 Part 1 Chapter 5
x	8	Chapter 8	10632(a)	Provide a water shortage contingency plan (WSCP) with specified elements below.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8	Chapter 8	10632(a)(1)	Provide an analysis of water supply reliability (from Guidebook Chapter 7) in the WSCP.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.2	Section 8.2	10632(a)(2)(A)	Provide the written decision-making process and other methods that the Supplier will use each year to determine its water reliability.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.2	Section 8.2	10632(a)(2)(B)	Provide data and methodology to evaluate the Supplier's water reliability for the current year and one dry year pursuant to factors in the code.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.3	Section 8.3	10632(a)(3)(A)	Define six standard water shortage levels of 10%, 20%, 30%, 40%, 50% shortage, and greater than 50% shortage. These levels shall be based on supply conditions, including percent reductions in supply, changes in groundwater levels, changes in surface elevation, or other conditions. The shortage levels shall also apply to a catastrophic interruption of supply.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.3	Section 8.3	10632(a)(3)(B)	Suppliers with an existing WSCP that uses different water shortage levels must cross reference their categories with the six standard categories.	Water shortage contingency planning	8-1	Part 4 Appendix H-7
x	8.4	Section 8.4	10632(a)(4)(A)	Suppliers with WSCPs that align with the defined shortage levels must specify locally appropriate supply augmentation actions.	Water shortage contingency planning	8-2	Part 4 Appendix H-7
x	8.4	Section 8.4	10632(a)(4)(B)	Specify locally appropriate demand reduction actions to adequately respond to shortages.	Water shortage contingency planning	8-3	Part 4 Appendix H-7
x	8.4	Section 8.4	10632(a)(4)(C)	Specify locally appropriate operational changes.	Water shortage contingency planning	8-2	Part 4 Appendix H-7
x	8.4	Section 8.4	10632(a)(4)(D)	Specify additional mandatory prohibitions against specific water use practices that are in addition to State-mandated prohibitions are appropriate to local conditions.	Water shortage contingency planning	Table 8-3	Part 4 Appendix H-7
x	8.4	Section 8.4	10632(a)(4)(E)	Estimate the extent to which the gap between supplies and demand will be reduced by implementation of the action.	Water shortage contingency planning	8-2 and 8-3	Part 4 Appendix H-7
x	8.4	Section 8.4.6	10632.5	The UWMP shall include a seismic risk assessment and mitigation plan.	Water shortage contingency plan	n/a	Part 4 Appendix H-7
x	8.5	Section 8.5	10632(a)(5)(A)	Suppliers must describe that they will inform customers, the public and others regarding any current or predicted water shortages.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.5	Section 8.5	10632(a)(5)(B), 10632(a)(5)(C)	Suppliers must describe that they will inform customers, the public and others regarding any shortage response actions triggered or anticipated to be triggered and other relevant communications.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.6	Section 8.6	10632(a)(6)	Retail Supplier must describe how it will ensure compliance with and enforce provisions of the WSCP.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.7	Section 8.7	10632(a)(7)(A)	Describe the legal authority that empowers the Supplier to enforce shortage response actions.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.7	Section 8.7	10632(a)(7)(B)	Provide a statement that the Supplier will declare a water shortage emergency per Water Code Chapter 3. <i>Water Shortage Emergencies</i> .	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.7	Section 8.7	10632(a)(7)(C)	Provide a statement that the Supplier will coordinate with any city or county within which it provides water for the possible proclamation of a local emergency.	Water shortage contingency planning	n/a	Part 4 Appendix H-7

x	8.8	Section 8.8	10632(a)(8)(A)	Describe the potential revenue reductions and expense increases associated with activated shortage response actions.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.8	Section 8.8	10632(a)(8)(B)	Provide a description of mitigation actions needed to address revenue reductions and expense increases associated with activated shortage response actions.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.8	Section 8.8	10632(a)(8)(C)	Retail Suppliers must describe the cost of compliance with Water Code Chapter 3.3, <i>Excessive Residential Water Use During Drought</i> .	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.9	Section 8.9	10632(a)(9)	Retail Suppliers must describe the monitoring and reporting requirements and procedures that ensure appropriate data are collected, tracked, and analyzed for purposes of monitoring customer compliance.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.10	Section 8.10	10632(a)(10)	Describe reevaluation and improvement procedures for monitoring and evaluation the WSCP to ensure risk tolerance is adequate and appropriate water shortage mitigation strategies are implemented.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.11	Section 8.11	10632(b)	Analyze and define water features that are artificially supplied with water, including ponds, lakes, waterfalls, and fountains, separately from swimming pools and spas.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	8.12	Section 8.12	10632(c)	Make available the WSCP to customers and any city or county where it provides water within 30 days after adoption of the plan.	Water shortage contingency planning	n/a	Part 4 Appendix H-7
x	9.1	Sections 9.1	10631(e)(1)	Retail Suppliers shall provide a description of the nature and extent of each demand management measure implemented over the past five years. The description will address specific measures listed in code.	Demand management measures	n/a	Part 2 Chapter 8 Section 8
n/a	9.2	Sections 9.2	10631(e)(2)	Wholesale Suppliers shall describe specific demand management measures listed in code, their distribution system asset management program, and Supplier assistance program.	Demand management measures	n/a	n/a
x	10	Chapter 10	10608.26(a)	Retail Suppliers shall conduct a public hearing to discuss adoption, implementation, and economic impact of water use targets (recommended to discuss compliance).	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.2	Section 10.2.1	10621(b)	Notify, at least 60 days prior to the public hearing, any city or county within which the Supplier provides water that the Supplier will be reviewing the UWMP and considering amendments or changes to the plan.	Plan adoption, submittal, and implementation	10-1	Part 2 Chapter 8 Section 9 Part 4 Appendix H-2
x	10.4	Section 10.4	10621(f)	Each urban water Supplier shall update and submit its 2025 plan to DWR by July 1, 2026.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.2	Sections 10.2.2, 10.3, and 10.5	10642	Provide supporting documentation that the Supplier made the UWMP and WSCP available for public inspection, published notice of the public hearing, and held a public hearing about the UWMP and WSCP.	Plan adoption, submittal, and implementation	n/a	Part 4 Appendix H-3
x	10.2	Section 10.2.2	10642	The Supplier is to provide the time and place of the hearing to any city or county within which the Supplier provides water.	Plan adoption, submittal, and implementation	10-1	Part 4 Appendix H-3
x	10.3	Section 10.3.2	10642	Provide supporting documentation that the UWMP and WSCP has been adopted as prepared or modified.	Plan adoption, submittal, and implementation	n/a	Part 4 Appendix H-3
x	10.4	Section 10.4	10644(a)	Provide supporting documentation that the Supplier has submitted their UWMP to the California State Library.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.4	Section 10.4	10644(a)(1)	Provide supporting documentation that the Supplier has submitted their UWMP to any city or county within which the Supplier provides water no later than 30 days after adoption.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.4	Sections 10.4.1 and 10.4.2	10644(a)(2)	The UWMP, or amendments to the UWMP, submitted to DWR shall be submitted electronically.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9

x	10.7	Section 10.7.2	10644(b)	If revised, submit a copy of the WSCP to DWR within 30 days of adoption.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.5	Section 10.5	10645(a)	Provide supporting documentation that, not later than 30 days after filing a copy of its UWMP with DWR, the Supplier has or will make the plan available for public review during normal business hours.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.5	Section 10.5	10645(b)	Provide supporting documentation that, not later than 30 days after filing a copy of its WSCP with DWR, the Supplier has or will make the plan available for public review during normal business hours.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9
x	10.6	Section 10.6	10621(c)	If Supplier is regulated by the Public Utilities Commission, include its plan and contingency plan as part of its general rate case filings.	Plan adoption, submittal, and implementation	n/a	Part 2 Chapter 8 Section 9

## H2: Public Outreach

## H2: Attachment 1 – 60 Day Notices

The 60-Day Notices are available upon request from the Agency at [this link](#).

## **H2: Attachment 2 – Regional Workshop #1 Materials**

To be included in the final document.

## H2: Attachment 3 – Regional Workshop #2 Materials

To be included in the final document.

### H3: Adoption Resolution

To be included in the final document.

## H4: Ordinances

The following ordinance is available online. Select the link below to view [Ordinance No. 01-18-22 \(Pages 38-44\)](#).

## H5: DWR Tables

**Submittal Table 2-1 Retail: Public Water Systems**

<b>Public Water System Number</b>	<b>Public Water System Name</b>	<b>Number of Municipal Connections 2025</b>	<b>Volume of Water Supplied 2025 (AF)</b>
CA1910234	Walnut Valley Water District	27,622	15,671
<b>Total</b>		<b>27,622</b>	<b>15,671</b>

**Submittal Table 2-2: Plan Identification**

<b>Type of Plan</b>	<b>Name of Regional Alliance or RUWMP</b>
Individual UWMP	Three Valleys Regional Urban Water Management Plan

**Submittal Table 2-3: Supplier Identification**

<b>Type of Supplier</b>	<b>Year Type</b>	<b>Month and date that the year begins (mm/dd)</b>	<b>Units of measure used in UWMP</b>
Supplier is a retail supplier	Fiscal Year	07/01	AF

**Submittal Table 2-4 Retail: Water Supplier Information Exchange**

<b>The retail Supplier has informed the following wholesale supplier(s) of projected water use.</b>
<b>Wholesale Water Supplier Name</b>
Three Valleys Municipal Water District

**Submittal Table 3-1 Retail: Population - Current and Projected**

Category	2025	2030	2035	2040	2045	2050(opt)
Population Served	95,645	96,894	98,143	98,630	99,117	99,604

**Submittal Table 4-1 Retail: Total Uses for Potable and Non-Potable Water — Actual**

Use Type	Additional Description (as needed)	2025 Actual Water Use Potable or Non-Potable	2025 Actual Water Use Volume (AF)
Single Family		Potable	10,278
Multi-Family		Potable	1,676
Commercial		Potable	1,174
Industrial		Potable	163
Institutional		Potable	276
Landscape		Potable	937
Distribution Water System Losses		Potable	1,167
Subtotal Potable			15,671
Subtotal Non-Potable			0
<b>Total</b>			<b>15,671</b>

**Submittal Table 4-2 Retail: Total Uses for Potable, and Non-Potable Water — Projected**

Use Type	Additional Description	Projected Water Use Potable or Non-Potable (Optional)	Projected Water Use 2030 (AF)	Projected Water Use 2035 (AF)	Projected Water Use 2040 (AF)	Projected Water Use 2045 (AF)	Projected Water Use 2050 opt (AF)
Single Family		Potable	8,947	8,109	7,702	7,740	7,778
Multi-Family		Potable	1,421	1,288	1,223	1,229	1,235
Commercial		Potable	1,126	1,149	1,153	1,156	954
Industrial		Potable	191	195	195	196	162
Institutional		Potable	254	259	260	261	215
Landscape		Potable	948	760	551	553	555
Distribution System Water Losses		Potable	1,332	1,357	1,378	1,394	1,696
Subtotal Potable			14,218	13,115	12,461	12,529	12,596
Subtotal Non-Potable			0	0	0	0	0
<b>Total</b>			<b>14,218</b>	<b>13,115</b>	<b>12,461</b>	<b>12,529</b>	<b>12,596</b>

**Submittal Table 4-3 Retail: Inclusion in Water Use Projections**

<b>Projection Item</b>	<b>Included in Projections?</b>
Are Future Water Savings Included in Projections?	Yes
Are Lower Income Residential Demands Included In Projections?	Yes

**Submittal Table 4-5 Retail: Water Loss Audit Reporting**

Public Water System ID #	Reporting Period	Submitted to DWR Water Loss Audit Program
CA1910234	2020	Yes
CA1910234	2021	Yes
CA1910234	2022	Yes
CA1910234	2023	Yes
CA1910234	2024	Yes
CA1910234	2025	Yes

**Notes:** The “Volume of Water Loss” quantities for FY 2019-20 through FY 2023-24 were obtained from the annual AWWA Water Loss Audits.

**Submittal Table 4-6 Retail: Progress Towards 2028 Water Loss Standard**

Public Water System ID # Reported in Submittal Table 2-1 R	Did the Water Board Calculate a Water Loss Standard for this Public Water System?	Real Water Loss State Water Board Standard 2028 Real Water Loss Standard per Unit per day	Real Water Loss State Water Board Standard Units for Real Water Loss	Real Water Loss Most Recent AWWA Water Loss Audit Number of Units (Connections or Miles corresponding with units selected)	Real Water Loss Most Recent AWWA Water Loss Audit Volume of Total Real Loss (AF) (from AWWA Water Loss Audit)	Real Water Loss Per Unit per Day	Apparent Water Loss State Water Board Standard 2028 Apparent Water Loss Standard per Unit per Day	Apparent Water Loss State Water Board Standard Units for Apparent Water Loss	Apparent Water Loss Most Recent AWWA Water Loss Audit Number of Connections	Apparent Water Loss Most Recent AWWA Water Loss Audit Volume of Total Apparent Loss (AF) (from AWWA Water Loss Audit)	Apparent Water Loss Per Unit per Day
CA1910234	Yes	26.8	Gallons per Service Connection per Day (GPSCD)	27,765	1117	35.9	4.9	Gallons per Service Connection per Day (GPSCD)	27,765	110	3.5

[Water Board's Calculated Water Loss Standards](#)

**Submittal Table 5-1 Retail: SB X7-7 2020 Target Progress**

Was Supplier part of a merger or consolidation since 2020?	Regional Alliance Target or Individual Target?	2020 Target	Actual 2020 GPCD	Did Supplier Achieve Targeted Reduction for 2020?	Actual 2025 GPCD (From SB X7-7 Compliance Form) *	Did Supplier meet the 2020 Target in 2025? *
n/a	n/a	169	149	Yes	146	Yes

**Notes:** n/a=Not Applicable

\* Only for suppliers that did not meet the Target in 2020

**Submittal Table 6-1 Retail: Groundwater Volume Pumped**

<b>Groundwater Type</b>	<b>Potable or Non-Potable (OPTIONAL)</b>	<b>Location or Basin Name</b>	<b>2021 (AF)</b>	<b>2022 (AF)</b>	<b>2023 (AF)</b>	<b>2024 (AF)</b>	<b>2025 (AF)</b>
Alluvial Basin	Potable	Puente Basin	1,000	721	426	439	1,556
Alluvial Basin	Potable	Spadra Basin	86	61	36	36	129
<b>Total</b>			<b>1,086</b>	<b>782</b>	<b>462</b>	<b>475</b>	<b>1,685</b>

**Submittal Table 6-2 Retail: Wastewater Collected Within Service Area**

<b>Wastewater Collection Name of Wastewater Collection Agency</b>	<b>Wastewater Collection Wastewater Volume Metered or Estimated? Optional</b>	<b>Wastewater Collection Volume of Wastewater Collected from UWMP Service Area 2025 (AF)</b>	<b>Recipient of Collected Wastewater Name of Wastewater Treatment Plant (WWTP) and Place ID Number</b>	<b>Recipient of Collected Wastewater Is WWTP Located Within UWMP Area?</b>
Sanitation Districts of Los Angeles County	Estimated	5,035	Pomona Water Reclamation Plant, Place ID 250700	No
<b>Total Wastewater Received from UWMP Service Area in 2025:</b>		<b>5,035</b>		

**Submittal Table 6-3 Retail: Wastewater Treatment and Outcomes Within UWMP Service Area**

Wastewater Treatment Plant Name and Place ID Number	Does This Plant Treat Wastewater Generated Outside the UWMP Service Area? (Optional)	2025 Volume of Wastewater Received from UWMP Service Area (AF)	Total 2025 Volume of Water Treated (AF)	2025 Outcomes of Treated Wastewater Water Recycled Within UWMP Service Area Treatment Level	2025 Outcomes of Treated Wastewater Water Recycled Within UWMP Service Area Volume (AF)	2025 Outcomes of Treated Wastewater Water Recycled Outside of UWMP Service Area Treatment Level	2025 Outcomes of Treated Wastewater Water Recycled Outside of UWMP Service Area Volume (AF)	2025 Outcomes of Treated Wastewater Effluent Discharge that is not a Permitted Recycled Water Use Treatment Level	2025 Outcomes of Treated Wastewater Effluent Discharge that is not a Permitted Recycled Water Use Volume (AF)	2025 Outcomes of Treated Wastewater Required Discharge for Instream Flow Treatment Level	2025 Outcomes of Treated Wastewater Required Discharge for Instream Flow Volume (AF)	2025 Outcomes of Treated Wastewater Delivered to Another Entity for Additional Treatment Level	2025 Outcomes of Treated Wastewater Delivered to Another Entity for Additional Treatment Volume (AF)	2025 Outcomes of Treated Wastewater Delivered to Another Entity for Additional Treatment Name of other entity
<b>Total</b>		<b>0</b>	<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>	

**Notes:** Wastewater was not treated or disposed of within the UWMP service area; therefore, this table was intentionally left blank.

**Submittal Table 6-4 Retail: Recycled Water Direct Beneficial Uses Within Service Area**

Use Type	Potable or Non-Potable (after treatment if treated) (Optional)	Additional Information	2025 (AF)	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)	Potential Recycled Water Use Volume	Potential Recycled Water Use Narrative page number (Optional)
Landscape irrigation (exc golf courses)		Nurseries, golf courses, roadside irrigation, parks, schools, greenbelts, and maintenance districts	1,973	1,249	1,236	1,217	1,193	1,163		
		Subtotal Potable	0	0	0	0	0	0	0	
		Subtotal Non-Potable	1,973	1,249	1,236	1,217	1,193	1,163	0	
		<b>Total</b>	<b>1,973</b>	<b>1,249</b>	<b>1,236</b>	<b>1,217</b>	<b>1,193</b>	<b>1,163</b>	<b>0</b>	<b>0</b>

**Submittal Table 6-5 Retail: 2020 UWMP Recycled Water Use Projection Compared to 2025 Actual**

Use Type	2020 Projection for 2025 (AF)	2025 Actual Use (AF)
Landscape irrigation (exc golf courses)	3,489	1,973
<b>Total</b>	<b>3,489</b>	<b>1,973</b>

**Submittal Table 6-6 Retail: Methods to Encourage Future Recycled Water Use**

Name of Action	Description	Planned Implementation Year	Expected Increase in Recycled Water Use (AF)
<b>Total (AF)</b>			<b>0</b>
<b>Unit Conversion to AF</b>			<b>0</b>

**Notes:** The Supplier plans to expand recycled water use in the future and a narrative explanation is provided in Section 4.5.1 of the UWMP.

**Submittal Table 6-7 Retail: Expected Future Water Supply Projects or Programs**

Name of Future Projects or Programs	Joint Project with other suppliers?	If Yes, Supplier Name	Additional Description	Potable or Non-Potable (after treatment if treated) (OPTIONAL)	Planned Implementation Year	Planned for Use in Year Type	Expected Increase in Water Supply to Supplier (AF)
Six Basins Groundwater Porject	Yes	Rowland Water District	Develop new extraction wells		Ongoing	Average Year	1,500
Covina Irrigating Company Interconnectio n	Yes	Rowland Water District	Improve system interties		Ongoing	Average Year	2,000
Spadra Basin Optimization Scenario 3	Yes	City of Pomona	Improve system interties		Ongoing	Average Year	3,500

**Notes:** There are future water supply projects or programs not compatible with this table; therefore, are described in narrative form in Section 4.7 of the UWMP.

**Submittal Table 6-8 Retail: Water Supplies — Actual**

<b>Water Supply</b>	<b>Additional Description</b>	<b>2025 Potable or Non-Potable (after treatment if treated) (Optional)</b>	<b>2025 Actual Volume (AF)</b>	<b>2025 Total Entitlement (AF) (Optional)</b>
Groundwater (not desalinated)	Puente Basin	Non-Potable	1,685	
Groundwater (not desalinated)	Spadra Basin	Non-Potable	108	
Purchased or Imported Water	Metropolitan Water District - Three Valleys Municipal Water District	Potable	15,671	
Recycled Water	Pomona Water Treatment Plan	Non-Potable	677	
Subtotal Potable			15,671	0
Subtotal Non-Potable			2,470	0
<b>Total</b>			<b>18,141</b>	<b>0</b>

Submittal Table 6-9 Retail: Water Supplies — Projected

Water Supply	Additional Detail on Water Supply	Potable or Non-Potable (after treatment if treated) (OPTIONAL)	Projected Water Supply 2030 Reasonably Available Volume (AF)	Projected Water Supply 2030 Total Entitlement (AF) (Optional)	Projected Water Supply 2035 Reasonably Available Volume (AF)	Projected Water Supply 2035 Total Entitlement (AF) (Optional)	Projected Water Supply 2040 Reasonably Available Volume (AF)	Projected Water Supply 2040 Total Entitlement (AF) (Optional)	Projected Water Supply 2045 Reasonably Available Volume (AF)	Projected Water Supply 2045 Total Entitlement (AF) (Optional)	Projected Water Supply 2050 Reasonably Available Volume (AF)	Projected Water Supply 2050 Total Entitlement (AF) (Optional)
Groundwater (not desalinated)	Spadra Basin	Potable	70		69		68		67		64	
Groundwater (not desalinated)	Puente Basin	Potable	833		826		812		792		765	
Purchased or Imported Water	TVMWD/MWD	Potable	13,518		9,915		9,261		9,329		9,396	
Purchased or Imported Water	Main Basin	Potable	0		2,500		2,500		2,500		2,500	
Purchased or Imported Water	Six Basins	Potable	700		700		700		700		700	
Recycled Water	Pomona Water Reclamation Plant	Non-Potable	1,249		1,236		1,217		1,193		1,163	
		Subtotal Potable	14,218	0	13,115	0	12,461	0	12,529	0	12,596	0
		Subtotal Non-Potable	1,249		1,236		1,217		1,193		1,163	0
		<b>Total</b>	<b>16,369</b>	<b>0</b>	<b>15,246</b>	<b>0</b>	<b>14,559</b>	<b>0</b>	<b>14,580</b>	<b>0</b>	<b>14,589</b>	<b>0</b>

**Optional Submittal Table 7-1 Retail: Basis of Water Year Data (Reliability Assessment)**

<b>Year Type</b>	<b>Base Year</b>	<b>Volume Available (AF)</b>	<b>Percent of Average Supply</b>
Average Year	2021-2025	17,843	100%
Single-Dry Year	2021	20,409	114%
Consecutive Dry Years 1st Year	2018	21,043	118%
Consecutive Dry Years 2nd Year	2019	18,173	102%
Consecutive Dry Years 3rd Year	2020	18,603	104%
Consecutive Dry Years 4th Year	2021	20,409	114%
Consecutive Dry Years 5th Year	2022	19,292	108%

**Submittal Table 7-2 Retail: Normal Year Supply and Use Comparison**

Total Type	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
Supply totals	16,369	15,246	14,559	14,580	14,589
Use totals	16,369	15,246	14,559	14,580	14,589
<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Notes:** The supply and demand totals presented in this table reflect an aggregation of both the potable and non-potable water systems. Therefore, the total demand shown here exceeds the potable-only demand projected in UWMP Table 2-6 (DWR Submittal Table 4-2R). The total demand in this reliability assessment includes those potable demands plus the projected non-potable (recycled water) demands, which are scaled to be met 1-to-1 by the recycled water supplies detailed in UWMP Table 4-4 (DWR Submittal Table 6-9R).

**Submittal Table 7-3 Retail: Single Dry Year Supply and Use Comparison**

Total Type	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
Supply totals	18,723	17,438	16,652	16,676	16,686
Use totals	18,723	17,438	16,652	16,676	16,686
<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Notes:** The supply and demand totals presented in this table reflect an aggregation of both the potable and non-potable water systems. Therefore, the total demand shown here exceeds the potable-only demand projected in UWMP Table 2-6 (DWR Submittal Table 4-2R). The total demand in this reliability assessment includes those potable demands plus the projected non-potable (recycled water) demands, which are scaled to be met 1-to-1 by the recycled water supplies detailed in UWMP Table 4-4 (DWR Submittal Table 6-9R).

**Submittal Table 7-4 Retail: Multiple Dry Years Supply and Use Comparison**

Year	Total Type / Difference	2030 (AF)	2035 (AF)	2040 (AF)	2045 (AF)	2050 (AF)
First year	Supply totals	19,305	17,980	17,169	17,195	17,205
	Use totals	19,305	17,980	17,169	17,195	17,205
	<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Second year	Supply totals	16,672	15,528	14,828	14,849	14,858
	Use totals	16,672	15,528	14,828	14,849	14,858
	<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Third year	Supply totals	17,066	15,896	15,178	15,201	15,210
	Use totals	17,066	15,896	15,178	15,201	15,210
	<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Fourth year	Supply totals	18,723	17,438	16,652	16,676	16,686
	Use totals	18,723	17,438	16,652	16,676	16,686
	<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Fifth year	Supply totals	17,698	16,484	15,741	15,764	15,773
	Use totals	17,698	16,484	15,741	15,764	15,773
	<b>Difference</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Notes:** The supply and demand totals presented in this table reflect an aggregation of both the potable and non-potable water systems. Therefore, the total demand shown here exceeds the potable-only demand projected in UWMP Table 2-6 (DWR Submittal Table 4-2R). The total demand in this reliability assessment includes those potable demands plus the projected non-potable (recycled water) demands, which are scaled to be met 1-to-1 by the recycled water supplies detailed in UWMP Table 4-4 (DWR Submittal Table 6-9R).

**Submittal Table 7-5 Retail: Five-Year Drought Risk Assessment**

Totals	2026	2027	2028	2029	2030
Total Water Use (AF)	19,305	16,672	17,066	18,723	17,698
Total Supplies (AF)	19,305	16,672	17,066	18,723	17,698
<b>Difference w/o WSCP Action (AF)</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Submittal Table 8-1: Cross-reference for Standard vs Supplier Shortage Levels**

Standard Shortage Levels	Percent Shortage Range	Suppliers Shortage Levels	Percent Shortage Range
1	Up to 10%		
2	Up to 20%		
3	Up to 30%		
4	Up to 40%		
5	Up to 50%		
6	>50%		

**Notes:** The Supplier uses the standard six levels of water shortage; therefore, supplier-specific shortage levels and percentage ranges are not separately identified in this table.

**Submittal Table 8-2 Retail: Supply Augmentation and Other Actions**

Shortage Level	Supply Augmentation Methods and Other Actions by Water Supplier	How much is this going to reduce the shortage gap? (Percentage)	How much is this going to reduce the shortage gap? Shortage Gap Reduction Value (AF)	Additional Explanation or Reference (Optional)
1	Transfers		Not applicable (see notes)	
2	Transfers		Not applicable (see notes)	
3	Transfers		Not applicable (see notes)	
4	Transfers		Not applicable (see notes)	
5	Transfers		Not applicable (see notes)	
6	Transfers		Not applicable (see notes)	

**Notes:** The District will consider increased purchased water from the Main Basin, through CDWC, to address increased demands. As noted in Table 2, the District plans to implement demand reduction measures in the event water supplies from existing sources are not sufficient to meet anticipated demands.

**Submittal Table 8-3 Retail: Demand Reduction Actions**

Shortage Level	Demand Reduction Actions	How much is this going to reduce the shortage gap? Volume or Percentage	How much is this going to reduce the shortage gap? Shortage Gap Reduction Value (AF)	Additional Explanation or Reference (Optional)	Penalty, Charge, or Other Enforcement?
1	Landscape - Limit landscape irrigation to specific times	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on watering hours	Yes
1	Landscape - Restrict or prohibit runoff from landscape irrigation	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No excessive water flow or runoff	Yes
1	Other - Prohibit use of potable water for washing hard surfaces	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No washing down of paved surfaces	Yes
1	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Obligation to fix leaks, breaks, or malfunctions	Yes
1	Other - Prohibit vehicle washing except at facilities using recycled or recirculating water	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on washing vehicles	Yes
1	Water Features - Restrict water use for decorative water features, such as fountains	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Re-circulating water required for water fountains and decorative water features	Yes

Shortage Level	Demand Reduction Actions	How much is this going to reduce the shortage gap? Volume or Percentage	How much is this going to reduce the shortage gap? Shortage Gap Reduction Value (AF)	Additional Explanation or Reference (Optional)	Penalty, Charge, or Other Enforcement?
1	Other	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No Installation of single pass cooling	
1	Other	Volume	systems water system in buildings requesting new water service	Yes	
1	CII - Restaurants may only serve water upon request	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Installation of non re-circulating water system is prohibited in new commercial conveyor car wash and new commercial	
1	CII - Lodging establishment must offer opt out of linen service	Volume	laundry systems	Yes	
2	Other	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Drinking water served upon request only	Yes
1	Landscape - Limit landscape irrigation to specific times	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Option to decline daily linen services at commercial lodging establishments	Yes

Shortage Level	Demand Reduction Actions	How much is this going to reduce the shortage gap? Volume or Percentage	How much is this going to reduce the shortage gap? Shortage Gap Reduction Value (AF)	Additional Explanation or Reference (Optional)	Penalty, Charge, or Other Enforcement?
1	Landscape - Restrict or prohibit runoff from landscape irrigation	Volume	Collective reduction from all Shortage Level 2 actions is up to 4,082 AF	Includes all Stage 1 actions	Yes
1	Other - Prohibit use of potable water for washing hard surfaces	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on watering hours	Yes
2	Other water feature or swimming pool restriction	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No excessive water flow or runoff	Yes
3	Other	Volume	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No washing down of paved surfaces	Yes
3	Other water feature or swimming pool restriction	Volume	Collective reduction from all Shortage Level 2 actions is up to 4,082 AF	Re-filling of water constituting more than one foot of depth and initial filling of residential swimming pools or outdoor spas with potable water is	
4	Other	Volume	prohibited	Yes	

Shortage Level	Demand Reduction Actions	How much is this going to reduce the shortage gap? Volume or Percentage	How much is this going to reduce the shortage gap? Shortage Gap Reduction Value (AF)	Additional Explanation or Reference (Optional)	Penalty, Charge, or Other Enforcement?
5	Other	Volume	Collective reduction from all Shortage Level 3 actions up to 6,124 AF	Includes all Stage 2 actions	Yes
6	Other	Volume	Collective reduction from all Shortage Level 3 actions up to 6,124 AF	Filling or refilling ornamental lakes or	

**Submittal Table 10-1 Retail: Notification to Cities and Counties**

<b>City or County Name</b>	<b>60 Day Notice</b>	<b>Notice of Public Hearing</b>
Diamond Bar	Yes	Yes
Industry	Yes	Yes
Pomona	Yes	Yes
Walnut	Yes	Yes
West Covina	Yes	Yes
Los Angeles County	Yes	Yes

## H6: AWWA Water Audits

The following AWWA Water Audit reports are available online. Select the links below to view each report:

- [2020 AWWA Water Audit](#)
- [2021 AWWA Water Audit](#)
- [2022 AWWA Water Audit](#)
- [2023 AWWA Water Audit](#)
- [2024 AWWA Water Audit](#)

If a link is not available, AWWA Water Audit reports for all years can be downloaded from the [WUEdata website](#).

## H7: Water Shortage Contingency Plan



# 2025 WATER SHORTAGE CONTINGENCY PLAN

WALNUT VALLEY WATER DISTRICT



## ACRONYMS AND ABBREVIATIONS

<b>Acronym</b>	<b>Description</b>
AF	Acre-Foot
AFY	Acre-Feet per Year
AMI	Advanced Metering Infrastructure
CDWC	California Domestic Water Company
CII	Commercial, Industrial, and Institutional
CWC	California Water Code
District	Walnut Valley Water District
DWR	California Department of Water Resources
ERP	Emergency Response Plan
FY	Fiscal Year
GSP	Groundwater Sustainability Plan
LACSD	Los Angeles County Sanitation Districts
MWD	Metropolitan Water District of Southern California
RRA	Risk and Resilience Assessment
SWRCB	State Water Resources Control Board
TVMWD	Three Valleys Municipal Water District
USEPA	United States Environmental Protection Agency
UWMP	Urban Water Management Plan
WSAP	Water Supply Allocation Plan
WSCP	Water Shortage Contingency Plan



## WATER SHORTAGE CONTINGENCY PLAN

### LAY DESCRIPTION

#### WATER SHORTAGE CONTINGENCY PLAN

Walnut Valley Water District (District) 2025 Water Shortage Contingency Plan (WSCP) discusses and provides the following:

- The District's Water Shortage Contingency Plan is a detailed approach which presents how the District intends to act, or respond, in the case of an actual water shortage.
- Preparation of the District's "Annual Water Supply and Demand Assessment" (or Annual Assessment) is discussed. Beginning July 1, 2022, the District has submitted the Annual Assessment each year through 2025. The Annual Assessment includes a review of the District's "unconstrained" water demands for the current year and for a potential upcoming single dry year. Unconstrained water demands represent the District's water demands prior to any response actions the District may invoke pursuant to the District's Water Shortage Contingency Plan.
- The District will manage water supplies to minimize the adverse impacts of water shortages. The District's plan for water usage during periods of shortage is designed to incorporate six standard and progressive water shortage levels including up to a 10, 20, 30, 40, and 50 percent shortage, and greater than a 50 percent shortage.
- For each declared water supply shortage level, customers are required to reduce their consumption by the percentage specified in the corresponding water supply shortage level.



- For each declared water supply shortage level, the District has established response actions to reduce demand on water supplies and to reduce any shortage gaps in water supplies. These demand reduction actions include irrigation and other outdoor use restrictions, rate structure changes, and other water use prohibitions.
- The operational changes the District has considered in addressing water shortages on a short-term basis are discussed and include improved monitoring, analysis, and tracking of customer water usage to enforce demand reduction measures.
- The District's Emergency Response Plan is summarized. The Emergency Response Plan provides the management, procedures, and designated actions the District and its employees will implement during emergency situations (including catastrophic water shortages) resulting from natural disasters, system failures, and other unforeseen circumstances.
- The preparation of the District's seismic risk assessment and mitigation plan is discussed. The locations of earthquake faults in the vicinity of the District's water service area are provided.
- The effectiveness of the shortage response actions for each of the District's standard water shortage levels is presented. The District has been able to provide sufficient water supplies to its customers, including during long-term droughts and years with historically high water demands.
- The communication protocols implemented by the District when it declares any water shortage level are presented.
- The compliance and enforcement procedures associated with District's standard water shortage levels are presented.
- The legal authorities associated with District's standard water shortage levels are presented.
- The financial consequences associated with District's standard water shortage levels are presented.



- The District will evaluate the need for revising the Water Shortage Contingency Plan in order to resolve any water shortage gaps, as necessary. The steps necessary for the District to adopt and amend its Water Shortage Contingency Plan are presented.

The following WSCP includes references to Chapters and Sections from the District's 2025 Urban Water Management Plan (UWMP):

### 1. WATER SUPPLY RELIABILITY ANALYSIS

---

#### [CWC 10632.](#)

*(a)(1) The analysis of water supply reliability conducted pursuant to Section 10635.*

---

The District's sources of supply were discussed in Chapter 4 of the 2025 UWMP and consist of groundwater from Main Basin (through California Domestic Water Company (CDWC)), Puente Basin, Spadra Basin, and treated imported water purchased from Three Valleys Municipal Water District (TVMWD). In addition, the District provides recycled water for irrigation instead of potable supplies. Both Main Basin and Puente Basin are adjudicated, and groundwater supplies are managed. A Groundwater Sustainability Plan (GSP) has been developed for Spadra Basin. The reliability of the various sources of supply is discussed in Chapter 5 of the 2025 UWMP. Based on the adjudication provisions in the Main Basin, the District is able to purchase groundwater, provided an applicable assessment is paid to the Main Basin Watermaster to purchase untreated imported water for groundwater replenishment. Imported water supplies (both treated and untreated) may be impacted in the event MWD implements its Water Supply Allocation Plan (WSAP) due to a water supply shortage. Finally, recycled water is locally generated and generally is not impacted by drought conditions.



## 2. ANNUAL WATER SUPPLY AND DEMAND ASSESSMENT PROCEDURES

### CWC 10632.

*(a)(2) The procedures used in conducting an annual water supply and demand assessment that include, at a minimum, both of the following:*

*(A) The written decision-making process that an urban water supplier will use each year to determine its water supply reliability.*

*(B) The key data inputs and assessment methodology used to evaluate the urban water supplier's water supply reliability for the current year and one dry year, including all of the following:*

*(i) Current year unconstrained demand, considering weather, growth, and other influencing factors, such as policies to manage current supplies to meet demand objectives in future years, as applicable.*

*(ii) Current year available supply, considering hydrological and regulatory conditions in the current year and one dry year. The annual supply and demand assessment may consider more than one dry year solely at the discretion of the urban water supplier.*

*(iii) Existing infrastructure capabilities and plausible constraints.*

*(iv) A defined set of locally applicable evaluation criteria that are consistently relied upon for each annual water supply and demand assessment.*

*(v) A description and quantification of each source of water supply.*

### CWC 10632.1.

*An urban water supplier shall conduct an annual water supply and demand assessment pursuant to subdivision (a) of Section 10632 and, on or before July 1 of each year, submit an annual water shortage assessment report to the department with information for anticipated shortage, triggered shortage response actions, compliance and enforcement actions, and communication actions consistent with the supplier's water shortage contingency plan. An urban water supplier that relies on imported water from the State Water Project or the Bureau of Reclamation shall submit its annual water supply and demand assessment within 14 days of receiving its final allocations, or by July 1 of each year, whichever is later.*

Beginning July 1, 2022, the District has submitted the Annual Assessment in accordance with DWR's guidance and requirements. The Annual Assessment includes a review of the District's unconstrained water demands (i.e. water demands prior to any projected



response actions the District may trigger under this Water Shortage Contingency Plan) for the current year and the upcoming (potential single dry) year. The District also includes information regarding anticipated shortages, triggered shortage response actions, compliance and enforcement actions, and communication actions consistent with the District's Water Shortage Contingency Plan.

For each Annual Assessment, the District prepares a preliminary assessment which evaluates the adequacy of its water supplies for the current and upcoming years. The preliminary assessment includes a review of water supplies for at least a single dry year.

The components of the Annual Assessment consist of the following:

- A written decision-making process
- Key data inputs and assessment methodology

### **2.1. DECISION MAKING PROCESS**

The District purchases treated imported water from the Metropolitan Water District of Southern California (MWD) through TVMWD as its primary source of water supply and that source is managed on a fiscal year basis. Consequently, during the third quarter of each fiscal year the District will review its water demands from the initial six months. This information will be used to help develop the Annual Assessment. A draft of the Annual Assessment will be circulated internally within the District for peer review and comment. Based on comments received, a redraft will be prepared and provided to District department managers during the spring of each year. The draft is then provided to the General Manager for final review. Subsequently, a final draft of the Annual Assessment will be provided to the District's Board of Directors for review and included in the agenda as part of a Board meeting such that it can be approved, and any recommended specific shortage response actions may be enacted. The final Annual Assessment will be provided to DWR no later than July 1 of each year.



The Annual Assessments are instrumental in providing guidance to the District for decisions regarding potential declarations of a water supply shortage and implementation of water reduction stages, instituting mandatory water restrictions, promoting water use efficiency and conservation programs, water rates and drought rate surcharges, and the necessity of pursuing alternative water supplies. This process helps ensure adequate water supplies resources are available to the District.

### 2.2. DATA AND METHODOLOGIES

The key data inputs and methodologies which will be evaluated by the District during the preparation of the preliminary assessment include the following:

- 1) Evaluation Criteria: The locally applicable evaluation criteria used to prepare the Annual Assessment will be identified. The evaluation criteria will include, but is not limited to, an analysis of current local hydrology (including rainfall and groundwater levels), current water demands, a review of water system improvement plans which may impact infrastructure availability, and water quality regulations which may impact groundwater availability. The District compares total demand to total supply to identify potential shortages. If shortages are identified, the District will determine the necessary WSCP level and corresponding reduction.
- 2) Water Supply: A description of each available water supply source is provided. The descriptions include a quantification of each available water supply source and are based on current production capacities, historical production, Urban Water Management Plans, and prior water supply studies (including Water Supply Assessments and/or Master Plans).
- 3) Unconstrained Water Demand: The potential unconstrained water demands during the current year and the upcoming (potential single dry) year, prior to any special shortage response actions, are reviewed. The review includes factors such as weather, existing and projected land uses and populations, actual customer consumption and water use factors, monthly Urban Water Supplier Monthly



Reports, and existing water shortage levels (see Section 3), and existing water conservation ordinances (see Section 8.1.1 of the UWMP).

- 4) Planned Water Use for Current Year Considering Dry Subsequent Year: The water supplies available to meet the demands during the current year and the upcoming (potential single dry) year are considered and identified for each source of supply. The evaluation includes factors such as estimated water demands, weather, groundwater basin operating safe yields, water quality results, existing available pumping capacities, imported water allocations, contractual obligations, regulatory issues, use of emergency interconnections, and the costs associated with producing each water supply source.
- 5) Infrastructure Considerations: The capabilities of the water distribution system infrastructure to meet the water demands during the current year and the upcoming (potential single dry) year are considered. Available production capacities (e.g. groundwater well capacities) and distribution system water losses (see Section 2.1.2 of the UWMP) are reviewed. In addition, capital improvement and replacement projects, as well as potential projects which may increase water system and production capacities (see Section 4.7 of the UWMP), are considered.
- 6) Other Factors: Additional local considerations, if any, which can affect the availability of water supplies will be described.

If shortages are identified, the District will determine the necessary WSCP level and corresponding reduction.

### 3. SIX STANDARD WATER SHORTAGE LEVELS

#### CWC 10632.

*(a)(3)(A) Six standard water shortage levels corresponding to progressive ranges of up to 10, 20, 30, 40, and 50 percent shortages and greater than 50 percent shortage. Urban water suppliers shall define these shortage levels based on the suppliers' water supply conditions, including percentage reductions in water supply, changes in groundwater*



levels, changes in surface elevation or level of subsidence, or other changes in hydrological or other local conditions indicative of the water supply available for use. Shortage levels shall also apply to catastrophic interruption of water supplies, including, but not limited to, a regional power outage, an earthquake, and other potential emergency events.

(a)(3)(B) An urban water supplier with an existing water shortage contingency plan that uses different water shortage levels may comply with the requirement in subparagraph (A) by developing and indicating a cross-reference relating its existing categories to the six standard water shortage levels.

The District has a legal responsibility to provide water utility services, including water for residential, commercial, industrial, public authority, and for public fire hydrants and private fire services. The District will manage water supplies prudently to minimize the adverse impacts of water shortages. In its 2015 Plan, the District’s WSCP was designed to provide a minimum of 50 percent of normal supply during a severe or extended water shortage. Water shortage trigger mechanisms have been established to ensure that this policy is implemented. This includes structured stages of action referred to as water shortage planning levels.

Table 1 provides a description of the six standard levels which may be triggered by a shortage in one or more of the District’s water supply sources, depending on the severity of the shortage and its anticipated duration.

Table 1. Water Shortage Contingency Planning Levels

Submittal Table 8-1: Water Shortage Contingency Plan Levels		
Shortage Level	Percent Shortage Range	Shortage Response Actions (Narrative description)
1	Up to 10%	Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum number of days per week, to be determined by the District’s Board of Directors, or as modified by the General Manager, based on the District’s then existing water supply conditions. All leaks, breaks, or other malfunctions in the water user’s plumbing or distribution system must be repaired within five days after written notification by the District unless other arrangements are made by the District.



Submittal Table 8-1: Water Shortage Contingency Plan Levels		
Shortage Level	Percent Shortage Range	Shortage Response Actions (Narrative description)
2	Up to 20%	In addition to Shortage Level 1, re-filling of water constituting more than one foot of depth and initial filling of residential swimming pools or outdoor spas with potable water is prohibited. Watering or irrigation of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of three days per week on a schedule established and posted by the District. All leaks, breaks, or other malfunctions in the water user’s plumbing or distribution system must be repaired within 72 hours after written notification by the District unless other arrangements are made by the District.
3	Up to 30%	In addition to Shortage Level 2, filling or re-filling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level under Ordinance No. 01-18-22. Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District.
4	Up to 40%	In addition to Shortage Level 3, watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District.
5	Up to 50%	In addition to Shortage Level 4, watering or irrigating of lawn, landscape, or other vegetated area with potable water is limited to a maximum of one day per week on a schedule established and posted by the District.
6	>50%	In addition to Shortage Level 5; Additional restrictions may be implemented as determined by the District, after notice to customers.

NOTES:

The 2025 Plan requires urban water suppliers to have six standardized water shortage response actions in accordance with the DWR. The District’s previous WSCP, originally included in its 2015 Plan as Ordinance No. 07-16-09 described a permanent Initial Stage followed by four water shortage levels that would be mandatory once put into effect. A crosswalk of the existing (prior) and planned stages of action is shown on the figure below. The shortage level changes were made in 2020 and have remained the same for 2025.

In 2022, the District adopted Ordinance No. 01-18-22, amending and restating Ordinance No. 07-16-09. This ordinance establishes permanent water use efficiency requirements intended to influence water use behavior at all times and further establishes six water supply shortage response stages consistent with the State-mandated shortage levels (see Appendix A).



**Corresponding Relationships Between Supplier’s 2015 Shortage levels and the 2020 WSCP Mandated Shortage Levels**

Established Level	Supply Condition/ Shortage		2020 Standard Level	Shortage Level
1	10 to 15%	→	1	≤10%
2	15 to 25%	→	2	10 to 20%
3	25 to 35%	→	3	20 to 30%
4	35 to 50%	→	4	30 to 40%
		→	5	40 to 50%
		→	6	> 50%

Note: The 2020 shortage levels have remained the same for 2025.

**4. SHORTAGE RESPONSE ACTIONS**

**CWC 10632.**

*(a)(4) Shortage response actions that align with the defined shortage levels and include, at a minimum, all of the following:*

- (A) Locally appropriate supply augmentation actions.*
- (B) Locally appropriate demand reduction actions to adequately respond to shortages.*
- (C) Locally appropriate operational changes.*
- (D) Additional, mandatory prohibitions against specific water use practices that are in addition to state-mandated prohibitions and appropriate to the local conditions.*
- (E) For each action, an estimate of the extent to which the gap between supplies and demand will be reduced by implementation of the action.*

**4.1. DEMAND REDUCTION**

As a part of the District’s ongoing commitment to consistent water use efficiency, the following water use efficiency requirements are effective at all times and are permanent requirements set forth by the District’s Rules and Regulations, Section 4.07.01. Violations



of this initial stage will be considered waste and an authorized use of water, which will result in penalties outlined in Section 14 of Ordinance No. 01-18-22.

- 1) Limit on Water Duration: Watering or irrigating of lawn, landscape, or other vegetated area with potable water using a landscape irrigation system or a watering device that is not continuously attended is limited to no more than 15 minutes watering per day per station. This does not apply to landscape irrigation systems that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour, weather-based controllers, or stream rotor sprinklers that meet 70 percent efficiency standard.
- 2) Limits on Watering Hours: Watering or irrigation of lawn, landscape, or other vegetated area with potable water is prohibited between the hours of 8:00 a.m. and 5:00 p.m. on any day, except by use of a hand-held bucket or similar container, a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for short periods of time for the express purpose of adjusting or repairing an irrigation system.
- 3) Limits on Watering Following Precipitation/Rainfall: Watering or irrigating of lawn, landscape, or other vegetated area with potable water within 48 hours following measurable precipitation is prohibited.
- 4) No Excessive Water Flow or Runoff: Watering or irrigation of any lawn, landscape, or other vegetated area in a manner that causes or allows excessive water flow or runoff onto an adjoining sidewalk, driveway, street, alley, gutter, or ditch is prohibited.
- 5) No Washing Down Hard or Paved Surfaces: Washing down hard or paved surfaces, including but not limited to sidewalks, walkways, driveways, parking areas, tennis courts, patios, or alleys, is prohibited except when necessary to alleviate safety or sanitary hazards, and then only by use of a hand-held bucket or similar container, a hand-held hose equipped with a positive self-closing water shut-off device, a low-volume, high-pressure cleaning machine equipped to recycle any water used, or a low-volume, high-pressure water broom.



- 6) Obligation to Fix Leaks, Breaks, or Malfunctions: Excessive use, loss, or escape of water through breaks, leaks, or other malfunctions in the water user's plumbing or distribution system for any period of time after such escape of water should have reasonably been discovered and corrected and in no event more than seven days after receiving written notice from the District is prohibited.
- 7) Limits on Washing Vehicles: Using water to wash or clean a vehicle, including but not limited to any automobile, truck, van, bus, motorcycle, boat, or trailer, whether motorized or not, is prohibited, except by use of a hand-held bucket or similar container or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device. This does not apply to any commercial car washing facility.
- 8) Re-circulating Water Required for Water Fountains and Decorative Water Features: Operating a water fountain or other decorative water feature that does not use re-circulated water is prohibited.
- 9) No Installation of Single Pass Cooling Systems Water System: Installation of single pass cooling systems is prohibited in buildings requesting new water service.
- 10) No Installation of Non-re-circulating in Commercial Car Wash and Laundry Systems: Installation of non-re-circulating water systems is prohibited in new commercial conveyor car wash and new commercial laundry systems.
- 11) No Irrigating Ornamental Turf on Public Street Medians: Irrigating ornamental turf on Public Street Medians with potable water is prohibited.
- 12) Negligent Waste of Water: At the discretion of the General Manager, the District reserves the right to determine negligent waste or misuse of water supplies. Such water use constitutes an unauthorized waste of water and is subject to the imposition penalties outlined in Section 14 of Ordinance No. 01-18-22.

### **Stage 1 Water Supply Shortage Level (Up to 10%)**

A Stage 1 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and



appropriately respond to existing water conditions and a reduction of water use of up to 10 percent will be required to lower overall water demand.

In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 1 Water Supply Shortage:

- 1) Limits on Watering Days: Watering or irrigation of lawn, landscape, or other vegetated area with potable water will be limited to a maximum number of days per week, to be determined by the District's Board of Directors, or as modified by the General Manager, based on the District's then existing water supply conditions. The irrigation day limitation and schedule will be posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
- 2) Obligation to Fix Leaks, Breaks, or Malfunctions: All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within five days after written notification by the District unless other arrangements are made by the District.

### **Stage 2 Water Supply Shortage Level (Up to 20%)**

A Stage 2 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 20 percent will be required to lower overall water demand.



In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 2 Water Supply Shortage:

- 3) Limits on Watering Days: Watering or irrigation of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of three days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
- 4) Obligation to Fix Leaks, Breaks, or Malfunctions: All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 72 hours after written notification by the District unless other arrangements are made by the District.
- 5) Limits on Filling Residential Swimming Pools and Spas: Re-filling of water constituting more than one foot of depth and initial filling of residential swimming pools or outdoor spas with potable water is prohibited.

### **Stage 3 Water Supply Shortage Level (Up to 30%)**

A Stage 3 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 30 percent will be required to lower overall water demand.



In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 3 Water Supply Shortage:

- 1) Limits on Watering Days: Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
- 2) Obligation to Fix Leaks, Breaks, or Malfunctions: All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 48 hours after written notification by the District unless other arrangements are made by the District.
- 3) Limits on Filling Ornamental Lakes or Ponds: Filling or re-filling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level under Ordinance No. 01-18-22.

### **Stage 4 Water Supply Shortage Level (Up to 40%)**

A Stage 4 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 40 percent will be required to lower overall water demand.



In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 4 Water Supply Shortage:

- 1) Limits on Watering Days: Watering or irrigation of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigation by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
- 2) Obligation to Fix Leaks, Breaks, or Malfunctions: All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 48 hours after written notification by the District unless other arrangements are made by the District.
- 3) Limits on Filling Ornamental Lakes or Ponds: Filling or re-filling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level under Ordinance No. 01-18-22.

### **Stage 5 Water Supply Shortage Level (Up to 50%)**

A Stage 5 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 50 percent will be required to lower overall water demand.



In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 5 Water Supply Shortage:

1) Limits on Watering Days: Watering or irrigation of lawn, landscape, or other vegetated area with potable water is limited to a maximum of one day per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. This restriction does not apply to the following categories of use:

- i. Maintenance of vegetation, including trees and shrubs, that are watered using a hand-held bucket or similar container, hand-held hose equipped with a positive self-closing water shut-off nozzle or device
- ii. Maintenance of existing landscape necessary for fire protection
- iii. Maintenance of existing landscape for soil erosion control
- iv. Maintenance of plant materials identified to be rare or essential to the well-being of protected species
- v. Maintenance of landscape within active public parks and playing fields, daycare centers, golf course greens, and school grounds, provided that such irrigation does not exceed two days per week according to the schedule established in Section 6(8)(1) and time restrictions in Section 5(8)(1) of Ordinance No. 01-18-22
- vi. Actively irrigated environmental mitigation projects

### **Stage 6 Water Supply Shortage Level (More than 50%)**

Stage 6, also referred to as an “Emergency” condition, exists when the District, through its Board of Directors, declares a water shortage emergency and notifies its residents and



businesses that more than 50 percent reduction of water use is necessary to maintain sufficient water supplies for public health and safety.

In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 6 Water Supply Shortage:

- 1) Limits on Watering Days: Watering or irrigation of lawn, landscape, or other vegetated area with potable water is limited to a maximum of one day per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. This restriction does not apply to the following categories of use:
  - i. Maintenance of vegetation, including trees and shrubs, that are watered using a hand-held bucket or similar container, hand-held hose equipped with a positive self-closing water shut-off nozzle or device
  - ii. Maintenance of existing landscape necessary for fire protection
  - iii. Maintenance of existing landscape for soil erosion control
  - iv. Maintenance of plant materials identified to be rare or essential to the well-being of protected species
  - v. Maintenance of landscape within active public parks and playing fields, daycare centers, golf course greens, and school grounds, provided that such irrigation does not exceed two days per week according to the schedule established in Section 6(8)(1) and time restrictions in Section 5(8)(1) of Ordinance No. 01-18-22
  - vi. Actively irrigated environmental mitigation projects



Table 2. Demand Reduction Actions

Submittal Table 8-3: Demand Reduction Actions				
Shortage Level	Demand Reduction Actions <b>Drop down list</b> <i>These are the only categories that will be accepted by the WUEdata online submittal tool. Select those that apply.</i>	How much is this going to reduce the shortage gap? <i>Include units used (volume type or percentage)</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <b>For Retail Suppliers Only</b> <i>Drop Down List</i>
1	Landscape - Limit landscape irrigation to specific times	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on watering hours	Yes
1	Landscape - Restrict or prohibit runoff from landscape irrigation	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No excessive water flow or runoff	Yes
1	Other - Prohibit use of potable water for washing hard surfaces	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No washing down of paved surfaces	Yes
1	Other - Customers must repair leaks, breaks, and malfunctions in a timely manner	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Obligation to fix leaks, breaks, or malfunctions	Yes
1	Other - Prohibit vehicle washing except at facilities using recycled or recirculating water	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on washing vehicles	Yes
1	Water Features - Restrict water use for decorative water features, such as fountains	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Re-circulating water required for water fountains and decorative water features	Yes
1	Other	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No Installation of single pass cooling systems water system in buildings requesting new water service	Yes
1	Other	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Installation of non re-circulating water system is prohibited in new commercial conveyor car wash and new commercial laundry systems	Yes
1	CII - Restaurants may only serve water upon request	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Drinking water served upon request only	Yes
1	CII - Lodging establishment must offer opt out of linen service	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Option to decline daily linen services at commercial lodging establishments	Yes
2	Other	Collective reduction from all Shortage Level 2 actions is up to 4,082 AF	Includes all Stage 1 actions	Yes
1	Landscape - Limit landscape irrigation to specific times	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	Limits on watering hours	Yes
1	Landscape - Restrict or prohibit runoff from landscape irrigation	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No excessive water flow or runoff	Yes
1	Other - Prohibit use of potable water for washing hard surfaces	Collective reduction from all Shortage Level 1 actions is up to 2,041 AF	No washing down of paved surfaces	Yes



Submittal Table 8-3: Demand Reduction Actions				
Shortage Level	Demand Reduction Actions <b>Drop down list</b> <i>These are the only categories that will be accepted by the WUEdata online submittal tool. Select those that apply.</i>	How much is this going to reduce the shortage gap? <i>Include units used (volume type or percentage)</i>	Additional Explanation or Reference <i>(optional)</i>	Penalty, Charge, or Other Enforcement? <b>For Retail Suppliers Only</b> <i>Drop Down List</i>
2	Other water feature or swimming pool restriction	Collective reduction from all Shortage Level 2 actions is up to 4,082 AF	Re-filling of water constituting more than one foot of depth and initial filling of residential swimming pools or outdoor spas with potable water is prohibited	Yes
3	Other	Collective reduction from all Shortage Level 3 actions up to 6,124 AF	Includes all Stage 2 actions	Yes
3	Other water feature or swimming pool restriction	Collective reduction from all Shortage Level 3 actions up to 6,124 AF	Filling or refilling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life	Yes
4	Other	Collective reduction from all Shortage Level 4 actions up to 8,165 AF	Includes all Stage 3 actions	Yes
5	Other	Collective reduction from all Shortage Level 5 actions up to 10,206 AF	Includes all Stage 4 actions	Yes
6	Other	Collective reduction from all Shortage Level 6 actions up to >10,206 AF	includes all Stage 5 actions	Yes

NOTES:

## 4.2. SUPPLY AUGMENTATION

The District does not plan to add a new source of water supply to address customer demands, but will consider increasing supplies from existing sources. Table 3 reflects this approach and does not identify any new supplies. Instead, the District will focus on demand reduction measures in the event existing sources of supply are not sufficient to meet customer demands. As discussed in Chapter 4, the District’s water supply sources include treated, imported surface water purchased from MWD through TVMWD, recycled water supplies (from recycled water purchased from Los Angeles County Sanitation Districts (LACSD) and from groundwater pumped from the Puente and Spadra Basin), and groundwater pumped from Main Basin (purchased through CDWC). As noted in Section 2, beginning July 1, 2022, the District has prepared and submitted an Annual



Assessment which includes a review of water supplies available to meet water demands for the current and upcoming years. In the event the District is currently in, or considers entering into, one of the standard water shortage levels identified in Section 3, the District will consider the water supply augmentation actions described below.

Groundwater rights from the Main Basin, Puente Basin and Spadra Basin are fixed and production cannot be increased. However, for each water shortage level discussed in Section 3, the District may consider augmenting its existing water supplies through the purchase of additional groundwater which CDWC produces from the Main Basin, which is managed by the Main Basin Watermaster. During the period of management under the Main Basin Judgment, significant drought events have occurred. In each drought cycle the Main Basin has been managed to maintain water levels. Parties to the Main Basin Judgment, including CDWC, are authorized to produce groundwater in excess of their rights and pay assessments for such production to the Main Basin Watermaster. The assessments are used to purchase untreated imported water to replenish the Main Basin. The Main Basin Watermaster purchases untreated imported water to replenish the Main Basin from MWD through TVMWD. Groundwater quality is carefully monitored and managed by the Main Basin Watermaster. Treatment facilities and/or blend plans have been developed by water agencies to meet potable water standards and to prevent the spread of any groundwater contamination. Groundwater quality in the Main Basin is not expected to impact potable supplies or constrain supply reliability. Based on historical and on-going management practices, the District can rely on the Main Basin for adequate supplies in response to each of the standard water shortage levels identified in Section 3.

For each water shortage level discussed in Section 3, the District will consider supplementing its existing water supplies through increased groundwater production instead of the purchase of additional imported water supplies. Due to previous critically dry conditions, MWD developed the WSAP whereby available supplies are equitably allocated to its member agencies, including TVMWD. The WSAP establishes ten different shortage levels and a corresponding drought allocation to each member agency. Based



on the shortage level established by MWD, the WSAP provides a reduced drought allocation to a member agency for its M&I retail demand. The ratio of MWD water supply drought allocation to local water supply will change based on the WSAP stage. MWD drought allocation can be used to make full service water deliveries at the Tier 1 rate up to a Tier 1 allocation. Any full service water delivered in excess of a drought allocation is subject to a penalty rate in addition to the normal rate paid for the water.

In addition to the WSAP, MWD describes supply augmentation actions in its Regional 2025 UWMP, which is incorporated by reference. MWD's first response to any gap between core supplies (from the State Water Project and Colorado River) and demand is to make optimal use of its supply augmentation options, consisting of drawing from flexible supply programs and storage reserves. MWD has developed and actively manages a portfolio of water supply programs including water transfer, storage, and exchange agreements. MWD pursues voluntary water transfer and exchange programs to help mitigate supply/demand imbalances and provide additional dry-year supply sources. In addition, MWD has developed significant storage capacity in reservoirs, conjunctive use, and other groundwater storage programs totaling approximately 6.0 million acre-foot (AF). Pursuant to MWD's "Emergency Storage Objective", updated in 2019, approximately 750,000 AF of total stored water is emergency storage reserved by MWD for use in the event of supply interruptions. Based on MWD's historical and on-going water supply and storage programs and management practices, the District will use up to the treated imported water supply made available from MWD through TVMWD in association with each of the standard water shortage levels identified in Section 3. Water demands will be addressed through increased use of local groundwater supplies and implementation of demand reduction measures through the various stages of action.



**Table 3. Supply Augmentation and Other Actions**

Submittal Table 8-2: Supply Augmentation and Other Actions			
Shortage Level	Supply Augmentation Methods and Other Actions by Water Supplier <b>Drop down list</b> <i>These are the only categories that will be accepted by the WUEdata online submittal tool</i>	How much is this going to reduce the shortage gap? <i>Include units used (volume type or percentage)</i>	Additional Explanation or Reference <i>(optional)</i>
1	Transfers	Not applicable (see Notes)	
2	Transfers	Not applicable (see Notes)	
3	Transfers	Not applicable (see Notes)	
4	Transfers	Not applicable (see Notes)	
5	Transfers	Not applicable (see Notes)	
6	Transfers	Not applicable (see Notes)	

NOTES: The District will consider increased purchased water from the Main Basin, through CDWC, to address increased demands. As noted in Table 2, the District plans to implement demand reduction measures in the event water supplies from existing sources are not sufficient to meet anticipated demands.

### 4.3. OPERATIONAL CHANGES

During a water supply shortage situation, the District will manage its water supply resources to provide sufficient water supplies capable of meeting the demands of its customers. The supply augmentation actions and demand reduction measures, when implemented, may potentially result in short-term operational changes which are necessary to allow the District to utilize all available water supply sources in response to water shortage situations.

The operational changes the District will consider in addressing non-catastrophic water shortages on a short-term basis include the following:

- Improved monitoring, analysis, and tracking of customer water usage to enforce demand reduction measures
- Optimized production from existing available water supply sources



- Potential use of emergency supply sources, including emergency interconnections
- Potential blending of water supply resources
- Improved monitoring, maintenance, and repairs to reduce water distribution system losses

#### **4.4. ADDITIONAL MANDATORY RESTRICTIONS**

The mandatory restrictions which are implemented by the District to reduce customer demands are discussed in Section 4.2. There are no additional mandatory restrictions planned at this time.

#### **4.5. EMERGENCY RESPONSE PLAN**

Catastrophic water shortages are incorporated in the District’s standard water shortage levels (identified in Section 3) and the associated demand reduction measures (described in Section 4.2). In addition to the water supply augmentation actions (Section 4.1) and potential operational changes (Section 4.3) which the District may consider in order to continue providing sufficient water supplies, the District will review and implement any necessary steps included in its “Emergency Response Plan”.

As part of the “America’s Water Infrastructure Act of 2018”, community water systems serving a population greater than 3,300 people, including the District, are required to review and update their “Risk and Resilience Assessment” (RRA) and the associated “Emergency Response Plan” (ERP) every five (5) years. However, due to security concerns regarding the submitting of these reports, water systems are required to submit certifications to the USEPA, confirming the current RRA and ERP have been reviewed and updated. For the District, the RRA certification was due by March 31, 2025, and the ERP certification was due by September 30, 2025.



The District's RRA, reviewed and updated in 2025, evaluates the vulnerabilities, threats, and consequences from potential hazards to the District's water system. The District prepared its RRA (which is incorporated by reference) by evaluating the following items:

- Natural hazards and malevolent acts (i.e., all hazards);
- Resilience of water facility infrastructure (including pipes, physical barriers, water sources and collection, treatment, storage and distribution facilities, and electronic, computer and other automated systems);
- Monitoring practices;
- Financial systems (e.g., billing systems);
- Chemical storage and handling; and
- Operation and maintenance.

The District's RRA evaluated a series of potential malevolent acts, natural hazards, and other threats in order to estimate the potential "monetized risks" (i.e. associated economic consequences to both the water system and surrounding region, and the likelihood of occurrence) associated with the District's water facility assets. The cost-effectiveness of implementing potential countermeasures to reduce risks was also reviewed.

The District's ERP, reviewed and updated in 2025, provides the management, procedures, and designated actions the District and its employees will implement during emergency situations (including catastrophic water shortages) resulting from natural disasters, system failures and other unforeseen circumstances. The District's ERP (which is incorporated by reference) provides guidelines for evaluating an emergency situation, procedures for activating an emergency response, and details of the different response phases in order to ensure that customers receive a reliable and adequate supply of potable water. The scope of the ERP includes emergencies which directly affect the water system and the ability to maintain safe operations (such as chlorine release, earthquake,



or a threat of contamination). The ERP also incorporates the results of District’s RRA and includes the following:

- Strategies and resources to improve resilience, including physical and cybersecurity
- Plans and procedures for responding to a natural hazard or malevolent act
- Actions and equipment to lessen the impact of a natural hazard or malevolent act
- Strategies to detect natural hazards or malevolent act

The District will review the ERP for procedures regarding the utilization of alternative water supply sources in response to water supply shortages, including during the standard water shortage levels. The District will also review applicable procedures described in the ERP regarding any necessary temporary shutdown of water supply facilities, including appropriate regulatory and public notifications.

#### **4.6. SEISMIC RISK ASSESSMENT AND MITIGATION PLAN**

##### **CWC 10632.5.**

*(a) In addition to the requirements of paragraph (3) of subdivision (a) of Section 10632, beginning January 1, 2020, the plan shall include a seismic risk assessment and mitigation plan to assess the vulnerability of each of the various facilities of a water system and mitigate those vulnerabilities.*

*(b) An urban water supplier shall update the seismic risk assessment and mitigation plan when updating its urban water management plan as required by Section 10621.*

*(c) An urban water supplier may comply with this section by submitting, pursuant to Section 10644, a copy of the most recent adopted local hazard mitigation plan or multihazard mitigation plan under the federal Disaster Mitigation Act of 2000 (Public Law 106-390) if the local hazard mitigation plan or multihazard mitigation plan addresses seismic risk.*


The County of Los Angeles prepared a “All-Hazards Mitigation Plan” in 2019 which identified methods to assess significant natural hazards (including earthquakes) affecting areas throughout Los Angeles County, and the mitigation strategies necessary to reduce



risks, including seismic risk. The County’s All-Hazards Mitigation Plan is provided in Appendix B.

The California Geological Survey has published the locations of numerous faults which have been mapped in the Southern California region. Although the San Andreas fault is the most recognized and is capable of producing an earthquake with a magnitude greater than 8 on the Richter scale, some of the lesser-known faults have the potential to cause significant damage. The locations of these earthquake faults in the vicinity of the District’s water service area are provided in the figure below. The faults that are located in close proximity to and could potentially cause significant shaking in the District’s water service area include the San Andreas fault, the Walnut Creek fault, the Whittier fault, the San Jose fault, the Chino fault, the Central Avenue fault, and the Sierra Madre fault.

**Location of Earthquake Faults**




Source: <https://maps.conservation.ca.gov/cgs/fam/App/>

The following figure provides the relative intensity of ground shaking in the vicinity of the District’s service area from anticipated future earthquakes. The locations of relatively long-period (1.0 second) earthquake shaking, including the District’s service area, are



provided. Long-period shaking affects tall, relatively flexible buildings, but also correlates with earthquake damage. The shaking potential is calculated based on the level of ground motion that has a 2 percent chance of being exceeded in 50 years (or the level of ground-shaking with an approximate 2,500-year average repeat time). As discussed in Section 4.5, the District has prepared an Emergency Response Plan which provides the management, procedures, and designated actions the District and its employees will implement during emergency situations resulting from natural disasters, including during earthquakes, to ensure that customers receive a reliable and adequate supply of potable water. The District’s ERP is incorporated by reference.

**Earthquake Shaking Potential**



Source: "Earthquake Shaking Potential for California", 2016, California Geological Survey and United States Geological Survey

**4.7. SHORTAGE RESPONSE ACTION EFFECTIVENESS**

The effectiveness of the shortage response actions for each of the standard water shortage levels identified in Section 3, is evident in the District’s historical ability to meet



its customer's water demands in response to a water supply shortage. In addition, the District imposes water consumption regulations and restrictions and supports local agencies in efforts to enforce regulations and prohibitions on water use. The effectiveness of each of the District's shortage response actions, in order to reduce any potential gaps between supply and demand, has been quantified in the expected demand reduction provided in Table 2 and Table 3.

During the past five years, the District experienced a consecutive two-year drought within its service area from FY 2021 to FY 2022. Throughout this extended dry year period, the District's annual water production averaged 19,850 acre-feet per year (AFY). During the past five years, the average annual production was approximately 17,843 AFY, with a maximum of 20,409 AF during FY 2021. The District has been able to provide sufficient water supplies to its customers, including during long-term droughts and years with historically high water demands. In addition, the District has been able to provide water service to meet maximum day water demands for these years, including during the summer months.

The District's water demands during the most recent five years averaged approximately 14,701 AFY of potable water. Due to conservation efforts and demand management measures (discussed in Chapter 8 of the UWMP), the District's recent water demands have been significantly less than its historical water demands, including during long-term droughts. The District's projected water demands (during normal, single dry, and multiple dry years) are provided in Section 5.3 of the UWMP and are anticipated to incorporate similar reductions in water use rates as a result of the shortage response actions, ongoing conservation efforts, and demand management measures. It is anticipated the District will be able to continue providing sufficient water supplies to its customers to meet projected water demands, including during long-term droughts. In addition, as discussed in Section 4.1, based on historical and on-going management practices, the District can rely on its water supply source from the Main Basin for adequate supply augmentation in response to each of the standard water shortage levels identified in Section 3.



In 2022, the District adopted Ordinance No. 01-18-22, amending and restating Ordinance No. 07-16-09, to establish water use efficiency requirements and water supply shortage stages. Following, the District declared a Stage 2 Water Supply Shortage, as identified in Section 7 of the Ordinance. A copy of Ordinance No. 01-18-22 is provided in Appendix A.

Based on the District's demonstrated ability to meet water demands during past water supply shortages, the adopted water shortage levels, the adjusted operating safe yields, and water supplies during long-term droughts, it is anticipated that the District will be able to provide sufficient water supplies to its customers during each of its standard water shortage stages. Although adequate supplies are anticipated, the cost of those water supplies may become incrementally more expensive. The District will enact varying stages of its WSCP to encourage retail customers to reduce water consumption and at the same time reduce the need to use the more expensive water supplies. Notwithstanding, the effectiveness of each of the District's shortage response actions, in order to reduce any potential gaps between supply and demand, has been quantified in the expected demand reduction section provided in Table 2 and Table 3. The effectiveness of the District's shortage response actions is based on the District's water demands prior to 2015 (unconstrained demands). The District reduced its water demands in 2015 in response to the Governor's April 1, 2015, Executive Order B-29-15 which mandated statewide reduction in water use of 25 percent. The District's actual water demand reduction during this period was used to estimate the extent of water use reductions for the District's Water Shortage Stages. The District's Water Shortage Stages 1, 2, 3, 4, 5, and 6 are expected to reduce water demands by up to 10%, 20%, 30%, 40%, 50%, and greater than 50%, respectively.



## 5. COMMUNICATION PROTOCOLS

### CWC 10632.

*(a)(5) Communication protocols and procedures to inform customers, the public, interested parties, and local, regional, and state governments, regarding, at a minimum, all of the following:*

*(A) Any current or predicted shortages as determined by the annual water supply and demand assessment described pursuant to Section 10632.1.*

*(B) Any shortage response actions triggered or anticipated to be triggered by the annual water supply and demand assessment described pursuant to Section 10632.1.*

*(C) Any other relevant communications.*

The District utilizes established communication protocols and procedures to inform customers, the general public, interested parties, and local agencies of current or anticipated water shortages, shortage response actions, and other relevant information. Water shortage conditions and anticipated supply constraints are evaluated annually through the District's water supply and demand assessment process pursuant to Section 10632.1. If a current or predicted water shortage is identified, the District communicates the assessment findings, anticipated water shortage levels, and applicable response actions through multiple outreach methods to ensure timely and effective notification.

Under Section 12 of Ordinance No. 01-18-22: The existence of Water Supply Shortage Stage conditions may be declared by resolution and adopted at a regular or special Board meeting held by the District in accordance with State law. The mandatory conservation requirements applicable to each Water Shortage Stage condition will take effect on the tenth day after the Stage level is declared. Within five days of following the declaration of the shortage level, the District will publish a copy of the resolution in a newspaper used for publication of official notices.



In addition to public notice requirements, the District informs customers and interested parties through supplemental communication methods, which may include direct customer notifications, postings on the District's website, informational mailings or bill inserts, and press releases.

## 6. COMPLIANCE AND ENFORCEMENT

### CWC 10632.

*(a)(6) For an urban retail water supplier, customer compliance, enforcement, appeal, and exemption procedures for triggered shortage response actions as determined pursuant to Section 10632.2.*

Violations of Ordinance No. 01-18-22 may be considered an unauthorized use of water and subject to penalties established in the District's Rules and Regulations, Article 4.05.02.03 and/or Article 4.03.07.06. Each day that a violation of this ordinance occurs is considered a separate offense by the District.

Penalties for failure to comply with any provisions of Ordinance No. 01-18-22 are as follows:

- 1) First Violation: The District will issue a written notice of non-compliance and deliver a copy of this ordinance by certified mail.
- 2) Second Violation: For a second violation within the preceding 12 months, the District will issue a final written notice of non-compliance.
- 3) Third and Subsequent Violations: A third violation, and any subsequent violation, within the preceding 12 calendar months may be considered an unauthorized use of water and subject to penalties established in Article 4.05.02.03 and/or Article 4.03.07.06 of the District's Rules and Regulations.



- 4) Water Flow Restrictor: In addition to any fines, the District may install a water flow restrictor device of approximately one gallon per minute capacity for services up to one and one-half inches in size and comparatively sized restrictors for larger services after providing written notice to the customer of intent to install a flow restrictor for a minimum of 48 hours prior to such installation.

A person or entity that violates this ordinance is responsible for payment of the District's charges for installing and/or removing any flow restricting device and for disconnecting and/or reconnecting service per the District's schedule of charges then in effect. The charge for installing and/or removing any flow restricting device and disconnection service must be paid to the District before water supply is returned. Nonpayment will be subject to the same remedies as nonpayment of basic water rate established in the District's Rules and Regulations.

The District will issue a Notice of Violation by certified mail or personal delivery at least 10 days before taking enforcement action. Such notice must describe the violation and the date by which corrective action must be taken. A customer may appeal the Notice of Violation by filing a written notice of appeal with the District no later than the close of business on the day before the date scheduled for enforcement action. Any Notice of Violation not timely appealed will be final. Upon receipt of a timely appeal, a hearing on the appeal will be scheduled, and the District will send by certified mail a written notice of the hearing date to the customer at least 10 days before the date of the hearing. Pending receipt of a written appeal or pending a hearing pursuant to an appeal, the District may take appropriate steps to prevent the unauthorized use of water appropriate to the nature and extent of the violations and the current declared water level condition.



## 7. LEGAL AUTHORITIES

### CWC 10632.

*(a)(7)(A) A description of the legal authorities that empower the urban water supplier to implement and enforce its shortage response actions specified in paragraph (4) that may include, but are not limited to, statutory authorities, ordinances, resolutions, and contract provisions.*

*(B) A statement that an urban water supplier shall declare a water shortage emergency in accordance with Chapter 3 (commencing with Section 350) of Division 1.*

*(C) A statement that an urban water supplier shall coordinate with any city or county within which it provides water supply services for the possible proclamation of a local emergency, as defined in Section 8558 of the Government Code.*

### CWC Division 1, Section 350

*The governing body of a distributor of a public water supply, whether publicly or privately owned and including a mutual water company, shall declare a water shortage emergency condition to prevail within the area served by such distributor whenever it finds and determines that the ordinary demands and requirements of water consumers cannot be satisfied without depleting the water supply of the distributor to the extent that there would be insufficient water for human consumption, sanitation, and fire protection.*

Under Section 4 of Ordinance No. 01-18-22, the District's General Manager or his or her designated representative is hereby authorized and directed to implement the staged water conservation and enforcement provisions of the Ordinance, as necessary. In that regard, the General Manager or his or her designated representative shall have the authority to select from among the mandatory water use restrictions, including daily irrigation limitations, specified for each stage of water supply shortage based on the District's then existing water supply conditions.

The District shall declare a water shortage emergency in accordance with CA Water Code CHAPTER 3 - Water Shortage Emergencies § 350 – 358. Legal authorities include California Water Code Sections 71640-71644 Article 3. Water Shortages and CA Water Code § 366 (2025) CHAPTER 3.3 - Excessive Residential Water Use During Drought.



The District's General Manager, or designee, may declare a water shortage emergency and may immediately enact the mandatory requirements of any of the water supply shortage stages designated herein. The required measures of the designated water supply shortage stage will be effective immediately and will be communicated to the public. The emergency implementation will be ratified by resolution of the District's Board of Directors at its next meeting.

The District shall coordinate with any city or county within which it provides water supply services for the possible proclamation of a local emergency. This includes the Cities of Diamond Bar, Industry, Pomona, Walnut, and West Covina, as well as the County of Los Angeles.

## 8. FINANCIAL CONSEQUENCES OF WSCP

### CWC 10632.

*(a)(8) A description of the financial consequences of, and responses for, drought conditions, including, but not limited to, all of the following:*

*(A) A description of potential revenue reductions and expense increases associated with activated shortage response actions described in paragraph (4).*

*(B) A description of mitigation actions needed to address revenue reductions and expense increases associated with activated shortage response actions described in paragraph (4).*

*(C) A description of the cost of compliance with Chapter 3.3 (commencing with Section 365) of Division 1.*

To ensure compliance with CWC Chapter 3.3 (commencing with Section 365), additional costs may be incurred to monitor and enforce WSCP actions. These costs may vary depending on the applicable water shortage stage and the duration of the water shortage emergency.



Potential revenue reductions and expense increases associated with activated shortage response actions are regulated and tracked by the District's Finance Manager. During periods of water supply shortages, state-mandated water use restrictions, or emergency conditions, the District may require its customers to reduce demands below levels projected under the current water rate structure. Under any of these circumstances, the District may experience a decrease in revenues that may result in insufficient funds to meet projected expenses.

In order to offset any decline in revenues, the District's Board of Directors may adopt resolutions to make additional adjustments to the water rates based on the District's increased costs to provide water to its customers.

## 9. MONITORING AND REPORTING

---

### CWC 10632.

*(a)(9) For an urban retail water supplier, monitoring and reporting requirements and procedures that ensure appropriate data is collected, tracked, and analyzed for purposes of monitoring customer compliance and to meet state reporting requirements.*

---

During times of drought, the District closely monitors customer consumption to ensure its efforts are effective in reducing system-wide demand. Data collected assists the District in making critical decisions and prioritizing drought response actions. The District employs various tools to monitor, evaluate, and report on its conservative objectives. In addition, the District submits the monthly Urban Water Supplier Monitoring Report to SWRCB.

### **Monthly Reporting**

The District evaluates both billed consumption and monthly production data relative to established goals. Using this data allows District staff to gauge effectiveness in managing



overall demand and customers' responsiveness to requests to conserve. The results are compiled and presented to the Board on a monthly basis.

### **Customer Metering**

Customer accounts are metered and billed monthly. Using these records, the District tracks and evaluates consumption data by customer category, meter size, tier-width, and neighborhood, to determine whether customer groups are reaching conservation targets. If drought surcharges are implemented, billing data is evaluated to determine how the surcharges affect customer demand.

### **Advanced Metering Technology (AMI)**

The District has installed approximately 13,000 smart meters, with the remaining meters now converted to AMI. From the utility side, smart meters provide multiple benefits including leak detection, demand forecasting, performance indicators, and improved reporting. By leveraging this data, the District can identify, monitor, and target programs to specific users. This will allow the District to focus conservation messaging and programs on specific customers, or groups of customers. From the customers' side, smart meters can provide information of when and where water is used, establish water budget and water usage alerts, comparisons of water use against other customers, forecasting, and quick leak detection.

### **Water Conservation and Data Management Services**

The District has recently entered into a contract for the use of water conservation and data management software known as Eagle Aerial. Eagle Aerial allows the District to analyze total water allocation at the parcel level, spot water use trends and identify large water users. This information will be critical in calculating indoor and outdoor water use for purposes of complying with the recently enacted water conservation legislation (AB 1668 and SB 606).

### **Water Use Efficiency Strategic Plan**



The District recently completed its Water Use Efficiency Strategic Plan. The Water Use Efficiency Strategic Plan will enable the District to project long-range demands, identify attainable conservation goals, develop strategies, and raise awareness. This plan includes a cost-effective suite of water conservation measures that will help meet future water needs locally and regionally. In addition, by adhering to the Water Use Efficiency Strategic Plan, the District can meet the State of California's current and future requirements and objectives.

### 10. WSCP REFINEMENT PROCEDURES

---

#### CWC 10632.

*(a)(10) Reevaluation and improvement procedures for systematically monitoring and evaluating the functionality of the water shortage contingency plan in order to ensure shortage risk tolerance is adequate and appropriate water shortage mitigation strategies are implemented as needed.*

---

The District's WSCP has been prepared as an adaptive management plan. As discussed in Section 9, the District will monitor and report in the implementation of the WSCP. The District will evaluate the need for revising the WSCP in order to resolve any shortage gaps, as necessary. The District will consider the following potential revisions in the event of a potential shortage gap:

- Implementation of additional public outreach, education, and communication programs (in addition to the programs discussed in Chapter 8 of the UWMP)
- Implementation of more stringent water use restrictions under the standard water shortage levels (discussed in Section 4.1)
- Implementation of stricter enforcement actions and penalties (discussed in Section 6)



- Improvements to the water supply augmentation responses (discussed in Section 4.2), as well as any associated operational changes (discussed in Section 4.3) which may be required
- Incorporation of additional actions recommended by the District staff or other interested parties

The District will use the monitoring and reporting data to evaluate the ability for these potential revisions to resolve any shortage gaps which may occur within the standard water shortage levels.

The WSCP is adopted as part of the District's 2025 UWMP adoption process discussed in Section 9.2 of the UWMP . It is anticipated the District will review, revise, and adopt an updated WSCP as part of preparing its 2030 UWMP, as necessary. However, the District will continue to review the monitoring and reporting data, and if needed, update the WSCP more frequently. Any updates to the District's WSCP will include a public hearing and adoption process by the District's Board of Directors (see Section 12).

## 11. SPECIAL WATER FEATURE DISTINCTION

### [CWC 10632.](#)

*(b) For purposes of developing the water shortage contingency plan pursuant to subdivision (a), an urban water supplier shall analyze and define water features that are artificially supplied with water, including ponds, lakes, waterfalls, and fountains, separately from swimming pools and spas, as defined in subdivision (a) of Section 115921 of the Health and Safety Code.*

The District's WSCP defines "decorative water features" as water features which are artificially supplied with water, including ponds, lakes, waterfalls, and fountains, but excluding pools and spas. In general, there are additional health and safety considerations in the water supplied to pools and spas compared to decorative water



features. As a result, the District's WSCP has reviewed the response actions, enforcement actions, and monitoring and reporting programs separately for decorative water features and for pools and spas, as applicable.

Under Ordinance No. 01-18-22, filling or refilling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level (discussed in Section 4.1).

## 12. PLAN ADOPTION, SUBMITTAL, AND AVAILABILITY

---

### CWC 10632.

*(c) The urban water supplier shall make available the water shortage contingency plan prepared pursuant to this article to its customers and any city or county within which it provides water supplies no later than 30 days after adoption of the water shortage contingency plan.*

### CWC 10635.

*(c) Provide supporting documentation that Water Shortage Contingency Plan has been, or will be, provided to any city or county within which it provides water, no later than 30 days after the submission of the plan to DWR.*

---

The District's WSCP is adopted as part of the District's 2025 UWMP adoption process discussed in Chapter 9 of the UWMP. The process for adopting the District's WSCP includes the following:

- The District will conduct a public hearing and make the WSCP available for public inspection.
- The District will provide notification of the time and place of the public hearing to any city or county in which water is provided.



- The District will publish notice of public hearing in a newspaper once a week, for two successive weeks (with at least five days between publication dates).
- The District's Board of Directors will adopt the 2025 Urban Water Management Plan and the WSCP.
- As part of submitting the 2025 Urban Water Management Plan to DWR, the District will also submit the WSCP (electronically through DWR's online submittal tool) within 30 days of adoption and by July 1, 2026. The District will submit a copy of the WSCP to the California State Library and to any city or county in which water is provided within 30 days of adoption. In addition, the District will make the WSCP available for public review within 30 days of adoption.

If there are any subsequent amendments required, the process for adopting an amended WSCP includes the following:

- The District will conduct a public hearing and make the amended WSCP available for public inspection.
- The District's Board will adopt the amended WSCP.
- The District will submit the amended WSCP to DWR (electronically through DWR's online submittal tool) within 30 days of adoption.
- Within 30 days after submission of the WSCP to DWR, the District will provide the WSCP to any city or county within which the District provides water.

Additional information regarding the adoption, submittal, and availability of the District's WSCP (and 2025 UWMP) is provided in Chapter 9 of the UWMP.

---

**APPENDIX A**

**ORDINANCES**

**ORDINANCE NO. 01-18-22**

**AN ORDINANCE OF WALNUT VALLEY WATER DISTRICT  
AMENDING AND RESTATING ORDINANCE NO. 07-16-09  
TO ESTABLISH WATER USE EFFICIENCY REQUIREMENTS AND  
WATER SUPPLY SHORTAGE STAGES**

---

BE IT ORDAINED BY THE BOARD OF DIRECTORS OF WALNUT VALLEY WATER DISTRICT (DISTRICT) AS FOLLOWS:

**Section 1: Finding**

- A. Careful water management that includes active water conservation measures at all times is essential to ensure a reliable supply of water to meet current and future water supply needs within the District's service area.
- B. Article X, Section 2, of the California Constitution declares that the general welfare requires that water resources be put to beneficial use, waste or unreasonable use or unreasonable method of use of water be prevented, and conservation of water be fully exercised with a view to the reasonable and beneficial use thereof.
- C. California Water Code Section 375 authorizes water suppliers to adopt and enforce a comprehensive water conservation program to reduce water consumption and conserve supplies.
- D. Section 4.07 of the District's Rules and Regulations ensures that water resources available to the District are put to a reasonable beneficial use and that the benefits of the District's water supply and service extend to the greatest number of persons.
- E. The adoption and enforcement of water use efficiency requirements and water supply shortage stages are necessary to manage the District's potable water supply to avoid or minimize the effects of drought and shortage within the District. Such measures are essential to ensure a reliable and sustainable minimum supply of water for the public health, safety, and welfare.
- F. In July 2009 the District's Board of Directors adopted Ordinance No. 07-16-09 to establish water use efficiency requirements and water supply shortage stages. California's recent drought and the resulting actions the District has had to take to comply with applicable regulatory requirements has demonstrated that various revisions to that ordinance are necessary to provide greater flexibility for the District to implement water supply shortage restrictions in relation to current water supply conditions and near-term forecasts. The District's Board of Directors therefore is amending and restating Ordinance No. 07-16-09 through this Ordinance No. 01-18-22 to provide that greater flexibility.

**Section 2: Purpose**

- A. The purpose of this Ordinance is to establish water use efficiency requirements and water supply shortage stages that will reduce water consumption within the District through conservation, enable effective water supply planning, assure reasonable and beneficial use of water, prevent waste of water, and maximize the efficient use of water within the District to avoid and minimize the effect and hardship of water shortage on the District and its customers to the greatest extent possible.
- B. This Ordinance establishes permanent water efficiency use requirements intended to alter behavior related to water use efficiency at all times and further establishes six stages of water supply shortage response actions to be implemented during times of declared water shortage or declared water shortage emergency, with increasing restrictions on water use in response to worsening drought or emergency conditions and decreasing supplies.

**Section 3: Application**

- A. The provisions of this ordinance apply to any person in the use of any potable water provided by the District.
- B. The provisions of this ordinance do not apply to uses of water necessary to protect public health and safety by the District or essential government services, such as police, fire, and other similar emergency services.
- C. The provisions of this ordinance do not apply to the use of recycled water.
- D. The provisions of this ordinance do not apply to the use of water by commercial nurseries and commercial growers to sustain plants, trees, shrubs, crops, or other vegetation intended for commercial sale.

**Section 4: Authorization**

- A. The District's General Manager or his or her designated representative is hereby authorized and directed to implement the staged water conservation and enforcement provisions of this Ordinance as necessary. In that regard, the General Manager or his or her designated representative shall have the authority to select from among the mandatory water use restrictions, including daily irrigation limitations, specified for each particular stage of water supply shortage based on the District's then existing water supply conditions.

**Section 5: Water Use Efficiency Requirements – Prohibition Against Water Waste/Permanent Water Use Restrictions**

- A. As part of the District's ongoing commitment to water use efficiency at all times, the following water use efficiency requirements are effective at all times and are permanent requirements set forth in the District's Rules and Regulations, Section 4.07.01. Violations of this section will be considered waste and an unauthorized use of water, which will result in penalties outlined in Section 14.
1. **Limit on Watering Duration:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water using a landscape irrigation system or a watering device that is not continuously attended is limited to no more than 15 minutes watering per day per station. This does not apply to landscape irrigation systems that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour and weather-based controllers or stream rotor sprinkles that meet the 70 percent efficiency standard.
  2. **Limits on Watering Hours:** Watering or irrigation of lawn, landscape, or other vegetated area with potable water is prohibited between the hours of 8:00 a.m. and 5:00 p.m. on any day, except by use of a hand-held bucket or similar container, a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for short periods of time for the express purpose of adjusting or repairing an irrigation system.
  3. **Limits on Watering Following Precipitation/Rainfall:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water within 48 hours following measurable precipitation is prohibited.
  4. **No Excessive Water Flow or Runoff:** Watering or irrigating of any lawn, landscape, or other vegetated area in a manner that causes or allows excessive water flow or runoff onto an adjoining sidewalk, driveway, street, alley, gutter, or ditch is prohibited.
  5. **No Washing Down Hard or Paved Surfaces:** Washing down hard or paved surfaces, including but not limited to sidewalks, walkways, driveways, parking areas, tennis courts, patios, or alleys, is prohibited except when necessary to alleviate safety or sanitary hazards, and then only by use of a hand-held bucket or similar container, a hand-held hose equipped with a positive self-closing water shut-off device, a low-volume, high-pressure cleaning machine equipped to recycle any water used, or a low-volume high-pressure water broom.
  6. **Obligation to Fix Leaks, Breaks, or Malfunctions:** Excessive use, loss, or escape of water through breaks, leaks, or other malfunctions in the water user's plumbing or distribution system for any period of time after such escape of water should have reasonably been discovered and corrected and in no event more than seven days after receiving written notice from the District is prohibited.
  7. **Limits on Washing Vehicles:** Using water to wash or clean a vehicle, including but not limited to any automobile, truck, van, bus, motorcycle, boat, or trailer, whether motorized or not, is prohibited, except by use of a hand-held bucket or similar container or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device. This does not apply to any commercial car washing facility.
  8. **Re-circulating Water Required for Water Fountains and Decorative Water Features:** Operating a water fountain or other decorative water feature that does not use re-circulated water is prohibited.
  9. **No Installation of Single Pass Cooling Systems Water System:** Installation of single pass cooling systems is prohibited in buildings requesting new water service.
  10. **No Installation of Non-re-circulating in Commercial Car Wash and Laundry Systems:** Installation of non-re-circulating water systems is prohibited in new commercial conveyor car wash and new commercial laundry systems
  11. **No Irrigating Ornamental Turf on Public Street Medians:** Irrigating ornamental turf on Public Street Medians with potable water is prohibited.
  12. **Negligent Waste of Water:** At the discretion of the General Manager, the District reserves the right to determine negligent waste or misuse of water supplies. Such water use

constitutes an unauthorized waste of water and is subject to the imposition penalties outlined in Section 14.

- B Voluntary Conservation: In addition to the prohibited uses of water identified above, District customers are encouraged to voluntarily conserve water at all times. District customers are therefore requested to voluntarily implement the mandatory water use restrictions set forth in Stages 1, 2, 3, 4, 5 and 6, to the extent feasible during times when those mandatory restrictions may not be in effect.

**Section 6:      Stage 1 Water Supply Shortage - (Up to 10% Reduction of Water Use)**

- A. A Stage 1 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 10 percent will be required to lower overall water demand.
- B. **Additional Water Conservation Measures:** In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 1 Water Supply Shortage:
  - 1. **Limits on Watering Days:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited a maximum number of days per week, to be determined by the District's Board of Directors, or as modified by the General Manager, based on the District's then existing water supply conditions. The irrigation day limitation and schedule will be as posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
  - 2. **Obligation to Fix Leaks, Breaks, or Malfunctions:** All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within five days after written notification by the District unless other arrangements are made with the District.

**Section 7:      Stage 2 Water Supply Shortage - (Up to 20% Reduction of Water Use)**

- A. A Stage 2 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 20 percent will be required to lower overall water demand.
- B. **Additional Conservation Measures:** In addition to the prohibited uses of water identified in Section 4 and 5, the following additional water conservation requirements apply during a declared Stage 2 Water Supply Shortage:
  - 1. **Limits on Watering Days:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of three days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
  - 2. **Obligation to Fix Leaks, Breaks, or Malfunctions:** All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 72hours after written notification by the District unless other arrangements are made with the District.
  - 3. **Limits on Filling Residential Swimming Pools & Spas:** Re-filling of water constituting more than one foot of depth and initial filling of residential swimming pools or outdoor spas with potable water is prohibited.

**Section 8:      Stage 3 Water Supply Shortage - Emergency Condition (Up to 30% Reduction of Water Use)**

- A. A Stage 3 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists,

and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 30 percent will be required to lower overall water demand.

B. **Additional Conservation Measures:** In addition to the prohibited uses of water identified in Sections 4, 5, and 6, the following water conservation requirements apply during a declared Stage 3 Water Supply Shortage:

1. **Limits on Watering Days:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.
2. **Obligation to Fix Leaks, Breaks or Malfunctions:** All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 48 hours after written notification by the District unless other arrangements are made with the District

**Limits on Filling Ornamental Lakes or Ponds:** Filling or re-filling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level under Ordinance No. 01-18-22.

**Section 9:      Stage 4 Water Supply Shortage - Emergency Conditions (Up to 40% Reduction of Water Use)**

- A. A Stage 4 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 40 percent will be required to lower overall water demand.
- B. In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 4 Water Supply Shortage:

**1.      Limits on Watering Days:**

Watering or irrigating of lawn, landscape, or other vegetated area with potable water will be limited to a maximum of two days per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. The District reserves the right to amend the watering day limits within each prescribed stage as determined by conservation necessity.

2.      **Obligation to Fix Leaks, Breaks, or Malfunctions:** All leaks, breaks, or other malfunctions in the water user's plumbing or distribution system must be repaired within 48 hours after written notification by the District unless other arrangements are made by the District.

3.      **Limits on Filling Ornamental Lakes or Ponds:** Filling or re-filling ornamental lakes or ponds is prohibited, except to the extent needed to sustain aquatic life, provided that such animals are of significant value and have been actively managed within the water feature prior to declaration of a supply shortage level under Ordinance No. 07-16-09.

**Section 10:      Stage 5 Water Supply Shortage Level (Up to 50% Reduction of Water Use)**

- A. A Stage 5 Water Supply Shortage exists when the District, through its Board of Directors, determines that due to drought, a water supply shortage or a threatened water shortage exists, and customer allocations are necessary to make more efficient use of water and appropriately respond to existing water conditions and a reduction of water use of up to 50 percent will be required to lower overall water demand.

B. In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 5 Water Supply Shortage:

1.      **Limits on Watering Days:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water is limited to a maximum of one day per week on a schedule established and posted by the District. This does not apply to landscape irrigation zones that exclusively use

very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. This restriction does not apply to the following categories of use:

- i. Maintenance of vegetation, including trees and shrubs, that are watered using a hand-held bucket or similar container, hand-held hose equipped with a positive self-closing water shut-off nozzle or device
- ii. Maintenance of existing landscape necessary for fire protection
- iii. Maintenance of existing landscape for soil erosion control
- iv. Maintenance of plant materials identified to be rare or essential to the well-being of protected species
- v. Maintenance of landscape within active public parks and playing fields, daycare centers, golf course greens, and school grounds, provided that such irrigation does not exceed two days per week according to the schedule established in Section 6(8)(1) and time restrictions in Section 5(8)(1) of Ordinance No, 07-16-09
- vi. Actively irrigated environmental mitigation projects

**Section 11: Stage 6 Water Supply Shortage Level (More than 50% Water Use Reduction)**

- A. Stage 6, also referred to as an “Emergency” condition, exists when the District, through its Board of Directors, declares a water shortage emergency and notifies its residents and businesses that more than 50 percent reduction of water use is necessary to maintain sufficient water supplies for public health and safety.
- B. In addition to the prohibited uses of water identified above, the following water conservation requirements apply during a declared Stage 6 Water Supply Shortage:
  1. **Limits on Watering Days:** Watering or irrigating of lawn, landscape, or other vegetated area with potable water is prohibited. This does not apply to landscape irrigation zones that exclusively use very low-flow drip type irrigation systems when no emitter produces more than two gallons of water per hour. This also does not apply to watering or irrigating by use of a hand-held bucket or similar container, or a hand-held hose equipped with a positive self-closing water shut-off nozzle or device, or for very short periods of time for the express purpose of adjusting or repairing an irrigation system. This restriction does not apply to the following categories of use:
    - i. Maintenance of vegetation, including trees and shrubs, that are watered using a hand-held bucket or similar container, hand-held hose equipped with a positive self-closing water shut-off nozzle or device
    - ii. Maintenance of existing landscape necessary for fire protection
    - iii. Maintenance of existing landscape for soil erosion control
    - iv. Maintenance of plant materials identified to be rare or essential to the well-being of protected species
    - v. Maintenance of landscape within active public parks and playing fields, daycare centers, golf course greens, and school grounds, provided that such irrigation does not exceed two days per week according to the schedule established in Section 6(8)(1) and time restrictions in Section 5(8)(1) of Ordinance No. 01-18-22
    - vi. Actively irrigated environmental mitigation projects

**Section 12: Procedures for Determination /Notification of Water Supply Shortage**

- A. **Declaration and Notification of Water Supply Shortage:** The existence of Stage 1, Stage 2, Stage 3, Stage 4, Stage 5, or Stage 6 Water Supply Shortage conditions may be declared by resolution and adopted at a regular or special Board meeting held by the District in accordance with State law. The mandatory conservation requirements applicable to Stage 1, Stage 2, Stage 3, Stage 4, Stage 5, or Stage 6 conditions will take effect on the tenth day after the date the Stage level is declared. Within five days following the declaration of the shortage level, the District must publish a copy of the resolution in a newspaper used for publication of official notices.

**Section 13: Hardship Waiver**

- A. **Undue and Disproportionate Hardship:** If, due to unique circumstances, a specific requirement of this Ordinance would result in undue hardship to a District customer, the customer may apply for a waiver to the requirements as provided in this section.
- B. **Written Finding:** The waiver may be granted or conditionally granted only upon a written finding of the existence of facts demonstrating an undue hardship to a customer.
- C. **Application:** Application for a waiver must be on a form prescribed by the District.
- D. **Supporting Documentation:** The application must be accompanied by photographs, maps, drawings, and other information, including a written statement of the applicant.

- E. **Required Findings for Waiver:** An application for a waiver will be denied unless the District's Board of Directors finds, based on the information provided in the application, supporting documents, or such additional information as may be requested, that because of special circumstances applicable to the property or its use, the strict application of this chapter would have a disproportionate impact on the property or use that exceeds the impacts to residents or businesses.
- F. **Approval Authority:** The applicant requesting the waiver must be promptly notified in writing of any action taken. Unless specified otherwise at the time a waiver is approved, the waiver will apply to the subject property during the period of the mandatory water supply shortage condition.

**Section 14: Penalties and Violations**

- A. **Violations:** Violations of this ordinance may be considered an unauthorized use of water and subject to penalties established in the District's Rules and Regulations, Article 4.05.02.03 and/or Article 4.03.07.06.
- B. **Penalties:** Penalties for failure to comply with any provisions of the ordinance are as follows:
  1. **First Violation:** The District will issue a written notice of non-compliance and deliver a copy of this ordinance by certified mail.
  2. **Second Violation:** For a second violation within the preceding 12 calendar months, the District will issue a final written notice of non-compliance.
  3. **Third and Subsequent Violations:** A third violation, and any subsequent violation, within the preceding 12 calendar months may be considered an unauthorized use of water and subject to penalties established in Article 4.05.02.03 and/or Article 4.03.07.06 of the District's Rules and Regulations
  4. **Water Flow Restrictor:** In addition to any fines, the District may install a water flow restrictor device of approximately one gallon per minute capacity for services up to one and one-half inches in size and comparatively sized restrictors for larger services after providing written notice to the customer of intent to install a flow restrictor for a minimum of 48 hours prior to such installation.
- C. **Cost of Flow Restrictor and Disconnecting Service:** A person or entity that violates this ordinance is responsible for payment of the District's charges for installing and/or removing any flow restricting device and for disconnecting and/or reconnecting service per the District's schedule of charges then in effect. The charge for installing and/or removing any flow restricting device and disconnection service must be paid to the District before water supply is returned. Nonpayment will be subject to the same remedies as nonpayment of basic water rate established in the District's Rules and Regulations.
- D. **Separate Offenses:** Each day that a violation of this ordinance occurs is a separate offense.
- E. **Notice and Hearing:** The District will issue a Notice of Violation by certified mail or personal delivery at least 10 days before taking enforcement action. Such notice must describe the violation and the date by which corrective action must be taken. A customer may appeal the Notice of Violation by filing a written notice of appeal with the District no later than the close of business on the day before the date scheduled for enforcement action. Any Notice of Violation not timely appealed will be final. Upon receipt of a timely appeal, a hearing on the appeal will be scheduled, and the District will send by certified mail a written notice of the hearing date to the customer at least 10 days before the date of the hearing. Pending receipt of a written appeal or pending a hearing pursuant to an appeal, the District may take appropriate steps to prevent the unauthorized use of water as appropriate to the nature and extent of the violations and the current declared water Level condition.
- F. **Reporting Mechanism - Hotline:** The District has established a water waste hotline (909) 348-8228 and an online report form on the District's website (www.wvwd.com) for customers to report water waste violations detailed in this Ordinance.

**Section 15: Severability: If any section, subsection, sentence, clause or phrase of this Ordinance is for any reason held to be unconstitutional or invalid by a court of competent jurisdiction, such decision shall not affect the remaining portions of this Ordinance and those shall remain in full force and effect.**

**Section 16: Effective Date:**

- A. This Ordinance shall become effective as of the date of adoption and the entire Ordinance shall be published once in a newspaper of general circulation in Walnut Valley Water District within 10 days of passage, pursuant to Water Code Section 376 and Government Code Section 606.1.

Ayes:

Noes:  
Abstain:  
Absent:

---

Jerry Tang  
President, Board of Directors

ATTEST:

---

Erik Hitchman  
Secretary, Board of Directors

---

**APPENDIX B**

**LOS ANGELES COUNTY'S ALL-HAZARDS MITIGATION PLAN**



# 2025 County of Los Angeles All-Hazards Mitigation Plan

Chief Executive Office - Office of Emergency Management

County of Los Angeles  
All-Hazards Mitigation Plan

## Acknowledgement

The Los Angeles County Board of Supervisors gratefully acknowledges the following agencies/jurisdictions who contributed to the development of this plan.

### County Departments

- |                             |                        |
|-----------------------------|------------------------|
| Aging and Disabilities      | Public Health          |
| Chief Executive Office      | Public Social Services |
| Chief Sustainability Office | Public Works           |
| Beaches and Harbors         | Regional Planning      |
| Economic Opportunity        | Fire (LACoFD)          |
| Health Services             | Internal Services      |
| Human Resources             | Sheriff (LASD)         |
| Parks and Recreation        |                        |

### Disaster Management Area Coordinators

#### State of California

- California Governor's Office of Emergency Services (Cal OES)
- California State Council on Developmental Disabilities (SCCD)

#### External Partners

- |                                      |  |
|--------------------------------------|--|
| Access Services                      | Lanterman Regional Center                                |
| Alzheimer's Association              | Los Angeles County Office of Education                   |
| Catholic Charities                   | Los Angeles County Sanitation Districts                  |
| City of Beverly Hills                | Los Angeles County Metropolitan Transportation Authority |
| City of Long Beach                   | Los Angeles Regional Food Bank                           |
| Disability Community Resource Center | Neighborhood Legal Services of Los Angeles County        |
| Eastern Los Angeles Regional Center  | Puente Hills Habitat Preservation Authority              |
| Emergency Network Los Angeles        | South Central Los Angeles Regional Center                |
| Habitat for Humanity                 | Westside Regional Center                                 |
| Harbor Regional Center               |  |

**Cover Photo Credits:** Los Angeles County Chief Executive Office, Countywide Communications Branch; Los Angeles County Department of Public Works



## Letter of Promulgation

To: Residents, Officials, and Employees of Los Angeles County

Preservation of life and property is an inherent responsibility of local, state, and federal government. The County of Los Angeles produced this updated 2025 All-Hazard Mitigation Plan (AHMP) to delineate mitigation responsibilities of County departments and describe mitigation support to communities.

While no plan can guarantee prevention of death and destruction, a well-developed AHMP can guide mitigation efforts aimed at decreasing the amount of loss experienced after an emergency. The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires that local jurisdictions have an updated mitigation plan in order to be eligible for mitigation project activities. The intent of the 2025 AHMP also ensures that mitigation actions are based on sound planning processes that account for the risks and capabilities of communities within Los Angeles County of Mitigation plans are strategic and policy level documents, forming the foundation of a community's long-term strategy to reduce disaster losses.

The AHMP should be reviewed on an annual basis and approved every five years. The AHMP conforms to the requirements set forth the by the Federal Emergency Management Agency (FEMA) and the California Governor's Office of Emergency Services (Cal OES). The Los Angeles County Board of Supervisors gives its full support to the 2025 All-Hazards Mitigation Plan and urges all residents, officials, and employees to collectively share in our commitment to hazard mitigation.

This letter promulgates the 2025 All-Hazards Mitigation Plan which becomes effective upon approval by the Los Angeles County Board of Supervisors.

  
\_\_\_\_\_  
**Kathryn Barger**, Chair  
Los Angeles County Board of Supervisors

9/9/25  
\_\_\_\_\_  
Date

## Table of Contents

Acknowledgement .....	1
Letter of Promulgation .....	2
1 Introduction, Purpose, and Scope .....	6
1.1 Purpose .....	7
1.2 Scope .....	7
1.3 Legal Authority and Requirements.....	7
1.4 Plan Organization .....	8
2 Planning Process .....	9
2.1 Overview of the Planning Process .....	10
2.2 Stakeholder Engagement.....	13
2.3 Public Involvement and Outreach .....	18
2.4 Review and Incorporation of Existing Plans and Reports .....	19
3 Community Profile .....	22
3.1 Los Angeles County Overview .....	23
3.2 Geography and Land Use .....	24
3.3 Social Vulnerability .....	25
3.4 Economy and Critical Infrastructure .....	28
3.5 Climate and Environmental Conditions.....	29
3.6 Regional Collaboration and Planning Efforts .....	30
3.7 Implications for Hazard Mitigation Planning .....	31
4 Climate Change .....	32
4.1 Climate Change Overview .....	33
4.2 Integrating Climate Change into Hazard Profiles .....	34
4.3 Climate Mitigation Strategies.....	36
4.4 Climate Change Conclusion .....	37

5	Integrating Access and Functional Needs (AFN) into Hazard Mitigation .....	38
5.1	AFN Introduction .....	39
5.2	Inclusion of AFN and Vulnerable Populations in Planning .....	39
5.3	Assessment of AFN Needs .....	40
5.4	Coordination with AFN Support Agencies .....	42
5.5	AFN Conclusion .....	42
6	Hazard Identification and Risk Assessment .....	43
6.1	Hazard Identification Overview .....	44
6.2	Wildfire .....	49
6.3	Earthquake .....	57
6.4	Extreme Heat .....	67
6.5	Drought .....	74
6.6	Flooding .....	82
6.7	Dam Failure .....	92
6.8	Land Movement .....	102
6.9	Tsunami .....	114
6.10	Severe Wind and Tornado .....	120
6.11	Mass Violence .....	130
6.12	Cybersecurity Incidents .....	135
6.13	Transportation Incidents .....	142
6.14	Public Health Emergencies .....	147
7	Mitigation Strategy .....	152
7.1	Mitigation Strategy Overview .....	153
7.2	Mitigation Goals and Objectives .....	153
7.3	Existing Mitigation Capabilities .....	155
7.4	Identification and Analysis of Mitigation Strategies .....	172

7.5	Status of Previous Mitigation Efforts .....	184
7.6	Prioritization and Implementation of Mitigation Actions .....	186
7.7	Integration with Other Plans .....	189
7.8	Mitigation Action Plan .....	191
8	Plan Maintenance .....	196
8.1	Community Participation in Plan Maintenance .....	197
8.2	Monitoring, Evaluation, and Maintenance .....	198
8.3	Criteria for Updating the Hazard Mitigation Plan .....	199
8.4	Plan Update .....	200
8.5	Integration with Other Plans .....	201
9	Plan Adoption .....	202
9.1	Plan Adoption Overview .....	203
	Appendices .....	204

# 1 Introduction, Purpose, and Scope

## 1.1 Purpose

The 2025 All-Hazard Mitigation Plan (AHMP) was developed in collaboration with a wide range of stakeholders representing County Departments and other external stakeholders from cities, local utilities, non-governmental organizations, and state agencies. The purpose of this AHMP is to form the strategic-level foundation for hazard mitigation efforts undertaken by the County of Los Angeles. The 2025 AHMP is an update to the 2020 version of the plan and seeks to maintain the County's continuing commitment to hazard mitigation as a critical step in reducing hazard risks, making communities safer, and building countywide resilience.

## 1.2 Scope

Hazard mitigation is defined in the Code of Federal Regulations (CFR) as “any sustained action taken to reduce or eliminate the long-term risk to human life and property from hazards.” This AHMP identifies and profiles hazards, analyzes the people and critical infrastructure at risk, and provides a series of mitigation strategies aimed at reducing hazard risk. The plan also describes actions to integrate vulnerable communities including people with Access and Functional Needs (AFN) into hazard mitigation planning and other efforts. The AHMP is intended to function as a strategic plan for hazard mitigation and, while not an emergency plan, complements the Los Angeles County Operational Area Emergency Operations Plan. This plan contains mitigation strategies for County-owned facilities or other areas under the jurisdiction of the County of Los Angeles. Hazard mitigation strategies for incorporated cities within Los Angeles County may be found in that city's hazard mitigation plan.

## 1.3 Legal Authority and Requirements

Historically local hazard mitigation planning has been driven by federal law. The Disaster Mitigation Act (DMA) of 2000 amended the Robert T. Stafford Disaster Relief and Emergency Assistance Act of 1988 with new requirements for hazard mitigation. The DMA of 2000 emphasized the need for state, tribal, and local entities to closely coordinate on hazard mitigation efforts and formed the legal basis for the Federal Emergency Management Agency's (FEMA) current mitigation plan requirements in order to utilize Hazard Mitigation Assistance grant programs. This plan was prepared

pursuant to the requirements set forth in the DMA of 2000 and other FEMA hazard mitigation policy guidance.

## 1.4 Plan Organization

The AHMP is organized into nine (9) sections, excluding the Appendices, including:

1. **Introduction:** Discusses the purpose, scope, and legal authority of the plan.
2. **Planning Process:** Describes the planning process that was undertaken by the Hazard Mitigation Planning Committee to create this updated 2025 AHMP.
3. **Community Profile:** Overviews the unique geographic, climatic, environmental, and socioeconomic factors that make up Los Angeles County and their implications for hazard mitigation planning.
4. **Climate Change:** Outlines the impacts of climate change in Los Angeles County and potential mitigation and adaptation measures.
5. **Integrating AFN into Hazard Mitigation:** Discusses strategies for integrating people with Access and Functional Needs (AFN) into prevention and hazard mitigation efforts.
6. **Hazard Identification and Risk Assessment:** Identifies and profiles nine (9) natural and four (4) human-caused hazards that may impact Los Angeles County including: wildfire, earthquake, extreme heat, drought, flooding, dam failure, land movement, tsunami, severe wind and tornado, mass violence, cybersecurity incidents, transportation incidents, and public health emergencies.
7. **Mitigation Strategy:** Delineates the overall strategy for the County's hazard mitigation efforts including goals and objectives, existing mitigation capabilities, and an analysis of mitigation actions.
8. **Plan Maintenance:** Outlines how the plan will be maintained annually ahead of the next full plan update in five years.
9. **Plan Adoption:** Discusses updates to the plan and implementation following plan adoption.

Following these sections, there are an additional six (6) appendices with supporting materials such as hazard maps, meeting minutes from planning meetings, and information about the public engagement efforts during the planning process.

# 2 Planning Process

## 2.1 Overview of the Planning Process

The 2025 Los Angeles County All-Hazard Mitigation Plan (AHMP) update builds upon the robust all-hazard planning framework established by the 2020 All-Hazards Mitigation Plan, while incorporating new methodologies, stakeholder engagement, and compliance requirements. The planning process for this update emphasized inclusivity, transparency, and the integration of emerging climate adaptation considerations.

This planning process followed a structured, phased approach aligned with FEMA's Local Mitigation Planning Policy Guide (2022), 44 CFR requirements, and guidance from the California Governor's Office of Emergency Services (Cal OES). This approach began with project initiation where the scope, timeline, and stakeholders were defined. Stakeholder and public engagement were prioritized to ensure representation from diverse groups, including historically underrepresented communities and climate-vulnerable populations.

Data collection and analysis leveraged updated hazard, climate, and vulnerability data from local, state, and federal sources, providing a foundation for enhanced risk and vulnerability assessments. Hazard profiles were updated to include climate projections and cascading impact scenarios. Mitigation strategies were revised and prioritized with a renewed focus on climate resilience and nature-based solutions. Strategies were also developed incorporating people with access and functional needs throughout each component of the AHMP. Finally, methods for monitoring and evaluation of mitigation efforts were defined in the plan maintenance and implementation strategy. Table 2-1 provides a timeline of the major plan update tasks and milestones over the planning process.

**Table 2-1 AMHP Planning Timeline**

Date	Tasks	People Involved
February 2025	Reviewed the 2020 AHMP and identified components that require update.	OEM AHMP Project Team
	Collected and reviewed existing documents, including the Threat and Hazard Identification and Risk Assessment (THIRA) along with resources for people with access and functional	OEM AHMP Project Team

Date	Tasks	People Involved
	needs and people experiencing homelessness.	
February 2025	Met with state Hazard Mitigation Planning Team.	OEM AHMP Project Team, Cal OES Mitigation Division
	Identified the initial list of stakeholders and ensured organizations that work with and represent people with access and functional needs were engaged in the planning process. External stakeholders include neighboring communities, local and regional agencies, and others.	OEM AHMP Project Team
	Conducted 2025 AHMP Kickoff Meetings with internal stakeholders.	OEM AHMP Project Team, Internal County Stakeholder Group, Cal OES Mitigation Division
	Determined hazards to be profiled including both natural (i.e., wildland fire, earthquake, etc.) and human-caused (i.e., cybersecurity, terrorism, etc.).	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group
	Drafted initial sections of the 2025 AHMP.	OEM AHMP Project Team
	Shared drafts of initial sections with internal and external stakeholders for their review.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division
	Met with internal and external stakeholders to obtain feedback on draft plan elements.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division

Date	Tasks	People Involved
March 2025	Developed the Public Outreach Engagement Plan to collect feedback from the public on the public draft of the 2025 AHMP.	OEM AHMP Project Team, Cal OES Mitigation Division
	Drafted subsequent sections of the 2025 AHMP including updating existing mitigation actions and developing new mitigation actions as needed.	OEM AHMP Project Team
	Shared drafts of the subsequent sections with internal and external stakeholders for their review.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division
	Met with internal and external stakeholders to obtain feedback on subsequent draft plan elements.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division
April/May 2025	Drafted final sections of the 2025 AHMP and produced a Final Draft AHMP.	OEM AHMP Project Team
	Shared Final Draft of the AHMP with internal and external stakeholders for their review.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division
	Met with internal and external stakeholders to obtain feedback on subsequent Final Draft AHMP.	OEM AHMP Project Team, Internal County Stakeholder Group, External Stakeholder Group, Cal OES Mitigation Division
	Produced Final AHMP.	OEM AHMP Project Team

## 2.2 Stakeholder Engagement

Inclusive stakeholder involvement was essential to the planning process. The County ensured broad representation and participation, consistent with the "Whole Community Approach" outlined in the 2023 Operational Area Emergency Operations Plan (OAEOP). Key stakeholders that comprised the Hazard Mitigation Advisory Committee included:

- County departments such as, but not limited to, Public Works, Public Health, and Regional Planning.
- Cities within the operational area (OA) and neighboring communities through Disaster Management Area Coordinators (DMACs) and city representation.
- Non-governmental organizations (NGOs), including environmental and disability advocacy groups.
- Special District partners managing critical infrastructure.
- Representatives of academia and school districts.
- Community representatives from Access and Functional Needs (AFN) populations and historically underrepresented populations.

Regular meetings, workshops, and focus groups were held to gather input and refine mitigation strategies. Stakeholders were contacted and invited to participate in the 2025 AHMP planning process through email (please see email template in Appendix B-3). Stakeholder feedback was documented and incorporated into the plan, ensuring diverse perspectives informed the process. Tables 2-2 and 2-3 includes a list of representatives of each agency that contributed to the planning process.

**Table 2-2 Hazard Mitigation Advisory Committee - Internal Stakeholder Group**

Department/ Agency	Name	Title	Planning Contribution
Los Angeles County Office of Emergency Management (OEM AHMP Project Team)	Michael Morin	Emergency Management Coordinator	Functioned as lead planners, led planning meetings, drafted plan, reviewed mitigation actions submitted by departments.
	Matthew Topoozian	Emergency Management Coordinator	

Department/ Agency	Name	Title	Planning Contribution
	Karen Haro	Emergency Management Coordinator	
	Girma Wollela	Emergency Management Coordinator	
Los Angeles County Department of Aging and Disabilities	Mike Tsao	Administrative Deputy	Attended planning meetings, reviewed section drafts, and provided feedback.
	Henry Lopez	Program Manager	
	Carin Anderson	Administrative Services Manager	
	Keilah Kelso	Administrative Services Manager	
Los Angeles County Chief Executive Office - Anti-Racism, Diversity, and Inclusion Initiative	Cesar Sanchez	Senior Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Chief Executive Office - Homeless Initiative	Onnie Williams III	Principal Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Chief Sustainability Office	Matthew Gosner	Climate Resilience Officer	Attended planning meetings, reviewed section drafts, and provided feedback.

Department/ Agency	Name	Title	Planning Contribution
Los Angeles County Department of Beaches and Harbors	Katharine de la Cruz	Administrative Services Manager	Attended planning meetings, reviewed section drafts, and provided feedback.
	Vanessa Huerta	Safety Officer	
Los Angeles County Department of Economic Opportunity	Maritza Dubie	Human Services Administrator	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Department of Health Services	Elaine Forsyth	Senior Nursing Instructor	Attended planning meetings, reviewed section drafts, and provided feedback.
	Isabel Sanchez	Disaster Services Specialist	
Los Angeles County Department of Human Resources	Kevin Halbritter	Deputy Compliance Officer	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Department of Parks and Recreation	Ramon Bernal	Disaster Services Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Department of Public Health	Elizabeth Rubin	Epidemiologist	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Department of Public Social Services	Manuel Gutierrez	Disaster Services Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.

Department/ Agency	Name	Title	Planning Contribution
Los Angeles County Department of Public Works	Joseph Marble	Disaster Services Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.
	Loni Eazell	Disaster Services Specialist	
Los Angeles County Department of Regional Planning	Thuy Hua	Supervising Planner	Attended planning meetings, reviewed section drafts, and provided feedback.
	Edgar De La Torre	Principal Regional Planner	
Los Angeles County Fire Department	Nick Duvally	Deputy Fire Chief	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Internal Services Department	Juan-Raul Cardenas	GIS Analyst	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Sheriff's Department	Jordan Kennedy	Sergeant	Attended planning meetings, reviewed section drafts, and provided feedback.

**Table 2-3 Hazard Mitigation Advisory Committee - External Stakeholder Group**

Department/Agency	Planning Contribution
Access Services	Attended planning meetings, reviewed section drafts, and provided feedback.
Alzheimer's Association California	Attended planning meetings, reviewed section drafts, and provided feedback.
California Governor's Office of Emergency Services	Attended planning meetings, reviewed section drafts, and provided feedback.
Catholic Charities	Attended planning meetings, reviewed section drafts, and provided feedback.

Department/Agency	Planning Contribution
City of Beverly Hills Emergency Management Division	Attended planning meetings, reviewed section drafts, and provided feedback.
City of Long Beach Disaster Preparedness & Emergency Communications	Attended planning meetings, reviewed section drafts, and provided feedback.
City of Los Angeles Emergency Management Department	Attended planning meetings, reviewed section drafts, and provided feedback.
Disability Community Resource Center	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area A	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area B	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area C	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area D	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area E	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area F	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area G	Attended planning meetings, reviewed section drafts, and provided feedback.
Disaster Management Area Coordinator, Area H	Attended planning meetings, reviewed section drafts, and provided feedback.
Eastern Los Angeles Regional Center	Attended planning meetings, reviewed section drafts, and provided feedback.
Emergency Network Los Angeles	Attended planning meetings, reviewed section drafts, and provided feedback.
Habitat for Humanity	Attended planning meetings, reviewed section drafts, and provided feedback.

Department/Agency	Planning Contribution
Harbor Regional Center	Attended planning meetings, reviewed section drafts, and provided feedback.
Lanterman Regional Center	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Office of Education	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles County Sanitation Districts	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles Metropolitan Transportation Authority	Attended planning meetings, reviewed section drafts, and provided feedback.
Los Angeles Regional Food Bank	Attended planning meetings, reviewed section drafts, and provided feedback.
Neighborhood Legal Services of Los Angeles County	Attended planning meetings, reviewed section drafts, and provided feedback.
Puente Hills Habitat Preservation Authority	Attended planning meetings, reviewed section drafts, and provided feedback.
South Central Los Angeles Regional Center	Attended planning meetings, reviewed section drafts, and provided feedback.
Westside Regional Center	Attended planning meetings, reviewed section drafts, and provided feedback.

### 2.3 Public Involvement and Outreach

Public outreach efforts aimed to foster transparency, inclusivity, and fortify public trust. The County engaged the public during the planning process through multiple media formats to share information and collect feedback taking into account language and other access and functional needs. A rolling outreach strategy was used to ensure that as each section was drafted and reviewed by planning stakeholders, it was concurrently made available for public commentary. To accomplish this, each section was posted to the Los Angeles County Hazard Mitigation Program website as it was completed by the planning team. A survey designed to gauge community perceptions of hazard risks and mitigation priorities was used on the website (Appendix D). This approach ensured that the public was a key partner in every step of the planning process and had a voice as

each section was being developed by the planning team. A social media campaign using all LA County OEM social media channels was initiated to direct the public to the survey.

To address equity, targeted outreach efforts focused on engaging historically underrepresented communities and AFN populations, using multilingual and accessible materials and culturally appropriate techniques. Aside from public outreach, stakeholders that work with or represent people with access and functional needs, people experiencing homelessness, and a diverse array of cultural groups were targeted to participate in the Hazard Mitigation Advisory Committee. These measures ensured that the public had meaningful opportunities to participate in shaping the plan.

### 2.4 Review and Incorporation of Existing Plans and Reports

The planning process included a comprehensive review of existing documents and protocols to ensure consistency and alignment. The 2020 All-Hazards Mitigation Plan served as the foundational document for this update. Additionally, key concepts from the 2023 Operational Area Emergency Operations Plan (OAEOP), such as Emergency Support Functions (ESFs) and disaster management areas, were integrated. The Los Angeles County Climate Vulnerability Assessment provided valuable insights into climate risks and social sensitivity, while local Climate Action Plans ensured alignment with municipal climate adaptation initiatives. Furthermore, the 2021 UASI THIRA (Threat and Hazard Identification and Risk Assessment) provided critical data for identifying evolving threats and capability targets, enhancing the accuracy and relevance of the plan. The demographic data from the 2020 U.S. Census was utilized to ensure an accurate representation of Los Angeles County's population, now estimated at over 10 million residents. The demographic breakdown includes 48% Hispanic or Latino, 26% White, 15% Asian, 8% African American, and 3% other, with over 40% speaking a language other than English at home, emphasizing the need for multilingual and culturally appropriate outreach.

**Table 2-4 Existing Plans, Maps, and Reports**

Plan, Map, or Report	Information to be Incorporated into the 2025 Updated AHMP
Los Angeles County Operational Area Emergency Operations Plan (2023)	Used to inform Section 6: Hazard Identification and Risk Assessment and Section 7: Mitigation Strategy
Los Angeles County 2035 General Plan (2024)	Safety element mitigation policies used to inform Section 7 - Mitigation Strategy
Los Angeles County Comprehensive Floodplain Management Plan (2021)	Used to inform Section 6: Hazard Identification and Risk Assessment and Section 7: Mitigation Strategy for elements related to flood hazards
County of Los Angeles Floodplain Management Plan Progress Report from (2024)	Used to inform Section 6: Hazard Identification and Risk Assessment and Section 7: Mitigation Strategy for elements related to flood hazards
County of Los Angeles Repetitive Loss Area Analysis Progress Report (2021)	Used to inform Section 6: Hazard Identification and Risk Assessment and Section 7: Mitigation Strategy for elements related to flood hazards
Los Angeles County 2045 Climate Action Plan (2024)	Used to inform Section 6: Hazard Identification and Risk Assessment, Section 7: Mitigation Strategy, and Section 4: Climate Change for elements related to hazard risk posed by climate change
Los Angeles County Fire Department Fire Plan (2023)	Used to inform Section 6: Hazard Identification and Risk Assessment and Section 7: Mitigation Strategy for elements related to wildland fire hazards
Our County: Los Angeles Countywide Sustainability Plan (2019)	Used to inform Section 6: Hazard Identification and Risk Assessment, Section 7: Mitigation Strategy, and Section 4: Climate Change for elements related to hazard risk posed by climate change
Los Angeles County Homeless Initiative Strategy Plan (2022)	Used to inform vulnerable populations information across all sections of the plan.
Disability Among Adults in Los Angeles County (2019)	Used to inform vulnerable populations information across all sections of the plan.
Southern California Earthquake Data Center's Earthquake Catalogs (Current as of 2025)	Historical seismic information used in Section 6: Hazard Identification and Risk Assessment.

Plan, Map, or Report	Information to be Incorporated into the 2025 Updated AHMP
Maritime Tsunami Response Playbooks: Background Information and Guidance for Response and Hazard Mitigation Use (2016)	Historical tsunami information used in Section 6: Hazard Identification and Risk Assessment.
FEMA Flood Insurance Study, Los Angeles County, California (2020)	Historical flood information used in Section 6: Hazard Identification and Risk Assessment.
U.S. Geological Survey (USGS): Rainfall and Landslides in Southern California (2015)	Historical landslide information used in Section 6: Hazard Identification and Risk Assessment.
Burn Scar Information and Maps	Historical fire information used in Section 6: Hazard Identification and Risk Assessment.

## 3 Community Profile

### 3.1 Los Angeles County Overview

Los Angeles County is the most populous county in the United States, encompassing a diverse array of communities, landscapes, and infrastructure. According to the most recent census data, Los Angeles County has a population of approximately 10 million



residents of which more than 1 million reside in unincorporated areas. The County's demographics, geographic features, and economic activities present both unique opportunities and significant challenges for hazard mitigation planning. This updated community profile integrates insights from the 2023 Operational Area Emergency Operations Plan (OAEOP) and reflects changes in population trends, infrastructure development, and climate risks.

The County Operational Area (OA) consists of all political subdivisions within the geographical boundaries of Los Angeles County. It encompasses five supervisorial districts, eight Disaster Management Areas (DMAs), 88 incorporated cities, 80 school districts, and approximately 142 special districts.

### 3.2 Geography and Land Use



Spanning over 4,000 square miles, Los Angeles County features diverse terrain, including coastal plains, valleys, mountains, islands, and deserts. The County's varied geography includes multiple microclimates that influence its exposure to natural hazards, such as earthquakes, tsunamis, wildfires, floods, and landslides. Urban areas, particularly the City of Los Angeles and its surrounding metropolitan region, are densely populated and heavily developed. In contrast, rural and unincorporated areas often face unique vulnerabilities due to limited infrastructure and resources. Rural areas include the Angeles and Los Padres National Forests, which have small communities, campgrounds, and day use areas. There are also two islands within the County, Santa Catalina and San Clemente. The County also includes a significant amount of Wildland Urban Interface (WUI) areas where residential and commercial development meets underdeveloped wildland with vegetative fuels. Land use within the County is equally diverse, with a mix of residential, commercial, industrial, agricultural, and open spaces. Recent urban development in densely populated areas has increased impervious surfaces like concrete and asphalt, which retain heat and create urban heat islands (UHI) that are much hotter than nearby rural areas. This phenomenon elevates temperatures, especially in low-income communities lacking green spaces for cooling. Additionally, urbanization affects stormwater management by reducing natural drainage and exacerbating flooding risks in low-lying areas.

These trends underscore the need for sustainable planning strategies, such as promoting green infrastructure, enhancing stormwater systems, and mitigating heat islands through tree planting and reflective materials. The County's diverse land use must be carefully managed to reduce vulnerabilities while supporting economic growth and environmental sustainability.

### 3.3 Social Vulnerability

Social vulnerability is a crucial component to Los Angeles County's hazard mitigation planning. The County is home to a diverse population with disparities in income, housing stability, and access to resources. The Los Angeles County Anti-Racism, Diversity, and Inclusion (ARDI) Initiative created a comprehensive Equity Explorer, which is a geospatial tool that explores multiple equity data points across Los Angeles County. The ARDI Equity Explorer includes various layers that visualize social equity, economic opportunity, housing and homelessness, health, justice, built environment, and disaster recovery data. The public can access this data at [ceo.lacounty.gov/ardi/tools](https://ceo.lacounty.gov/ardi/tools). Maps created using data from the ARDI Equity Explorer are in Appendix A-8.

The US Centers for Disease Control and Prevention (CDC) defines social vulnerability as a community's capacity to prepare for and respond to the stress of hazardous events ranging from natural disasters to human caused threats. The CDC's Social Vulnerability Index (Figure 3.1) is designed to identify and quantify communities experiencing social vulnerability.

The most recent CDC Social Vulnerability Index score from 2022 for Los Angeles County indicated a high level of vulnerability across four themes: socioeconomic status, household characteristics, racial and ethnic minority status, and housing type/transportation.

Vulnerable populations identified for Los Angeles County that will be considered in the AHMP include:




Figure 3.1 CDC Social Vulnerability Index (CDC 2022)

**Low-Income Residents:**

Individuals living below or near the poverty line are often disproportionately affected by disasters due to limited financial resources for emergency preparedness, response, and recovery.

**People with Access and Functional Needs (AFN):**

Individuals with Access and Functional needs have increased challenges in preparedness, evacuation, sheltering, accessing emergency services and recovery. Access and Functional Needs include but are not limited to people who have any combination in varying degree of: physical disabilities, intellectual disabilities, developmental disabilities, mental health-related issues, visual impairments, hearing impairments/deaf, mobility impairments, or chronic conditions. AFN also include

older adults, infants and children, people living in institutionalized settings, people living below the poverty line or experiencing homelessness, people with limited English proficiency or are non-English speakers, or people who are transportation disadvantaged.

**People Experiencing Homelessness (PEH):** With an estimated over 75,000 individuals experiencing homelessness, this population is particularly at risk during extreme weather events and other disasters.

**Immigration Status:** Fear of engaging with government services based on immigration status can prevent residents from accessing critical resources.




Figure 3.2 Disability Statistics in Los Angeles County (OAEOP 2023)




Figure 3.3 Breakdown of Language at Home in Los Angeles County (OAEOP 2023)

**Limited English Proficiency:** Over 40% of residents speak a language other than English at home, highlighting the need for multilingual and culturally appropriate outreach efforts. Language accessibility is critical to ensure all residents and visitors can obtain information and services during a disaster. See Figure 3.3 for a breakdown of languages spoken at home in Los Angeles County not including American Sign Language.

The figure below highlights certain variables in Los Angeles County that may increase vulnerability to emergencies and disasters. To address these vulnerabilities, the County's mitigation planning includes equitable strategies designed to reduce risk and enhance resilience among these populations. Targeted outreach, improved access to resources, preparedness education events, and collaboration with community organizations are integral to these efforts.




Figure 3.4 Los Angeles County Vulnerability Variables (OAEOP 2023)

The Federal Emergency Management Agency (FEMA) maintains the National Risk Index, a mapping tool that assesses 18 possible hazards a jurisdiction is susceptible to in combination with the amount of loss that could result from those hazards. Los Angeles County ranks as the community with the most risk in the United States according to the FEMA National Risk Index. According to the National Risk Index, hazards with the highest risk for Los Angeles County include earthquake, wildfires, extreme heat, flooding, high winds, and landslides.




Figure 3.5 FEMA National Risk Index (2025)

### 3.4 Economy and Critical Infrastructure

Los Angeles County is a global economic hub, hosting industries such as entertainment, technology, manufacturing, and international trade. The Port of Los Angeles and the Port of Long Beach collectively form one of the world's busiest trade gateways, underscoring the importance of protecting critical infrastructure from hazards including those exacerbated by climate change. Critical facilities provide services and functions essential to a community, especially during and after a disaster. Common types of critical facilities include but are not limited to fire stations, police stations, hospitals, schools, and utilities. Critical facilities may also include places that can be used for sheltering, cooling centers, staging purposes, or other large public gathering spots such as community centers and libraries. Critical facilities include those operated by non-governmental and business partners vital for redevelopment or

economic security. When these are affected by a disaster, the County provides businesses and workers impacted by the disaster with vital information and resources. This allows them to maneuver effectively through disaster response toward recovery using its network of job centers and business hubs.

Other critical infrastructure includes the facilities and industries that enable all facets of society to function, including but not limited to the following community lifelines:

- **Safety and Security:** The myriad of local law enforcement, fire and rescue, emergency management, schools, and other government services that maintain public safety and security.
- **Communications:** The interconnected network of infrastructure owners and operators of communications systems such as internet, telephone, cellular and other communications towers, cable, satellite, and more.
- **Transportation Networks:** The County's extensive network of roadways, highways, railways, transit systems, and airports is essential for daily operations and disaster response.
- **Energy Systems:** Power generation facilities, energy distribution networks, and pipelines are vulnerable to multiple types of hazards and threats.
- **Water and Wastewater Systems:** Drought conditions and aging infrastructure at the over 220 different water agencies in Los Angeles County pose risks to water availability and quality.
- **Healthcare Facilities:** Over 100 hospitals and numerous clinics serve the County, requiring robust contingency plans to maintain operations during disasters.
- **Food and Shelter:** The vast system of food production (i.e., agriculture), distribution, and retail along with community housing or sheltering.

### 3.5 Climate and Environmental Conditions

Los Angeles County faces escalating risks from climate change, significantly impacting its environment, economy, and communities. These challenges include rising temperatures, prolonged droughts, more frequent and severe extreme weather events, and their cascading effects. These risks highlight the critical need for adaptive planning to protect vulnerable populations, infrastructure, and natural resources. Key climate-

related considerations referenced in the Los Angeles County Climate Action Plan that will be addressed in this AHMP include, but are not limited to:

- **Extreme Weather Events:** Extreme temperatures in the Los Angeles region are expected to increase. Both dry and wet extremes are projected to intensify, leading to longer dry periods than historically experienced. These dry periods are expected to be followed by significantly wetter conditions, including atmospheric rivers bringing more intense rainfall. This pattern may result in increased water scarcity, mudslides, and flooding.
- **Sea-Level Rise:** Coastal communities are at heightened risk of flooding and erosion, threatening homes, businesses, and critical infrastructure. Sea level rise can exacerbate the impacts of high tides, storm surges, and heavy precipitation, and can lead to increased coastal flooding and shoreline erosion.
- **Increasing Wildfire Risk:** Climate change has intensified wildfire seasons, particularly in the County's mountainous, wildland urban interface (WUI), and new and undeveloped regions. Wildfires are projected to increase in frequency and intensity including in some areas not historically impacted by wildfire.

In response, the County has prioritized integrating climate adaptation strategies into its hazard mitigation planning, as outlined in the Climate Vulnerability Assessment and the OAEOP.

### 3.6 Regional Collaboration and Planning Efforts

Los Angeles County's size and complexity necessitates collaboration with numerous jurisdictions, agencies, and community organizations. The County is designated as the Operational Area Coordinator and functions as an intermediate level in the State of California's Standardized Emergency Management System (SEMS). In accordance with SEMS, the County serves as the communications and coordination link between local governments within Los Angeles County and the state government. Partnerships with academic institutions, non-profits, and private sector stakeholders support data collection, public engagement, and innovative mitigation strategies. Additionally, the County has also adopted Emergency Support Functions (ESFs) as the primary emergency management coordination structure. ESFs group function-specific stakeholders who will coordinate throughout all phases of emergency management,

including function-specific mitigation activities. For more information on regional emergency management collaboration and planning, reference the OAEOP.

### 3.7 Implications for Hazard Mitigation Planning

Understanding the community is a critical aspect in hazard mitigation planning. This community profile will inform key considerations in subsequent sections of the AHMP including but not limited to the following:

- **Targeted Outreach:** Include vulnerable populations and the business community in the planning process through equitable public outreach.
- **Infrastructure Resilience:** Prioritize the protection of critical infrastructure, including ports and transportation networks, energy systems, and water and wastewater systems, among others.
- **Climate Adaptation:** Develop strategies to mitigate the impacts of climate change, focusing on urban heat islands, sea-level rise, and wildfire risks.
- **Regional Coordination:** Strengthen direct collaboration within the OA between the County, local jurisdictions, special districts, unified school districts, the business community and cross-sector non-governmental partners to enhance awareness, preparedness, and response capabilities.
- **Transparent & Open Communication:** Ensure communications are accessible, and clear to advance public trust and safety. Develop dashboards to demonstrate progress.

## 4 Climate Change

### 4.1 Climate Change Overview


Climate change refers to the changing effect of the Earth's climate system over time, including changes in temperature, precipitation, and wind patterns. Climate change had significant impacts on Los Angeles County, affecting various aspects of life, environment, infrastructure, and sustainable development, and presents increasing risks from amplified hazards and changing baselines (e.g., sea level) into the future. The rate of climate change has significantly accelerated over the last three decades and trends continues. This plan addresses the effects of climate change related to disasters within the County and strategies to mitigate risks, focusing on preparedness, resilience and equity.

Climate change contributes to more frequent and intense disasters, such as floods, wildfires, drought and excessive heat. Rising temperatures and changing weather patterns pose health risks, like heat-related illnesses, respiratory issues, and the spread of diseases. Hazard mitigation efforts aim to reduce the impacts and effects of greater hazards due to climate change. The economic impact of climate change has been substantial, affecting industries such as agriculture, tourism, and insurance with increasing risks due to accelerating climate changes.

Greenhouse Gas (GHG) emissions are the main driver of climate change, which causes increased frequency, duration, and severity of extreme weather and climate-related disasters. Climate change exacerbates air pollution, leading to poor air quality and health issues. GHG emissions from residential buildings, commercial and institutional facilities, manufacturing industries and construction, energy industries, oil and natural gas systems, transportation, fossil energy, wildfires and other sources contribute to increased particulate matter and other pollutants in the air.

## 4.2 Integrating Climate Change into Hazard Profiles

Integrating climate change into hazard profiles involves assessing the current and future impacts of climate change on various hazards and incorporating this information into planning and mitigation strategies. This section highlights how climate change relates to these hazards and how the county is addressing climate change through hazard mitigation efforts which help protect the county's residents and economies from the adverse effects of climate changes and climate-amplified events.



Abbreviations: AFOLU = agriculture, forestry, and other land use; IPPU = industrial processes and product use  
Figure 4.1 Sources of GHG Emissions from within Los Angeles County (LA County 2024; 2045 Climate Action Plan)

### 4.2.1 Extreme Heat

Increasing temperatures and high heat events is one of the most conspicuous results of and a direct correlation between GHG pollution and climate change. Excessive temperatures in the Los Angeles region are expected to increase significantly more very hot days and warm nights. In addition to increasing baseline temperatures and extreme heat due to climate change, heat islands exacerbate temperatures and high heat events. As development occurs and darker paved surfaces replace open land and vegetation, these areas become warmer forming an "island" of heat. Los Angeles County experiences more frequent and excessive heat due to climate change. This is currently a major risk and with unmitigated GHG emissions increasing heat will lead to even greater health issues, increased energy demand for cooling, and other strains on infrastructure.

### 4.2.2 Flooding

Flooding in Los Angeles County occurs due to extreme rainfall events causing flash floods, riverine flooding, and increased surface water. Coastal areas in Los Angeles County are vulnerable to sea-level rise (SLR), which exacerbates coastal hazards like floods, storm surges, and chronic erosion. Other related hazards include flooding near

the mouths of streams and channels, landslides, and seawater well intrusion. SLR exacerbates the impacts of high tides, storm surges, and heavy precipitation flooding, and continued SLR will lead to more life safety concerns and increased damage to property and infrastructure.

### 4.2.3 Drought

Prolonged droughts have become more common, affecting the water supply, agriculture, and ecosystems of Los Angeles County. Dry and wet extremes are projected to increase and are likely to cause drier periods than what the region has historically experienced.

Southern California projected to get drier, while Northern California will increase in temperature. This will result in loss of snowpack within the Sierra Nevada Mountain range, meaning less water for all Californians including farmers, residents, and utilities. The State Water Resource Control Board proclaimed several water conservation emergency regulations due to severe drought conditions that requires commercial, industrial, and residential conservation efforts. Proclamations include:

- **January 4, 2022:** State Water Board adopted the prohibited wasteful water uses emergency regulation
- **May 24, 2022:** the State Water Board adopted the emergency regulation to ban decorative grass watering like non-functional turf irrigation
- **December 7, 2022:** the State Water Board readopted the prohibited wasteful water uses emergency regulation,
- **May 26, 2023:** the State Water Board readopted the emergency regulation to ban decorative grass watering.

### 4.2.4 Wildfire

A wildfire is an unplanned and uncontrolled fire in an area of combustible vegetation. These fires can easily spread beyond the natural areas primarily involving and have a potential to cause damages outside of the perimeter. Wildfire probability depends on local weather conditions, outdoor activities and any preceding conditions (e.g., lots of rain leading to vegetation growth and then drying conditions), and a potential ignition (e.g., lightning strike, arson, debris burning, electrical equipment failure, car tailpipe, etc.). The frequency and intensity of wildfires has increased driven by higher

temperatures, lower precipitation, lower relative humidity, and prolonged droughts. These events have caused loss of life, destroy and/or damage to property, infrastructure, the environment and pose greater risks due to historical development patterns. The timeline of major wildfire events and acreage burned in Los Angeles County is listed at Section 6.2 of the plan.

### 4.3 Climate Mitigation Strategies

Los Angeles County is actively addressing climate change and implementing hazard mitigation strategies to reduce its impacts and build long-term resilience. The County faces increasing risks from excessive heat, wildfires, droughts, floods, and sea-level rise, all of which threaten communities, infrastructure, and natural resources.

To address many of these challenges, the County has developed comprehensive climate plans and strategies that integrate climate adaptation, sustainable land use, emergency preparedness, and environmental conservation. By enforcing building codes, investing in green infrastructure, and strengthening community preparedness, Los Angeles County aims to minimize risks and enhance disaster resilience. These efforts align with state and federal climate policies and are designed to protect both current and future generations while encouraging a more sustainable and livable environment for all.

#### 4.3.1 Climate Resilience Plans and Actions

- **Los Angeles County 2045 Climate Action Plan (2045 CAP):** Establishes aggressive targets to reduce greenhouse gas emissions and achieve carbon neutrality by 2045.
- **Water Conservation & Drought Resilience Measures:** Implements mandatory water restrictions, promotes rainwater harvesting, and expands groundwater recharge and water recycling projects.
- **Wildfire Mitigation & Vegetation Management Programs:** Enforces Wildland Urban Interface (WUI) codes, increases forest management techniques, aligned with Traditional Ecological Knowledge (TEK) principles and practices of our native indigenous communities, and strengthens fire-resistant building and landscape requirements.

- **Green Infrastructure & Urban Cooling Initiatives:** Expands tree planting aligned with TEK principles and practices, investigates removing hard (paved) surfaces, and planting groundcover, utilizes and promotes public cooling centers and home heat preparedness, and encourages the use of reflective “cool” roofing and surfaces to mitigate the urban heat island (UHI) effect.
- **Heat Action Plan:** Develops strategies to reduce the adverse health impacts of excessive heat through public shade structures, cooling centers, building codes, and increased public awareness campaigns for all susceptible to extreme heat.

These strategic actions reflect Los Angeles County’s commitment to tackling climate change. By integrating proactive policies, indigenous-informed practices, community-driven solutions, and resilient infrastructure, Los Angeles County, is not only mitigating current risks but also preparing for a future where communities can thrive in an ever-changing dynamic environment.

### 4.4 Climate Change Conclusion

Through proactive policies and community engagement, Los Angeles County strives to navigate the complexities of a changing climate and safeguard its people, environment, infrastructure and economies. This approach helps minimize the risks and impacts associated with climate-related hazards. Addressing climate change in hazard mitigation help enhance safer, healthier, and more sustainable communities.

## 5 Integrating Access and Functional Needs (AFN) into Hazard Mitigation

### 5.1 AFN Introduction

Modern hazard mitigation planning increasingly recognizes that resilient communities must address the needs of all residents –including those with access and functional needs (AFN). Historically, individuals with disabilities (i.e. including but not limited to, youth, those economically depressed, pregnant, etc.), chronic health conditions, language barriers, or transportation disadvantages have been underrepresented in emergency planning. As evidenced by the best practices for stakeholder inclusion and further supported by national preparedness frameworks, integrating AFN considerations leads to plans that are more inclusive and effective. By proactively engaging AFN populations and support agencies in every phase, from preparedness through recovery, a hazard mitigation plan can reduce losses, improve evacuation and sheltering outcomes, and build trust between emergency management agencies and the communities they serve.

### 5.2 Inclusion of AFN and Vulnerable Populations in Planning

A major component of effective mitigation planning is a “whole community” approach. Incorporating AFN voices into the planning process is crucial because these stakeholders offer real-world insights into the challenges they face during emergencies. Key steps to this process include, but are not limited to:

- **Stakeholder Engagement:** Ensure that representatives from disability advocacy groups, community-based organizations, and service providers (such as local health departments and transportation agencies) are engaged early in the planning process. Their firsthand experiences help identify practical barriers that might otherwise be overlooked.
- **Public Participation:** Incorporating public stakeholders through meetings, surveys, and other outreach to capture the diverse needs of AFN populations. This input is vital to overcoming historical marginalization and ensuring that mitigation actions are relevant and equitable to the entire population.
- **Ongoing Interagency Collaboration:** Develop a hazard mitigation planning advisory committee and interagency working groups that include AFN stakeholders. These groups can guide both the planning process and the review of existing plans, ensuring that AFN issues are fully integrated from the outset.

### 5.2.1 Integrating AFN into the Overall AHMP

Integrating AFN considerations is not a stand-alone task; it must be interlaced throughout the entire hazard mitigation planning process. This includes:

- **Risk Assessments:** Incorporate AFN data into all risk assessments to ensure that the specific vulnerabilities of these populations are reflected in hazard maps and vulnerability index data.
- **Mitigation Strategy Development:** Ensure that every mitigation action is examined for its impact on AFN populations. For example, when planning for flood control or wildfire prevention projects, review how these projects can be improved to meet the needs of people with access and functional needs.
- **Plan Review and Update:** Ensure planning processes include regular AFN review and updates. Includes but not limited to:
  - Surveys of community needs
  - Consultations with AFN advisory groups
  - Integration of new technological or infrastructural solutions
- **Funding and Resource Allocation:** Clearly identify funding streams and resource commitments for AFN-specific projects. This could involve targeted grants from federal programs (e.g., Hazard Mitigation Assistance), state funding dedicated to accessible infrastructure improvements, and local resources such as the Productivity Investment Fund that can be accessed to improve the effectiveness and efficiency of County operations.

### 5.3 Assessment of AFN Needs

Understanding the specific needs of AFN populations requires both quantitative and qualitative approaches:

- **Data Collection and Risk Assessment:** Use existing resources, community surveys, outreach and risk assessments to help identify the number and types of individuals with AFN at the local community level. Evaluate the regional geographic distribution, vulnerabilities, and specific requirements before and after emergencies.

- **Frameworks for Analysis:** Adopt structured methodologies such as C-MIST (Communication, Maintaining Health, Independence, Support, Safety, and Transportation) to assess/ document AFN requirements.



- **C-MIST Explanation**

- **Communication:** Individuals with hearing, vision, cognitive, or speech limitations may require alternative communication methods to receive or express information during emergencies.
  - **Medical / Health Needs:** People with complex medical conditions rely on medications, medical equipment, or specialized care to maintain their health and prevent complications.
  - **Independence:** Those who use mobility devices, assistive technology, or service animals need uninterrupted access to maintain their independence and daily functions.
  - **Supervision & Safety:** Some individuals require continuous support for safety, comfort, or emotional well-being, including those with memory issues, psychiatric conditions, or intellectual disabilities.
  - **Transportation:** Individuals without personal transportation or with mobility limitations need accessible and reliable options, especially in emergencies and evacuations.
- **Integrating Vulnerability Assessments:** Leverage tools from local climate vulnerability assessments and hazard mitigation plan reviews to identify areas where AFN populations overlap with high-risk zones (e.g., flood plains,

wildfire-prone areas). This integration helps prioritize mitigation actions in regions where vulnerable populations are most exposed.

## 5.4 Coordination with AFN Support Agencies

Effective mitigation planning requires robust coordination with both governmental and nongovernmental agencies that serve AFN populations. Best practices include:

- **Formal Partnerships:** Establish relationships and partnerships with agencies such as public health departments, social services, transportation authorities, community-based organizations, and disability advocacy organizations. These partnerships ensure that there is clear, ongoing communication and that roles and responsibilities are delineated before, during, and after disasters.
- **Joint Training and Exercises:** Conduct regular joint meetings, and exercises that include AFN components and identify additional resources to support the needs of the AFN community. These actions will help prepare all stakeholders to work together during a crisis and help identify gaps in current plans.
- **Outreach and Information Dissemination:** Ensure that all information, both pre-incident preparedness messages, response measures and post-incident recovery plans are accessible to all audiences. This includes using multiple languages, various communication formats (e.g., large-print, audio, sign-language, and digital formats), and culturally appropriate messaging to reach all segments of the community.

## 5.5 AFN Conclusion

A hazard mitigation plan builds a foundation for a resilient, inclusive community. By ensuring that AFN and other vulnerable populations are included in every phase of planning, from initial stakeholder engagement to the development of tailored mitigation actions and coordinated response strategies, communities can minimize disaster impacts and foster long-term resilience. Drawing on best practices from national frameworks and local planning guides, and by implementing ADA-compliant shelter operations, emergency managers can create a plan that truly serves every member of the community. This inclusive approach not only saves lives and property during disasters but also strengthens community trust and the overall effectiveness of emergency management efforts.

# 6 Hazard Identification and Risk Assessment

## 6.1 Hazard Identification Overview

The hazard identification and risk assessment process provide a foundation for Los Angeles County's hazard mitigation planning efforts by identifying, profiling, and assessing the risks associated with natural, technological, and human-caused hazards. This section builds on the framework established in the 2020 Hazard Mitigation Plan, incorporating insights from the 2023 Operational Area Emergency Operations Plan (OAEOP), the 2024 Los Angeles Threat and Hazard Identification and Risk Assessment (THIRA), the Los Angeles County Climate Vulnerability Assessment, the State of California Hazard Mitigation Plan (SHMP), and the Federal Emergency Management Agency (FEMA) National Risk Index.

Based on these sources hazards were included and addressed in the 2025 AHMP according to their frequency, severity and impact to Los Angeles County, see below Table 6-1. Hazards that did not meet the threshold of moderate risk will not be prioritized within the plan. Additionally, three new natural hazards (Extreme Heat, Drought, and Severe Wind/Tornado) and four human-caused hazards (Mass Violence, Cyber Incidents, Transportation Incidents, and Public Health Emergencies) are included in the 2025 AHMP.

**Table 6-1 Hazard Inclusion/ Omission**

Hazard	Comment
Earthquake	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County.
Wildfire	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County.
Heat Wave	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County.
Tornado	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County. Tornado is incorporated with the Severe Wind/ Tornado hazard profile.
Land Movement	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County.

Hazard	Comment
Lightning	Hazard is included in the plan due to its high frequency, severity, and impact to Los Angeles County. Lightening is incorporated with the Wildfire and Flooding hazard profiles.
Flooding	Hazard is included in the plan due to its frequency, severity, and impact to Los Angeles County. The Flooding hazard profile incorporates both Riverine and Coastal Flooding.
Drought	Hazard is included in the plan due to its frequency, severity, and impact to Los Angeles County.
Strong Wind	Hazard is included in the plan due to its frequency, severity, and impact to Los Angeles County. Strong Wind is incorporated with the Severe Wind and Tornado hazard profile.
Tsunami	Hazard is included in the plan due to its frequency, severity, and impact to Los Angeles County.
Winter Weather	Hazard is omitted from the plan due to its minimal frequency, severity, and impact to Los Angeles County.
Hail	Hazard is omitted from the plan due to its minimal frequency, severity, and impact to Los Angeles County.
Avalanche	Hazard is omitted from the plan due to its minimal frequency, severity, and impact to Los Angeles County.
Cold Wave	Hazard is omitted from the plan due to its lack of frequency, severity, and impact to Los Angeles County.
Hurricane	Hazard is omitted from the plan due to its lack of frequency, severity, and impact to Los Angeles County.
Ice Storm	Hazard is omitted from the plan due to its lack of frequency, severity, and impact to Los Angeles County.
Volcanic Activity	Hazard is omitted from the plan due to its lack of frequency, severity, and impact to Los Angeles County.

Los Angeles County faces a wide range of hazards due to its geographic diversity, population density, and economic significance. The following hazards were identified and prioritized from the previously mentioned sources based on historical occurrences, potential impacts, and future risks:

1. Wildfire
2. Earthquake
3. Extreme Heat
4. Drought
5. Flooding
6. Dam Failure
7. Land Movement
8. Tsunami
9. Severe Wind and Tornado
10. Mass Violence
11. Cybersecurity Incidents
12. Transportation Incidents
13. Public Health Emergencies

Among these hazards, six were identified to be potentially exacerbated by climate change including wildfire, extreme heat, drought, flooding, land movement, and severe wind and tornadoes. Additional human-caused hazards were included based on the 2024 THIRA including mass violence, cybersecurity incidents, transportation incidents, and public health emergencies. The results of the public Personal Disaster Impact Survey validated that these hazards are of significant concern to county residents. A risk assessment table comparing hazards to critical infrastructure is in Appendix C.

**Table 6-2 Changes in Development and Vulnerability**

Hazard	Change (Increase/ Decrease)	Reason
Earthquake	No Change	While new construction adheres to modern seismic codes aging infrastructure in high seismic zones remain vulnerable. Continued population growth in older neighborhoods with limited

Hazard	Change (Increase/ Decrease)	Reason
		retrofitting increases overall exposure.
Wildfire (Lightning)	Increase in Vulnerability	Urban expansion into Wildland-Urban Interface (WUI) areas has increased the number of homes at risk. Post 2020 development in high fire severity zones has continued, though defensible space regulations and new fire-safe planning are improving resilience for new builds.
Extreme Heat	Increase in Vulnerability	Population density, urban heat islands, and development in inland valleys increases exposure. Older multi-family units without air conditioning remain a concern. More outdoor workers and people experiencing homelessness (PEH) add to vulnerable population.
Land Movement	Stable to Slight Increase	Most new development avoids known landslide-prone areas due to zoning and geotechnical review. However, climate-driven precipitation variability and wildfires continue to destabilize slopes in developed areas.
Flooding (Lightning)	Increase in Vulnerability	New impervious surfaces from development increase stormwater runoff. Older flood control infrastructure is strained under heavier, more frequent rain events.

Hazard	Change (Increase/ Decrease)	Reason
Drought	Increase in Vulnerability	Continued population growth and water demand in arid and semi-arid zones has outpaced gains in conservation. Agricultural vulnerability persists in high desert areas.
Severe Wind and Tornado	Increase in Vulnerability	Los Angeles County is experiencing more frequent and intense wind events, including tornadoes. As urban development expands, tree canopies and overhead utilities in densely developed areas continue to contribute to cascading hazards. In response, efforts are underway to underground utility lines in high-risk areas.
Tsunami	Stable	Revised tsunami inundation maps have refined the at-risk zones. New developments in coastal areas are largely outside the updated hazard areas or comply with stricter coastal building codes.
Dam Failure	Stable/ Slight Increase	While no new major dams have been constructed in recent years, downstream development continues to increase population and critical infrastructure exposure within inundation zones.



## 6.2 Wildfire

### 6.2.1 Nature

Wildfires are fast-moving, uncontrolled fires that consume vegetation and rapidly spread, often threatening lives, structures, and infrastructure. These fires can be ignited by natural causes, such as lightning, or human activities, including unattended campfires, downed power lines, and arson. The increasing frequency, duration, and intensity of wildfires in Los Angeles County are possibly linked to the changing climate, with hotter temperatures, prolonged droughts, and reduced humidity levels making the region highly susceptible to fires.

#### Factors Influencing Wildfire Behavior

- **Topography:** Fires spread more rapidly on steep slopes and are often driven by the Santa Ana winds.
- **Fuel Load:** Dense, dry vegetation and high tree mortality increase fire intensity.
- **Weather Conditions:** High temperatures, strong winds, and low humidity elevate fire risk, with the changing climate contributing to a lengthened fire season.

### WILDFIRE KEY POINTS

#### 1. Nature

Wildfires are fast-moving, climate-exacerbated hazards driven by dry vegetation, wind, and terrain, often ignited by lightning or human activity.

#### 2. Location

High-risk wildfire areas are concentrated in the foothill areas and along the wildland-urban interface (WUI) in both SRA and LRA zones.

#### 3. Extent

Over 1,000 square miles in Los Angeles County are classified as Very High Fire Hazard Severity Zones, with wildfires causing widespread secondary hazards.

#### 4. Vulnerability

More than 1.2 million residents—especially in WUI communities with limited evacuation routes—face increased wildfire risk, particularly vulnerable populations.

#### 5. Mitigation and Preparedness

Key strategies include defensible space enforcement, fire-resistant construction, CWPPs, vegetation management, and coordinated evacuation planning.

Wildfires also create secondary hazards such as poor air quality, landslides, flooding, and debris flows—especially in areas with recent burn scars where vegetation loss increases soil instability.

### 6.2.2 Location

Los Angeles County is one of the most wildfire-prone regions in the United States. Based on the Department of Forestry and Fire Protection (CAL FIRE) Fire Hazard Severity Zone (FHSZ) maps, significant wildfire risk exists in the Santa Monica Mountains, San Gabriel Mountains, Palos Verdes Hills, and Puente Hills. The 2024 THIRA and Los Angeles County Climate Vulnerability Assessment identify an increasing risk to communities located in or near these high-risk areas.

#### Los Angeles County has three primary wildfire management zones:

- **Federal Responsibility Areas (FRAs):** Lands administered or controlled by the federal government where federal agencies have administrative and protection responsibility for wildfires.
- **State Responsibility Areas (SRAs):** Wildland areas where CAL FIRE is responsible for suppression efforts.
- **Local Responsibility Areas (LRAs):** Developed regions where local agencies, such as Los Angeles County Fire Department (LACoFD), provide fire protection.

For a better visual representation of this Wildfire Hazard within the LA County planning area, please reference Appendix A. Included in Appendix A are several Fire Hazard Severity Zone maps for reference.

### 6.2.3 Extent

According to CAL FIRE's Fire Hazard Severity Zone (FHSZ) maps, Los Angeles County contains:

- 386.06 square miles (8.11%) classified as Very High Fire Hazard Severity Zone (FHSZ) in Local Responsibility Areas, LRAs.
- 625.01 square miles (13.13%) classified as Very High (FHSZ) in State Responsibility Areas, SRAs.

Wildfires pose a significant threat not only through the immediate damage they cause to lives, property, and natural resources, but also through the secondary hazards that continue after the flames are extinguished.

In the aftermath of a fire, communities often face increased risks of flash floods, debris flows, and degraded air quality. These post-fire impacts can compound the initial destruction, placing additional strain on infrastructure, health systems, and recovery efforts.

### 6.2.4 History

Los Angeles County has experienced numerous devastating wildfires in recent decades, including:

- **Canyon Fire (1968)** - Burned 22,000 acres, destroyed 147 homes, and led to mass evacuations.
- **Old Topanga Fire (1993)** - Consumed 16,516 acres, destroying 388 structures and causing three fatalities.
- **Sayre Fire (2008)** - Destroyed 489 structures, including over 600 mobile homes.
- **Station Fire (2009)** - The largest fire in Los Angeles County history, burning 160,577 acres, destroying 209 structures, and causing two firefighter fatalities.
- **Woolsey Fire (2018)** - Burned 96,949 acres, destroyed 1,643 structures, and resulted in three fatalities.
- **Bobcat Fire (2020)** - Scorched 115,796 acres, destroying 171 structures and damaging numerous infrastructures in the Angeles National Forest.
- **Palisades Fire (2025)** - Resulted in significant destruction and loss of life, burning 23,707 acres, destroyed approximately 6,833 structures, and causing 12 civilian fatalities.
- **Eaton Fire (2025)** - Resulted in significant destruction and loss of life, burning 14,021 acres, destroying approximately 9,418 structures, and causing 17 civilian fatalities.

These fires highlight the increasing frequency and intensity of wildfires, emphasizing the urgent need for stronger mitigation and preparedness efforts.

The Los Angeles County area has experienced federally declared wildfires and are shown in the table below. There have been no state proclamations for wildfires in the last five years.

Federally Declared Wildfire/Fire Management Assistance Declaration in Los Angeles County from 1/1/2020 to 3/28/2025			
Date	Incident Name	No.	Category
1/8/2025	California Wildfires and Winds	4856	Federal Declaration
1/8/2025	California Eaton Fire	5550	Fire Management Assistance Declaration
1/8/2025	California Hurst Fire	5551	Fire Management Assistance Declaration
1/7/2025	California Palisades Fire	5549	Fire Management Assistance Declaration
12/10/2024	California Franklin Fire	5548	Fire Management Assistance Declaration
9/11/2024	California Bridge Fire	5537	Fire Management Assistance Declaration
10/16/2020	California Wildfires	4569	Federal Declaration
9/13/2020	California Bobcat Fire	5374	Fire Management Assistance Declaration

### 6.2.5 Probability

With several guaranteed wildfires each year, the probability of wildfire ignition in Los Angeles County is gradually increasing, driven largely by climate change. There is a 100% chance of a fire occurring each year within the geographic planning area. Historically, wildfires occurred between June and November, but recent years have shown a year-round fire season due to hotter, drier conditions and more intense weather variability.

Longer dry periods, reduced humidity, and increased temperatures, coupled with historic drought and vegetation die-off, have created critically dry fuel beds. These events make even small ignition sources capable of generating major wildfires.

Santa Ana winds continue to serve as a major accelerant, contributing to rapid fire spread and severe fire behavior. When combined with urban encroachment into fire-prone areas, these conditions elevate both the frequency and destructiveness of wildfires.

Projections from the 2024 THIRA and the LA County Climate Vulnerability Assessment confirm that wildfire probability will continue to rise unless significant fuel reduction, land use planning, and climate adaptation strategies are implemented across all jurisdictions.

The 2024 THIRA estimates that:

- Over 1.2 million residents live in high-risk wildfire zones.
- Communities near the Wildland-Urban Interface (WUI) are at the greatest risk, especially those with limited evacuation routes, and the Access and Functional Needs community.
- Vulnerable populations, including seniors, low-income households, and people with disabilities, face heightened challenges during evacuations.

### 6.2.6 Vulnerability

Los Angeles County faces high wildfire vulnerability due to its extensive Wildland-Urban Interface (WUI), with over 1.2 million residents that live in Very High Fire Hazard Severity Zones (FHSZs). These communities are particularly susceptible because many homes lack defensible space, fire-resistant construction, or adequate emergency access.

Vulnerable populations including (but not limited to): seniors, individuals with disabilities, low-income households, and those dependent on electrical medical equipment, face significant evacuation and health risks during wildfire events, especially in WUI communities with limited ingress/egress and high fuel loads.

SUPERVISORIAL DISTRICT BREAKDOWN		
Supervisory District	Population in High-Risk Wildfire Zones	Percentage of District Population
District 1	150,000	12%
District 2	75,000	6%
District 3	425,000	30%
District 4	250,000	20%
District 5	500,000	32%

### Contextual Overview

Very High FHSZ in LRA jurisdiction includes dense hillside residential areas under local fire authority responsibility. These are some of the most vulnerable communities due to terrain, vegetation, and constrained emergency access.

Critical infrastructure is also at risk, with wildfire exposure threatening fire stations, law enforcement facilities, hospitals, utilities, transportation corridors, and emergency communication systems. Disruption to these essential services during wildfire events can compound vulnerabilities and delay response and recovery. For a better understanding of critical infrastructure at risk please see Appendix C.

### Total Facilities Affected:

- **Very High LRA:** 120
- **High SRA:** 8
- **Very High SRA:** 76

With the continued expansion of developments into fire-prone areas has significantly increased wildfire risk. Many homes in the WUI lack proper defensible space and fire-resistant building materials, making them particularly vulnerable. Additionally, limited evacuation routes in some WUI communities create challenges for emergency response and evacuations. Stricter zoning laws, building regulations, and vegetation management policies are the best practices to reduce risk.

Department/ Agency	Very High FHSZ (LRA)	High FHSZ (SRA)	Very High FHSZ (SRA)
Animal Care and Control	1	0	1
Fire Department	39	1	14
Health Services	1	0	0
Library	7	1	2
LACMA / NHM	1	0	0
Office of Education	3	0	3
Other County Offices	0	0	0
Parks & Recreation	13	1	12
Public Health	52	4	41
Public Works	0	0	0
Sheriff's Department	3	1	3

Wildfires threaten essential infrastructure, including:

- **Transportation:** Damage to roads and bridges affects evacuation and emergency response.
- **Utilities:** Power lines, gas pipelines, and water infrastructure, including dams, are vulnerable to fire damage.
- **Emergency Services:** Public safety and healthcare facilities near wildfire-prone areas face operational disruptions.
- **Public Services:** Parks, libraries, schools, and other public areas could be lost or damaged.

New emerging patterns suggest that climate change may be influencing wildfire risks in Los Angeles County through:

- **Extending fire seasons:** Historically, peak fire season occurred from June to November, but fires are now starting and burning year-round.
- **Increasing fuel dryness:** Higher temperatures and prolonged droughts reduce vegetation moisture levels, making fires more intense.
- **Raising fire frequency:** Hotter, drier conditions contribute to more frequent ignitions, particularly in WUI areas.

#### Extent of Exposure

- **Total Area Exposed:** 243.72 sq mi
- **Supervisory Districts (SD) Impacted:**
  - **SD3:** 117.95 sq mi (27.29%)
  - **SD5:** 95.61 sq mi (3.36%)
  - **SD1:** 16.23 sq mi (4.60%)
  - **SD4:** 9.10 sq mi (4.27%)
  - **SD2:** 4.83 sq mi (1.33%)

For a better visual representation of this Wildfire Hazard within the LA County planning area, please reference Appendix A for several Fire Hazard Severity Zone maps.

#### 6.2.7 Impacts

Impacts for past fires vary depending on scope and severity, including the January 2025 fires, including the Palisades and Eaton Fires, resulted in widespread destruction across Los Angeles County, burning over 37,000 acres and destroying more than 16,000 structures combined, with nearly 30 civilian fatalities. These events caused cascading impacts such as prolonged power outages, degraded water pressure affecting firefighting and residential supply, and overwhelmed emergency services. Transportation routes and communications infrastructure were disrupted. Communities, especially in the Wildland-Urban Interface (WUI), experienced major economic losses due to the destruction of homes, businesses, and public facilities. Post-fire hazards like debris flows and landslides further compounded recovery challenges, with water infrastructure contamination and sedimentation requiring emergency remediation. The scope and severity of these fires underscore the increasing vulnerability of critical infrastructure and the urgent need for enhanced mitigation strategies across high-risk zones.

### Problem Statement

Many hillside communities within LRA Very High FHSZ zones face critical access and water supply issues during fires. These areas often include aging structures and narrow roads, complicating firefighting and evacuation. Investments in defensible space, local code enforcement, and community wildfire protection planning are vital to saving lives and minimizing losses.

### 6.2.8 Mitigation and Preparedness

Los Angeles County is implementing a multi-agency approach to mitigate wildfire risks. Key strategies include:

- **Community Wildfire Protection Plans (CWPPs):** Strengthening fire prevention measures in high-risk areas.
- **Community Preparedness:** Educating residents on wildfire readiness through outreach campaigns, emergency alert systems, and neighborhood preparedness programs.
- **Defensible Space Requirements:** Enforcing brush clearance around structures.
- **Enhanced Building Codes:** Promoting fire-resistant materials for new developments.
- **Vegetation Management:** Reducing fuel loads through prescribed burns and hazardous tree removal.
- **Evacuation Planning:** Improving coordination between OEM, LASD, LACoFD, and other jurisdictions to ensure clear evacuation policies and procedures.

Additional details on the County's proactive and ongoing efforts to reduce wildfire risk, including long-term planning, infrastructure hardening, and community-based initiatives, is located in the dedicated section titled "Mitigation Strategies."

### 6.2.9 Summary

Wildfires remain one of the most significant hazards in Los Angeles County, posing risks to life, property, and critical infrastructure. The expansion of development into WUI areas, increasing fire severity due to climate change, and ongoing challenges with evacuation and mitigation require proactive, coordinated efforts across agencies. Strengthening fire prevention policies, improving emergency response coordination, and integrating climate adaptation measures are essential to enhancing wildfire resilience for Los Angeles County.



## 6.3 Earthquake

### 6.3.1 Nature

Earthquakes occur due to the sudden release of energy in the Earth's crust, generating seismic waves that cause ground shaking. These events, often triggered by movement along fault lines, vary in intensity depending on factors such as magnitude, depth, and proximity to populated areas. In addition to the initial shaking, secondary hazards such as surface faulting, liquefaction, landslides, tsunamis, and aftershocks can worsen the damage. Los Angeles County, located in a highly active seismic region, faces significant risks from these natural events, necessitating extensive mitigation efforts and preparedness planning.

- The most common effects of earthquakes include violent shaking, structural damage, and disruptions to infrastructure.
- Secondary effects can include, but are not limited to, utilities outages, traffic congestion and transportation systems being impassable, and an increase of fire risks, from broken gas and water lines.

### EARTHQUAKE KEY POINTS

- 1. Nature**  
Earthquakes occur when there is a sudden release of energy from the Earth's crust, creating seismic waves.
- 2. Location**  
Los Angeles County is in one of the most highly active seismic regions, having multiple active faults.
- 3. Extent**  
The San Andreas Fault remains the greatest threat, with a high chance of an M 6.7+ occurring.
- 4. Vulnerability**  
Residents in high-risk seismic zones could be extremely impacted, along with people experiencing homelessness, low income, and the access and functional needs community.
- 5. Mitigation and Preparedness**  
Efforts include strengthening building codes, upgrading critical infrastructure, expanding public education, and enhancing emergency response planning.

- Earthquakes occur with little to no warning, making preparedness essential for minimizing loss of life and property.

### 6.3.2 Location

Los Angeles County is one of the most seismically active regions in the United States, with multiple active fault systems capable of generating destructive earthquakes.

**Major faults include:**

- San Andreas Fault - Capable of M 8.0+
- Newport-Inglewood Fault - M 7.4
- Malibu Coast Fault System - M 6.7
- San Fernando Fault - M 6.6
- Santa Monica Fault - M 7.0
- Whittier Fault - M 7.2
- Sierra Madre Fault - M 6.0-7.0

For a better visual representation of this Earthquake Hazard within LA County planning area, please reference Appendix A for earthquake fault maps.

### 6.3.3 Extent

According to US Geological Survey, there are two types of earthquake measurements, magnitude (Mw) and intensity (i). Magnitude is a measure of the energy released at the source of the earthquake. Intensity scale help measure impact on people and structures.

**Earthquake impact is based on magnitude scale is as follows:**

- Great—Mw > 8,
- Major—Mw = 7.0 - 7.9
- Strong—Mw = 6.0 - 6.9
- Moderate—Mw = 5.0 - 5.9
- Light—Mw = 4.0 - 4.9
- Minor—Mw = 3.0 - 3.9
- Micro—Mw < 3

Modified Mercalli Intensity Scale is from I to XII, which refers I, as not felt and XII as extreme.

**Figure 6.3.1 Modified Mercalli Intensity Scale**

CIIM Intensity	People's Reaction	Furnishings	Built Environment	Natural Environment
I	Not felt			Changes in level and clarity of well water are occasionally associated with great earthquakes at distances beyond which the earthquakes felt by people.
II	Felt by a few.	Delicately suspended objects may swing.		
III	Felt by several; vibration like passing of truck.	Hanging objects may swing appreciably.		
IV	Felt by many; sensation like heavy body striking building.	Dishes rattle.	Walls creak; window rattle.	
V	Felt by nearly all; frightens a few.	Pictures swing out of place; small objects move; a few objects fall from shelves within the community.	A few instances of cracked plaster and cracked windows within the community.	Trees and bushes shaken noticeably.
VI	Frightens many; people move unsteadily.	Many objects fall from shelves.	A few instances of fallen plaster, broken windows, and damaged chimneys within the community.	Some fall of tree limbs and tops, isolated rockfalls and landslides, and isolated liquefaction.
VII	Frightens most; some lose balance.	Heavy furniture overturned.	Damage negligible in buildings of good design and construction, but considerable in some poorly built or badly designed structures; weak chimneys broken at roof line, fall of unbraced parapets.	Tree damage, rockfalls, landslides, and liquefaction are more severe and widespread with increasing intensity.
VIII	Many find it difficult to stand.	Very heavy furniture moves conspicuously.	Damage slight in buildings designed to be earthquake resistant, but severe in some poorly built structures. Widespread fall of chimneys and monuments.	
IX	Some forcibly thrown to the ground.		Damage considerable in some buildings designed to be earthquake resistant; buildings shift off foundations if not bolted to them.	
X			Most ordinary masonry structures collapse; damage moderate to severe in many buildings designed to be earthquake resistant.	

Over 75% of unincorporated Los Angeles County is at risk for severe to extreme shaking in a future earthquake.

The region's dense urban environment, combined with aging infrastructure, increases the likelihood of extensive damage and prolonged recovery times.

Faults running beneath critical infrastructure corridors, including freeways and power grids, pose a significant threat to public safety and economic stability of the planning area.

### 6.3.4 History

Los Angeles County has a long history of destructive earthquakes, with some of the earliest recorded events dating back to the early 19th century. The San Juan Capistrano Earthquake of 1812 (M 7.5) was among the first to be documented, causing the collapse of Mission San Juan Capistrano and resulting in 40 fatalities. Over the years, the county has experienced numerous significant quakes, including the devastating 1857 Fort Tejon Earthquake (M 7.9), the 1971 San Fernando Earthquake (M 6.6), and the infamous 1994 Northridge Earthquake (M 6.7), which caused billions in damages and led to widespread infrastructure failures. There have been no federal declarations or state proclamations for earthquakes in the last five years.

Major Earthquakes in Los Angeles County (1812 - Present)			
Date	Magnitude	Name / Location	Notable Impact
December 8, 1812	7.5	San Juan Capistrano Earthquake	Destroyed Mission San Juan Capistrano, killed 40 people.
December 21, 1812	7.1	West Ventura Earthquake	Caused significant shaking in Southern California.
January 9, 1857	7.9	Fort Tejon Earthquake	Largest earthquake on the San Andreas Fault; ruptured 225 miles.
July 21, 1952	7.5	Kern County Earthquake	Strong shaking felt in Los Angeles; major damage to Bakersfield.
February 9, 1971	6.6	San Fernando Earthquake	65 deaths, \$553 million in damages, collapse of Veterans Hospital.
October 1, 1987	5.9	Whittier Narrows Earthquake	8 deaths, 200 injuries, \$358 million in damages.
February 28, 1990	5.7	Upland Earthquake	30 injuries, \$12.7 million in damages.

June 28, 1991	5.6	Sierra Madre Earthquake	1 death, 100+ injuries, \$40 million in damages.
January 17, 1994	6.7	Northridge Earthquake	57 deaths, 8,700 injuries, \$40 billion in damages, freeways collapsed.
July 29, 2008	5.5	Chino Hills Earthquake	8 injuries, minor structural damage.
March 28, 2014	5.1	La Habra Earthquake	Few injuries, \$10 million in damages.
July 6, 2019	7.1	Ridgecrest Earthquake	Widespread damage in Southern California, infrastructure impacts.

### 6.3.5 Probability

#### Trends in Seismic Activity

Over 163 earthquakes of M 5.0 or greater have been recorded in Southern California since 1812.

The San Andreas Fault remains the greatest seismic hazard, with a 59% chance of an M 6.7+ event in the next 30 years.

#### Future Earthquake Occurrence

The U.S. Geological Survey (USGS) estimates the following probabilities for a major earthquake in Los Angeles County in the next 30 years:

- 60% chance of an M 6.7+ earthquake
- 46% chance of an M 7.0+ earthquake
- 31% chance of an M 7.5+ earthquake

### 6.3.6 Vulnerability

The county's vulnerability to earthquakes extends beyond physical infrastructure, affecting its residents and essential services. Older buildings, particularly unreinforced masonry and soft-story structures, are at high risk of collapse, posing significant

dangers to residents and businesses. Seismic retrofitting, early warning systems, and stricter building codes have improved resilience, but vulnerabilities remain in older structures and critical infrastructure.

#### Critical Infrastructure at Risk

- **Highways, bridges, and transportation routes:** A major earthquake could severely disrupt mobility, shipment of goods and services while also delaying emergency response and evacuations. Major highways such as, but not limited to the I-5, I-10, US-101, CA-60, CA-14, I-405, I-710, and I-105 could be impacted.
- **Energy grids and water system:** Disruptions could leave millions without power and clean water.
- **Hospitals and emergency services:** 325 hospitals and 1,299 fire stations in the Los Angeles County could suffer functional impairments.
- **Unreinforced masonry and soft-story buildings:** Many older structures are highly susceptible to collapse during strong ground shaking.

#### County Specific Critical Facilities Affected:

- Fire Department: 314 facilities (93.18%)
- Public Works: 201 facilities (87.39%)
- Health Services: 56 facilities (85.71%)
- Public Health: 37 facilities (92.50%)
- Libraries: 78 branches (89.66%)
- Parks: 179 (97.79%)
- Education: 70 (85.37%)

Los Angeles County lies at the intersection of multiple major fault lines, including the San Andreas Fault. According to the hazard matrix, the risk of violent ground shaking is prevalent countywide, particularly in urban centers and regions with critical infrastructure. The potential consequences of violent seismic shaking include widespread structural damage, disruption of services, economic losses, and human casualties.

#### Populations at Risk

- The THIRA estimates over 2 million residents could be significantly impacted in a major seismic event, particularly those in high-risk seismic zones.

- People Experiencing Homelessness (PEH) populations: 75,000+ unhoused individuals in Los Angeles County live in areas at risk of violent shaking.
- Low-income and individuals with access and functional needs (AFN): For more details on impacted population please see Section 5.

#### Extent of Exposure

- **Total Area Exposed:** 3,041.91 sq mi
- **Supervisory Districts (SD) Impacted:**
  - **SD5:** 1,950.78 sq mi (69.50%)
  - **SD3:** 379.41 sq mi (87.99%)
  - **SD1:** 349.17 sq mi (98.95%)
  - **SD2:** 362.95 sq mi (99.99%)
  - **SD4:** 210.92 sq mi (99.10%)

#### 6.3.7 Impacts

Los Angeles County has a long history of experiencing damaging earthquakes due to its location along multiple active fault systems, including the San Andreas, Newport-Inglewood, and Whittier faults. Historic earthquakes such as the 1971 San Fernando (M6.6) and 1994 Northridge (M6.7) events caused catastrophic losses. The San Fernando earthquake resulted in 65 deaths, the collapse of hospital structures, and over \$550 million in damages, while the Northridge earthquake caused 57 deaths, more than 8,700 injuries, and an estimated \$40 billion in economic losses, including widespread infrastructure failures such as collapsed freeways and damaged utility systems.

Impacts from future major seismic events are projected to be even more severe due to population density, aging infrastructure, and increasing development in seismically vulnerable areas. Over 75% of unincorporated Los Angeles County is at risk of severe to extreme ground shaking. Current estimates suggest that a large-magnitude earthquake could displace up to 2.2 million people, injure or kill thousands, and result in over \$200 billion in combined economic losses, including \$113 billion in property damage and \$68 billion in business interruptions.

The County's critical systems; power, water, transportation, healthcare, and communications, are especially vulnerable. A major earthquake could impair up to 325 hospitals and 1,299 fire stations and disrupt critical infrastructure for millions. Populations with heightened vulnerability include the 75,000+ people experiencing homelessness, those with access and functional needs, and residents of older, unreinforced masonry and soft-story structures.

Without sufficient mitigation, a future earthquake could result in cascading failures across multiple sectors and prolong the County's recovery for years. These risks highlight the urgency for continued investment in seismic retrofitting, stricter enforcement of building codes, expanding statewide early warning systems, and equitable preparedness programs targeting at-risk vulnerable populations.

- **Casualties and injuries:** Depending on the time of day and location, thousands could be injured or killed in a severe earthquake.
- **Economic disruption:** A significant earthquake could halt business operations, damage supply chains, and force thousands into unemployment.
- **Housing displacement:** An estimated 2.2 million residents could be displaced, with tens of thousands requiring emergency sheltering.

#### **Economic Impact**

A major earthquake in Los Angeles County could result in over \$200 billion in economic losses, with a total of \$118 trillion-dollar exposure. Losses can include:

- \$68 billion in business interruptions
- \$51 billion in lost economic activity
- \$113 billion in property damages

#### **Problem Statement**

The pervasive exposure of Los Angeles County to violent earthquake shaking presents a systemic threat to public safety, economic stability, and essential services. Nearly all major departments and infrastructure elements are located within high-shaking hazard zones. The extensive reach across all five Supervisorial Districts (SD) amplifies the challenge, highlighting the urgent need for retrofitting, public education, preparedness programs, and resilient design policies. Failure to address this hazard could lead to catastrophic loss of life and functionality in the event of a major seismic event.

### **6.3.8 Mitigation and Preparedness**

Efforts to reduce earthquake risks in Los Angeles County include strengthening building codes, enhancing emergency preparedness, and retrofitting vulnerable structures.

#### **Key efforts to mitigate earthquake risks include:**

- Strengthening building codes and enforcing retrofitting laws
- Upgrading critical infrastructure
- Expanding public education and early warning systems
- Enhancing emergency response planning

By proactively implementing these measures, Los Angeles County aims to reduce casualties, infrastructure damage, and economic losses in future seismic events.

#### **Seismic Retrofitting Programs**

- **Soft story retrofit program:** Mandates seismic upgrades for older apartment buildings.
- **Non-ductile concrete building retrofits:** Strengthens older commercial and residential structures.
- **Hospitals and emergency facilities retrofitting:** Ensures critical services remain operational post-earthquake.

#### **Policy and Regulatory Measures**

- Assembly Bill (AB) 1857: Strengthens building standards for multi-story structures.
- AB 2681: Requires cities and counties to inventory vulnerable buildings.
- Updated California Building Code (CBC): Enforces stricter seismic design criteria for new construction.
- Public Education: Teaching to Drop, Cover and Hold On; the household preparedness checklist, educate residents on emergency response, retrofitting, and disaster preparedness.
- Early Warning/ ShakeAlert System: Provides real-time earthquake early warnings to residents via mobile alerts and public messaging.
- Public earthquake drills: Annual Great California ShakeOut encourages preparedness.

### 6.3.9 Summary

Los Angeles County remains at high risk for devastating earthquakes, with scientific projections indicating a strong likelihood of a significant seismic event in the coming decades. The region has experienced numerous historic earthquakes, and the potential for future large-scale disasters remains ever-present. While advances in engineering, emergency preparedness, and mitigation efforts have improved resilience, challenges persist, particularly regarding aging infrastructure and vulnerable communities. Continued investments in retrofitting, public education, and early warning systems will be critical in minimizing casualties, economic losses, and recovery challenges in future earthquakes.



## 6.4 Extreme Heat

### 6.4.1 Nature

Extreme heat refers to prolonged periods of high temperatures, often accompanied by high humidity, posing significant health risks such as heat exhaustion and heat stroke. The urban heat island (UHI) effect, prevalent in densely built areas like Los Angeles County, intensifies these conditions by absorbing and retaining heat. The changing climate conditions through time in the region exacerbate for the rising of daily temperature and for the increasing of extreme heat days in the County. This leads to health issues, increase energy demand, and strain on infrastructure.

### 6.4.2 Location

Los Angeles County is particularly susceptible to extreme heat due to its diverse geography and urban density. All of Los Angeles County may experience extreme heat, nonetheless inland regions, including the valleys and high desert areas experience

### EXTREME HEAT KEY POINTS

#### 1. Nature

Prolonged periods of high temperatures pose significant health risks such as heat exhaustion and heat stroke. Urban heat island (UHI) is rampant in Los Angeles County.

#### 2. Location

Los Angeles County is vulnerable to extreme heat because of its diverse landscape and urban density.

#### 3. Extent

Predictions show a significant rise in frequency and intensity of heat waves, with inland areas being more susceptible.

#### 4. Vulnerability

Populations most vulnerable to extreme heat are elderly individuals, low-income communities, outdoor workers, people experiencing homelessness, and the access and functional needs community.

#### 5. Mitigation and Preparedness

To manage extreme heat, Los Angeles County has implemented cooling centers, urban greening initiatives, public awareness campaigns, and building codes and regulations.

higher temperatures compared to coastal areas. The urban heat island (UHI) effect can increase temperatures in cities and developed areas than the less developed areas. Urban centers with extensive concrete and asphalt surfaces further amplify heat retention, contributing to elevated temperatures and increased UHI effect in the county.

### 6.4.3 Extent

The severity of heat events in Los Angeles County has been increasing. Projections indicate a significant rise in the frequency and intensity of heat waves, with inland areas potentially experiencing temperatures exceeding 110°F. The urban heat island effect can cause urban areas to be several degrees warmer than their rural counterparts, exacerbating the impact of heat waves. The chart below shows the levels of heat wave impacts used to measure heatwave severity. HeatRisk, an experimental measure developed by the NWS in collaboration with the CDC, classifies heat events by their impact on human health. It ranges from Green (0) which is little or no risk to Magenta (4), which means extreme heat with no overnight relief.

Category	Figure 6.4.1 Risk of Heat-Related Impacts
<b>Green 0</b>	Little to no risk from expected heat.
<b>Yellow 1</b>	Minor - This level of heat affects primarily those individuals extremely sensitive to heat, especially when outdoors without effective cooling and/or adequate hydration.
<b>Orange 2</b>	Moderate - This level of heat affects most individuals sensitive to heat, especially those without effective cooling and/or adequate hydration. Impacts possible in some health systems and in heat-sensitive industries.
<b>Red 3</b>	Major - This level of heat affects anyone without effective cooling and/or adequate hydration. Impacts likely in some health systems, heat-sensitive industries and infrastructure.
<b>Magenta 4</b>	Extreme - This level of rare and/or long-duration extreme heat with little to no overnight relief affects anyone without effective cooling and/or adequate hydration. Impacts likely in most health systems, heat-sensitive industries and infrastructure.

National Weather Service (NWS), 2024

August, being the hottest month of the year that the planning area experiences the Figure 6.4.2 below shows, the average high temperature for August 2024 in Los Angeles County. As shown, the temperature varies by location but remains higher than average monthly temperature.




Figure 6.4.2, Mean Max Temperature for August 2024, National Weather Service

### 6.4.4 History

Because of the changing climate conditions and the geographical location, Los Angeles County has been experiencing extreme heat waves in the past years. It has a history of extreme heat events, with temperatures frequently reaching 100 degrees or more, especially during the summer months. In some cases, these extreme heat events are record-breaking heat waves surpassing their all-time highs.

Extreme Heat events include:

- **August 2020:** A severe heatwave led to widespread power outages, affecting nearly 500,000 residents.

- **September 2020:** The San Fernando Valley recorded a record high temperature of 121°F.
- **August 2022:** A record-breaking heatwave in late summer exceeded 100°F
- **September 2024:** A severe September heatwave pushed temperatures 10-20°F above normal, hitting 109°F in Long Beach

The History of Extreme heat events highlight the increasing trend of extreme heat occurrences in the region. There have been no federal declarations or state proclamations for extreme heat in the last five years. Even though there were no declared extreme heat emergencies, the county has issued several heat alerts and taken measures to protect residents from the impacts of heat waves during these periods.

### 6.4.5 Probability

Extreme heat events are an annual occurrence in Los Angeles County, though severity of such events vary per year based on other conditions, such as El Niño. Climate models project a substantial increase in the likelihood of extreme heat events in Los Angeles County. By mid-century, the county could experience more than five major heat waves annually, with some models suggesting up to tenfold increases in frequency. This heightened probability necessitates proactive mitigation and adaptation strategies.




Figure 6.4.3, Average Temperature 1900-2025, NOAA, NCEI, 2025.

### 6.4.6 Vulnerability

Extreme heat poses a significant and growing threat to Los Angeles County, where rising temperatures, urban heat islands, and widespread social vulnerability intersect. Those most at risk include the elderly, low-income households lacking air conditioning,

people experiencing homelessness (PEH), individuals with access and functional needs (AFN), and the County's large population of outdoor and non-air-conditioned indoor workers. Infrastructure is also strained; electricity demand spikes during heatwaves, often overwhelming the power grid and triggering outages. Water systems experience increased demand and evaporation losses, while roadways and rail lines are subject to buckling or operational delays. In recent years, Los Angeles County has experienced severe consequences from prolonged heat events, reinforcing the urgent need for heat resilience strategies targeting both people and critical services.

### Los Angeles County-Specific Impacts and Data

- 491,600 residents experienced power outages during the August 2020 heatwave.
- 96% of the County's 1,000 miles of high-voltage transmission lines are exposed to moderate to high extreme heat risk.
- 1.7 million residents are considered highly vulnerable due to age, income, disability, or chronic health conditions.
- Over 300,000 outdoor workers are at elevated risk for heat-related illness and injury.
- Thousands of heat-related emergency visits occurred during multi-day heat events in 2020 and 2022; especially in neighborhoods with limited shade and high surface temperatures.
- 50+ cooling centers have been activated across the County during recent heatwaves to support at-risk populations.
- High heat contributes to worsened air quality, increased wildfire smoke exposure, and economic losses due to infrastructure damage, productivity decline, and rising healthcare costs.

### 6.4.7 Impacts

Los Angeles County has faced significant and growing impacts from extreme heatwaves over the past two decades. In August 2020, a prolonged heatwave caused rolling blackouts affecting nearly 500,000 customers, overwhelmed the state's electrical grid, and forced the activation of emergency conservation protocols. That same summer, the San Fernando Valley hit 121°F, leading to widespread strain on

HVAC systems and increased emergency room visits for heat-related illnesses. The 2022 and 2024 heatwaves brought similar conditions—temperatures over 100°F across the region led to localized transformer failures, asphalt buckling, and strain on water delivery systems due to elevated demand. During these events, outdoor workers, the elderly, and low-income residents without access to cooling systems were among the most affected. Economic activity was disrupted, with reports of business closures, service delays, and increased healthcare costs. In 2024, Long Beach reached a record 109°F, causing a spike in electricity demand and triggering emergency energy alerts across Southern California. Heat-related deaths and hospitalizations have also trended upward, particularly in neighborhoods with low tree canopy and high impervious surfaces. These impacts underscore the need for resilient infrastructure and targeted adaptation strategies to safeguard health and essential services.

#### 6.4.8 Mitigation and Preparedness

The most effective way to reduce the negative impacts of an extreme heat event is to develop a comprehensive heat response plan that has individual strategies to effectively manage heat waves during peak seasons of the year. The plan might include forecasting and monitoring, education and awareness, and heat wave response.

To address extreme heat, Los Angeles County has implemented several measures:

- **Cooling Centers:** Establishment of air-conditioned public spaces where residents can seek relief during heatwaves. These centers are facilities such as libraries, community centers, and senior centers. Residents can locate the nearest cooling center using resources provided by the county. *Additional resources can be found at <https://ready.lacounty.gov/heat/>*
- **Urban Greening Initiatives:** Programs aimed at increasing green spaces, planting trees, and creating parks to provide shade and reduce ambient temperatures. These efforts help mitigate the urban heat island effect.
- **Public Awareness Campaigns:** Educational initiatives to inform residents about heat risks, prevention strategies, and resources available during extreme heat events. These campaigns emphasize the importance of hydration, recognizing heat-related illness symptoms, and utilizing cooling centers.
- **Building Codes and Regulations:** Incorporation of heat-mitigating designs and materials in new constructions and retrofits, such as cool roofs and reflective

pavements, to reduce heat absorption. These measures aim to lower indoor temperatures and decrease reliance on air conditioning.

These strategies are designed to reduce heat exposure, protect vulnerable populations, and enhance community resilience against extreme heat events.

#### 6.4.9 Summary

Extreme heat poses a growing threat to Los Angeles County, with increasing frequency and intensity of heat waves exacerbated by urban heat island (UHI) effects. Understanding these impacts of extreme heat and taking appropriate precautions, residents of Los Angeles County can protect themselves and their communities from this growing climate hazard. The county has undertaken various mitigation efforts, including the establishment of cooling centers, urban greening projects, public education campaigns, and the implementation of heat-conscious building practices. Ongoing adaptation and proactive planning are essential to safeguard public health, infrastructure, and the environment from the adverse effects of extreme heat.



## 6.5 Drought

### 6.5.1 Nature

Drought is a prolonged period of below-average precipitation that leads to water shortages, impacting agriculture, ecosystems, and urban water supplies. Unlike other natural disasters, drought develops gradually, making it difficult to predict and mitigate. In Los Angeles County, droughts are a recurring issue due to the region's arid climate and dependence on imported water supplies.

Drought severity is determined by its duration, intensity, geographic extent, and water demand. Climate change is exacerbating these factors, leading to hotter temperatures, reduced precipitation, and increased evaporation rates. Wildfires are also projected to increase in frequency and intensity during drought season.

#### There are four common classifications of drought:

- **Meteorological Drought:** A prolonged period of below-normal precipitation.

### DROUGHT KEY POINTS

#### 1. Nature

Drought is a slow-developing hazard worsened by climate change, leading to hotter, drier conditions and water shortages.

#### 2. Location

L.A. County's drought risk is high due to its arid climate and dependence on imported water sources.

#### 3. Extent

Droughts are classified into five levels; L.A. experienced drought conditions for 376 straight weeks from 2011-2019.

#### 4. Vulnerability

All residents are affected by drought, especially vulnerable groups, face risks from water shortages, wildfires, and health impacts.

#### 5. Mitigation and Preparedness

The County is expanding recycling, stormwater capture, and conservation programs to improve drought resilience.

- **Hydrological Drought:** A reduction in surface and groundwater levels due to prolonged precipitation deficits.
- **Agricultural Drought:** A lack of soil moisture that affects crop growth and livestock sustainability.
- **Socioeconomic Drought:** When water shortages impact drinking water supplies, sanitation, public services, and economic activities.

### 6.5.2 Location

Drought is regional in nature and typically affects the entire Los Angeles County planning area. Given the county's reliance on imported water from the Sierra Nevada snowpack and the Colorado River, reduced availability of these sources significantly increases vulnerability.

### 6.5.3 Extent

Drought is a recurring natural hazard that can severely impact agriculture, water supply, ecosystems, and communities. To monitor and communicate drought conditions across the United States, the National Drought Mitigation Center (NDMC), in partnership with the U.S. Department of Agriculture (USDA) and the National Oceanic and Atmospheric Administration (NOAA), produces weekly U.S. Drought Monitor maps. These maps categorize drought conditions into five levels based on intensity, duration, and impact on various sectors, including agriculture, water resources, and public health.

Each drought category reflects a different level of severity, from short-term dry conditions that may slow crop growth, to long-term, widespread water shortages that require emergency response. These classifications help decision-makers, farmers, and water managers respond appropriately to emerging or ongoing drought conditions. See Figure 6.5.1 below for more information.

**Drought Categories and Associated Impacts:**

CATEGORY	DESCRIPTION	POSSIBLE IMPACTS
<b>D4</b>	<b>EXCEPTIONAL DROUGHT</b>	<ul style="list-style-type: none"> <li>Exceptional and widespread crop/pasture losses</li> <li>Critical shortages of water in reservoirs, streams, and wells</li> <li>Water emergencies and possible mandatory rationing</li> <li>Severe impacts on ecosystems and wildlife habitats</li> </ul>
<b>D3</b>	<b>EXTREME DROUGHT</b>	<ul style="list-style-type: none"> <li>Major agricultural losses and pasture failure</li> <li>Widespread water shortages</li> <li>Water use restrictions likely enforced</li> <li>Increased risk of wildfires and heat-related stress</li> </ul>
<b>D2</b>	<b>SEVERE DROUGHT</b>	<ul style="list-style-type: none"> <li>Crop and pasture losses becoming likely</li> <li>Water shortages becoming common</li> <li>Local governments may implement water restrictions</li> <li>Hydropower generation and irrigation potentially impacted</li> </ul>
<b>D1</b>	<b>MODERATE DROUGHT</b>	<ul style="list-style-type: none"> <li>Noticeable damage to crops and pastures</li> <li>Water levels in streams and reservoirs begin to decline</li> <li>Voluntary water-use restrictions may be requested</li> <li>Some stress on fish and wildlife populations</li> </ul>
<b>D0</b>	<b>ABNORMALLY DRY</b>	<ul style="list-style-type: none"> <li>Early signs of drought, with short-term dryness slowing planting and crop growth</li> <li>If improving lingering water deficits as area recovers from drought</li> <li>Pastures or vegetation may show signs of delayed recovery</li> </ul>

Figure 6.5.1 Drought Categories and Associated Impacts

These classifications not only help guide resources and planning but also raise awareness about the broader consequences of prolonged dryness. Understanding the extent and severity of drought helps ensure timely response and mitigation efforts at local, state, and federal levels.




Figure 6.5.2, U.S. Drought Monitor, 2025

**6.5.4 History**

Los Angeles County has experienced multiple significant droughts, with some lasting several years. There have been no federal declarations or state proclamations for drought in the last five years.

**Notable historical drought periods include:**

1. 1917-1921 - A widespread drought affecting most of California.
2. 1976-1977 - One of the driest two-year periods in recorded history.
3. 1987-1992 - A six-year drought that severely impacted water supplies and agriculture.
4. 2007-2009 - A prolonged drought leading to state-imposed water restrictions.
5. 2011-2017 - The most severe drought in modern history, resulting in groundwater depletion and mandatory conservation measures.
6. 2020-2022 - California experienced a significant drought, with Los Angeles County experiencing "abnormally dry" conditions.
7. 2024-2025 - Los Angeles County is continuing to experience abnormally dry conditions, with lower average rainfalls and arid conditions.




Figure 6.5.3, NOAA Drought Severity Index, 2024

The chart above, the Palmer Drought Severity Index, shows how drought conditions have been changing since 1895. The Palmer Drought Severity Index measures how dry or wet an area is by comparing rainfall and temperature to long-term averages. It gives a number (positive or negative) showing drought severity or excess moisture.

Los Angeles County was in some form of drought for 376 consecutive weeks from December 20, 2011, until March 14, 2019. The State and the County passed several resolutions and regulations at different times to mitigate drought impacts like water

conservation regulations. There were no federally declared drought disasters in the area in the past five years in the planning area.

### 6.5.5 Probability

Climate scientists predict that Los Angeles County and the rest of Southern California will get drier, while Northern California will get hotter. Rising temperatures contribute to higher evaporation rates and declining snowpack in the Sierra Nevada, a critical source of water for Southern California. The frequency of extreme droughts is expected to increase, reducing available water resources and heightening competition between urban, agricultural, and environmental needs. Long-term droughts have a 100% of occurring every ten-years, with potential for longer and more destructive drought events due to climate change.

### 6.5.6 Vulnerability

Los Angeles County's 10 million residents face growing vulnerabilities during prolonged droughts, with over 75% of community water systems exhibiting at least one drought-related risk, such as reliance on a single source or aging infrastructure. The County's dependence on imported water—serving over 60% of residents—increases exposure to supply disruptions from reduced Sierra Nevada snowpack and Colorado River allocations. All residents, and visitors of Los Angeles County are affected by water shortages during a prolonged drought conditions.

Vulnerabilities include:

- **Low-income households**, often lacking water-efficient appliances and cooling systems.
- **Agricultural industry** with over 140,000 acres of irrigated farmland in the County is at risk of reduced water allocation and drying pastures for livestock.
- **Wildland-urban interface (WUI) communities**, where over 1 million residents face heightened wildfire risk due to dry vegetation and limited firefighting water supply.
- **Critical infrastructure** operations may be impacted by a range of factors from reduced hydropower availability when reservoir levels decrease to power station cooling challenges.

These vulnerabilities illustrate the far-reaching, cross-sector impacts of drought on the County's economy, environment, and most at-risk communities.

### 6.5.7 Impacts

Over the past five years, Los Angeles County has experienced intensifying drought conditions marked by rising temperatures, reduced snowpack, and persistent water shortages. By 2022, 75% of the County's community water systems showed at least one drought vulnerability, including reliance on a single water source or aging infrastructure. Public health impacts have also emerged, with 1,113 cases of Valley fever reported in 2020, linked to dry soil and dust exposure. Hydropower reductions during drought periods increased reliance on natural gas, contributing to elevated energy costs for residents. These compounding impacts have strained water supply, health systems, and infrastructure, reinforcing drought as a major and growing hazard for Los Angeles County.

### 6.5.8 Mitigation and Preparedness

To combat increasing drought risks, Los Angeles County has implemented water conservation policies, infrastructure investments, and emergency response measures. Key strategies include:

#### **Water Management and Conservation**

- Expanding water recycling and desalination programs to reduce reliance on imported water.
- Implementing drought-tolerant landscaping initiatives to lower residential and commercial water use.
- Enforcing water efficiency regulations for new developments and upgrading older properties with water-saving strategies.

#### **Infrastructure Improvements**

- Enhancing groundwater recharge projects to increase local water storage.
- Upgrading stormwater capture systems to maximize water retention during rainy seasons.
- Developing new water storage facilities to provide additional supply resilience.

#### **Community Preparedness and Public Awareness**

- Launching county-wide conservation campaigns to encourage sustainable water use.
- Increasing financial incentives for water-efficient appliances and irrigation systems.
- Strengthening emergency drought response plans to ensure equitable water distribution during crises.

### 6.5.9 Summary

Drought remains a persistent and growing threat to Los Angeles County's water security and economic stability. Climate change projections indicate more frequent and severe droughts, placing greater strain on water supply systems, public health, and agriculture. By implementing proactive water management strategies, investing in infrastructure resilience, and promoting community awareness, the County can mitigate the long-term impacts of drought and ensure sustainable water resources for future generations.



## 6.6 Flooding

### 6.6.1 Nature

Flooding is a persistent and increasingly severe hazard in Los Angeles County, driven by heavy rainfall, storm surge, stormwater drainage, and rising sea levels. The county's complex hydrology, which includes rivers, creeks, and an extensive urban flood control system, is highly susceptible to overflow events when precipitation exceeds drainage capacity. The effects of climate change are exacerbating flood risks by intensifying storms, altering precipitation patterns, and increasing sea levels, leading to greater coastal inundation and inland flash floods.

Unlike other regions that experience seasonal flooding due to snowmelt, flooding in Los Angeles County primarily occurs during winter storms and atmospheric river events, which bring intense rainfall and lightning over short periods.

- The region's high degree of urbanization contributes to flash flooding, as paved surfaces prevent natural absorption of water, leading to rapid runoff and street flooding.

### FLOODING KEY POINTS

**1. Nature**

Flooding in Los Angeles County is driven by heavy rainfall, storm surge, stormwater drainage, and rising sea levels.

**2. Location**

Areas at risk of flooding include communities near rivers, foothills, valleys, coastlines, and recent burn scars.

**3. Extent**

Approximately 243.32 square miles of Los Angeles County are in a 500-year floodplain.

**4. Vulnerability**

Residents within floodplains or people experiencing homelessness living near rivers are especially vulnerable to floods.

**5. Mitigation and Preparedness**

Actions focus on floodplain land use regulations, stormwater management and drainage, and maintaining flood control measures.

- Burn scars from recent wildfires further compound flood risks by reducing vegetation cover, destabilizing hillsides, and increasing the likelihood of land movement.

Flooding also creates secondary hazards, including erosion, infrastructure damage, water contamination, and transportation disruptions. Stormwater runoff can overwhelm wastewater treatment facilities, leading to hazardous spills. Landslides and mudflows in post-wildfire areas pose additional risks to homes, roads, and critical infrastructure. These compounding threats highlight the urgent need for comprehensive flood mitigation efforts to protect communities, infrastructure, and the environment.

### 6.6.2 Location

Flood hazards are geographically widespread, with more than 240 square miles of land located within the 100- and 500-year floodplains. Historically significant events, such as the 1938 and 1969 floods, as well as more recent storms in 2023 and 2024, have caused substantial damage to infrastructure, triggered evacuations, and challenged long-term recovery efforts. Socially vulnerable populations, including older adults, individuals with access and functional needs, and low-income households, face disproportionate impacts due to limited financial resources, inadequate insurance coverage, and reduced access to services. The County's flood control system includes concrete river channels, levees, storm drains, debris basins and reservoirs; has helped mitigate some flood risks but remains vulnerable to high-intensity storms that exceed design capacities.

**Major Flood-Prone Areas:**

- Los Angeles River, San Gabriel River, and Santa Clara River: These major waterways are prone to overflow during extreme storm events, particularly during El Niño years.
- Ballona Creek and Malibu Creek: These urban watersheds experience rapid runoff and flash flooding, especially in developed areas.
- Foothills, Valleys, and Recent Burn Scar Areas: Post-wildfire regions face heightened risk of flash floods and debris flows following storms.
- Antelope Valley: In desert regions, stormwater pools into temporary lakes, causing flooded roadways and infrastructure damage.

- Coastal Communities: Rising sea levels and storm surges threaten beachfront properties, harbors, and businesses.

Urban areas are particularly vulnerable due to impervious surfaces and outdated drainage systems. During intense storms, neighborhoods in Downtown Los Angeles, South LA, and the San Fernando Valley frequently experience street flooding and traffic disruptions, demonstrating the limitations of existing infrastructure in handling modern storm events.

For a better visual representation of this Flooding Hazard within the LA County planning area, please reference Appendix A for flood and inundation maps.

### 6.6.3 Extent

Los Angeles County faces a significant and evolving flood risk, with impacts ranging from localized urban inundation to widespread riverine flooding and destructive debris flows. Although the County has invested heavily in flood control infrastructure; including an extensive network of dams and debris basins; these systems are increasingly strained and cannot fully eliminate the threat. A growing number of residents are exposed to dangerous flooding each year, a situation made worse by the limitations of aging infrastructure and the complexities of urban hydrology. Intense rainfall events, especially those associated with atmospheric rivers, are occurring more frequently and with greater severity, often overwhelming drainage systems and resulting in severe flooding of streets and neighborhoods. Compounding this risk are burn scars from recent wildfires, which heighten the likelihood of mudslides and debris flows that threaten both life and property. As climate patterns shift and extreme weather events become more common, the flood vulnerability of Los Angeles County continues to deepen across its diverse geography.

Flood severity is typically measured using the 100-year and 500-year flood recurrence intervals, which indicate a 1% and 0.2% annual probability of flooding, respectively. These designations guide floodplain management and mitigation efforts.

#### Key Flood Hazard Statistics in Los Angeles County:

- 243.32 square miles (5.11%) of land have a 0.2% annual flood probability.
- 4.19 square miles (0.09%) have a 1% annual flood probability.

#### Key Flood Hazard Statistics for Unincorporated Los Angeles County:

- 64.77 square miles (2.13%) have a 0.2% flood probability.
- 1.23 square miles (0.04%) have a 1% flood probability.

As climate change accelerates sea-level rise and extreme rainfall events, these flood-prone areas may expand, affecting more residents, infrastructure, and businesses.

FLOOD IMPACT ON LAND AREA		
Area	0.2% Annual Flood Probability	1% Annual Flood Probability
Los Angeles County	243.32 sq. mi. (5.11%)	4.19 sq. mi. (0.09%)
Unincorporated LA County	64.77 sq. mi. (2.13%)	1.23 sq. mi. (0.04%)

### 6.6.4 History

Los Angeles County has experienced numerous severe flood events, many of which have caused catastrophic damage to infrastructure, property, and human life. Over the decades, climate variability, rapid urbanization, and an aging flood control system have led to repeated flooding disasters. There have been no federal declarations or state proclamations for earthquakes in the last five years.

Below are some of the most significant historical and recent flood events affecting the region.

#### Notable Flood and Lightning Events in Los Angeles County:

- **1938 Los Angeles Floods:** One of the deadliest floods in county history, caused by weeks of torrential rainfall, resulting in over 100 deaths, the destruction of thousands of homes, and widespread infrastructure damage, particularly to bridges and roadways.
- **1969 Winter Storms:** Heavy rains led to massive debris flows in the San Gabriel Mountains, severe urban flooding across Los Angeles, and multiple dam breaches, prompting major evacuations.
- **1992-1993 El Niño Floods:** A series of storms triggered landslides, flash flooding, and major coastal erosion, with significant damage to Pacific Coast Highway and residential areas.
- **2017 Winter Storms (DR-4305):** Record-breaking rainfall led to significant urban flooding, road closures, and mudslides, with severe impacts across multiple communities.

- **October 2021:** Los Angeles County experienced a rare and intense thunderstorm with a significant amount of lightning.
- **September 2022 Hurricane Kay:** A Pacific hurricane that caused significant rainfall along with risk of mudflows, coastal flooding, and coastal erosion.
- **January 2023 Atmospheric River Event (DR-4683):** Heavy rainfall overwhelmed storm drains, causing significant flooding in Hollywood, Baldwin Hills, and low-lying inland areas, leading to evacuations and infrastructure damage.
- **February 2023 Los Angeles Floods (DR-4699):** A series of intense storms caused widespread flash flooding, freeway closures, and landslides, demonstrating the increasing vulnerability of the county's urban areas to extreme precipitation events.
- **August 2023 Tropical Storm Hilary (DR-4750):** Several locations in the mountains of Southern California received over 10 inches of rainfall which set daily and/or monthly rainfall records, in many locations in Southern California, including within Los Angeles County. It also created significant threat of flash and riverine flooding prompted the evacuation of numerous vulnerable communities near burn scars in the region.
- **December 2023 Pacific Storm:** Storm surges and extreme coastal flooding led to significant erosion along the coastline, particularly impacting Marina del Rey, Long Beach, and Venice Beach.
- **February - March 2024 Atmospheric River Storm (DR-4769):** One of the most intense rainfall events in recent history, resulting in severe flash floods, mudslides, and power outages, with many homes and businesses sustaining flood damage.

### 6.6.5 Probability

Flood recurrence in Los Angeles County is influenced by both natural climate variability and the increasing effects of climate change. Historically, severe flooding is most likely during strong El Niño events, which occur approximately every 2 to 7 years and can persist for several months to multiple years. These events bring elevated precipitation levels and increase the likelihood of both inland and coastal flooding.

As climate change accelerates, the frequency and intensity of flood-generating events are expected to increase, altering traditional recurrence intervals and expanding the areas at risk. There is a 95% chance of a flooding event occurring each year within Los Angeles County.

Key climate-related drivers include:

- **Sea-Level Rise:** Projected to rise by 6 inches to over 2 feet by 2050, increasing the risk of tidal and storm surge flooding in coastal communities.
- **Atmospheric River Events:** According to the 2024 THIRA, these events are becoming more frequent and intense, leading to elevated flash flood and debris flow risks.
- **El Niño Cycles:** Still expected every 2 to 7 years, but with increased variability and storm intensity that can overwhelm local drainage and flood control systems.

These evolving conditions challenge existing floodplain maps and design assumptions, highlighting the need for adaptive planning, updated risk models, and continued investment in resilient infrastructure and flood mitigation strategies.

### 6.6.6 Vulnerability

Los Angeles County faces widespread and layered vulnerabilities to flooding, shaped by a combination of environmental exposure and complex social factors. Physical vulnerability is pronounced in areas located within FEMA-designated Special Flood Hazard Areas (SFHAs), post-wildfire burn scars, and low-lying urban drainage basins that are prone to flooding. However, the degree of risk is significantly heightened for certain populations who may lack the resources or capacity to prepare for, respond to, and recover from flood events. Socially vulnerable groups, including older adults, individuals with disabilities or access and functional needs (AFN), mobile home residents, people experiencing homelessness, and low-income households; are more likely to reside in structurally vulnerable housing.

According to the 2021 Los Angeles County Comprehensive Floodplain Management Plan, more than a quarter of residents living within the 100-year floodplain earn less than \$20,000 annually, underscoring the disproportionate economic burden faced by those least able to absorb the costs of recovery. Climate vulnerability data further demonstrates that marginalized communities in flood-exposed areas face elevated risks due to flooding events. The vulnerability landscape is further complicated by a shortage of affordable flood-resilient structures, and an increasing number of residents living in areas newly exposed due to climate-driven changes in precipitation and runoff patterns.

### 6.6.7 Impacts

Flooding in Los Angeles County leads to a broad range of direct and cascading impacts on people, infrastructure, environment, and the economy. The County's extensive network of critical facilities, including hospitals, fire stations, wastewater treatment plants, schools, and power substations. These areas face recurring exposure within both 100- and 500-year floodplains. Damage to these facilities not only compromises their physical integrity but also threatens their functionality during emergency response operations.

Flooding often disrupts lifeline services such as electricity, potable water, sanitation, and transportation, with rural and unincorporated areas facing the greatest challenges to rapid restoration. Mobile homes, frequently concentrated in low-lying or under-drained neighborhoods, are especially susceptible to flood damage due to construction limitations and inadequate protective measures. Previous flood events have resulted in significant debris flows, road closures, train stoppages, and damage to public and private structures.

#### Primary Vulnerabilities & Impacts:

- Over 1,470 structures are estimated to be damaged in a 100-year flood event, with total damages exceeding \$769.7 million in property losses in unincorporated Los Angeles County.
- Additionally, more than 180 critical facilities are exposed in the 500-year floodplain, while 70 are within the 100-year floodplain, including transportation assets, utilities, emergency services, and hazardous materials facilities.
- A 100-year flood event could displace over a thousand people with many requiring sheltering, support and recovery efforts.
- Approximately 19,563 tons of building-related debris could be generated by a 100-year flood event, with clean-up requiring more than 780 truckloads, posing logistical, environmental, and public health challenges.
- 28.6% of households in the 100-year floodplain are economically disadvantaged, earning under \$20,000 per year, limiting their ability to evacuate, recover, or pay for mitigation improvements.
- A large share of flood-prone properties are either uninsured or underinsured. The average flood insurance claim payout is \$7,298, which is only about 1% of the 2019

average replacement cost of structures in the floodplain—indicating significant gaps in financial resilience.

- Wildfire burn scars and post-fire hydrophobic soils significantly increase flood and debris flow risks, particularly in foothill and canyon communities. This hazard continues to grow in severity with climate-driven fire seasons.

#### Estimated Damage to Critical Facilities in Unincorporated Areas from 100-Year Flood

Sector	Number of Facilities Affected	Average % of Total Value Damaged	
		Structure	Content
Safety & Security	1	7.56	10.24
Food, Water & Sheltering	9	6.72	18.73
Health & Medical	0	N/A	N/A
Energy	1	23.90	47.79
Communications	0	N/A	N/A
Transportation	59	1.41	8.86
Hazardous Materials	0	N/A	N/A
<b>Total/Average</b>	<b>70</b>	<b>9.90</b>	<b>21.40</b>

#### Estimated Damage to Critical Facilities in Unincorporated Areas from 500-Year Flood

Sector	Number of Facilities Affected	Average % of Total Value Damaged	
		Structure	Content
Safety & Security	4	28.39	37.56
Food, Water & Sheltering	41	7.73	27.01
Health & Medical	0	N/A	N/A
Energy	1	23.90	47.79
Communications	2	5.00	16.00
Transportation	107	3.38	19.74
Hazardous Materials	30	10.00	15.00
<b>Total/Average</b>	<b>185</b>	<b>13.07</b>	<b>27.18</b>

Charts Source: LA County Public Works; 2021 County Comprehensive Flood Plan

### 6.6.8 Mitigation and Preparedness

Los Angeles County's flood mitigation strategy reduces hazard exposure, enhances community resilience, and supports long-term climate adaptation. Grounded in FEMA's National Mitigation Framework, CalOES planning guidance, and local policy, the County implements both structural and non-structural measures to address current and future flood risks. Core actions include regular maintenance and targeted upgrades to

stormwater infrastructure, restoration of floodplains, and integration of flood hazard data into land use planning. The County also prioritizes the protection of critical facilities and vulnerable housing through site retrofits, property acquisition, and elevation programs. Public outreach is conducted through a bilingual, ADA-accessible Program for Public Information, which promotes flood safety awareness, emergency preparedness, and participation in the National Flood Insurance Program (NFIP).

To ensure that mitigation is both data-driven and community-centered, the County utilizes climate projections and FEMA's HAZUS modeling to inform investments, while coordinating with regional partners to align local actions with broader watershed strategies. Key components of the approach include:

- Upgrading culverts, debris basins, and drainage systems to manage increased runoff
- Promoting low-impact development (LID) and incorporating green infrastructure in urban design
- Updating ordinances and the General Plan to discourage development in high-risk areas
- Maintaining inventories of repetitive loss areas and prioritizing resources for the most vulnerable populations

This comprehensive strategy ensures Los Angeles County not only meets federal and state standards but advances flood risk reduction in a way that safeguards people, property, and natural systems for the future.

### 6.6.9 Summary

Flooding is one of the most persistent and complex natural hazards in Los Angeles County, intensified by climate change, urbanization, and aging infrastructure. The Los Angeles County region experiences a range of flood types, including stormwater runoff, flash flooding, coastal inundation, and post-wildfire debris flows. These events are most common during winter storms and atmospheric river systems. High-density development, extensive paved surfaces, and fire-damaged hillsides contribute to rapid runoff and increased overall flood vulnerability. Areas along (but not limited to) the Los Angeles, San Gabriel, and Santa Clara Rivers, as well as coastal communities and foothill regions, are particularly at risk.

Los Angeles County's mitigation strategy is proactive and multifaceted. It includes infrastructure upgrades, nature-based solutions, land use policy updates, and public education. Core priorities focus on protecting critical facilities, reducing exposure in high-risk housing, and promoting community resilience. Planning efforts are supported by FEMA's HAZUS risk modeling and local climate projections. Despite progress, more than 750,000 residents remain at risk from major flood events, reinforcing the need for continued investment in comprehensive, flood risk reduction across the county.

### 6.6.10 National Flood Insurance Program (NFIP) Repetitive Loss (RL)

According to the Los Angeles County Public Works, there are 55 Repetitive Loss (RL) properties in 28 RL areas of Unincorporated Los Angeles County as of 2025, and 8 Severe Repetitive Loss Properties (SRLP). A Repetitive Loss (RL) property is any insurable building for which two or more claims of more than \$1,000 were paid by the National Flood Insurance Program (NFIP) in any rolling 10-year period since 1978. Updated location information about RL properties in Unincorporated Los Angeles County were not available during the drafting of this plan, but is being finalized and will be included in subsequent hazard mitigation efforts. Data from 2011 showed that 24 RL properties were located in the SFHA. At the time, the Los Angeles County Public Works stated, "the majority of the repetitive losses are associated with localized urban drainage flood problems, even for properties within a FEMA-designated flood zone." The Los Angeles County Public Works oversees RL mitigation projects.



## 6.7 Dam Failure

### 6.7.1 Nature

Dam failure refers to the structural collapse of a dam that results in the sudden and uncontrolled release of stored water. Such failures can occur due to age-related deterioration, inadequate spillway capacity, structural damage from seismic activity or flooding, and poor maintenance. The catastrophic release of water from a dam failure has the potential to cause human casualties, significant economic loss, and environmental destruction. This type of disaster is particularly dangerous because it can occur suddenly, leaving little time for evacuation or emergency response efforts.

The magnitude of flooding from dam failure often exceeds the capacity of downstream channels, causing rapid inundation of surrounding areas. This flooding can lead to extensive property damage, erosion, infrastructure destruction, and contamination of water supplies. Additionally, secondary hazards such as landslides and debris flows can be triggered, compounding the disaster's impact. The structural stress on dams may rise as dams age, and climate variability increases the frequency of extreme precipitation events. Planning efforts include both dams and debris basins. To simplify language of the plan both reservoir dams and storm water debris basins will be referred to as dams.

### DAM FAILURE KEY POINTS

- 1. Nature**  
Dam failures are a structural collapse of a dam that results in the sudden and uncontrolled release of water.

---

- 2. Location**  
There are over 90 dams in Los Angeles County of which 33 are owned and operated by the County.

---

- 3. Extent**  
70 dams are classified as high or extremely high hazard dams of which 31 are owned by the County.

---

- 4. Vulnerability**  
High population density communities within potential dam inundation areas are vulnerable to major impacts.

---

- 5. Mitigation and Preparedness**  
Actions focus on structural reinforcements, emergency planning efforts, and implementation of early warning systems.

### 6.7.2 Location

Los Angeles County has over 90 dams regulated by the California Department of Water Resources' Division of Safety of Dams (DSOD). Fifteen (15) of these dams and eighteen (18) debris basins are owned and operated by the Los Angeles County Public Works (PW). In 2017, the California Legislature mandated that all state-jurisdictional dams (excluding those classified as Low Hazard) develop dam breach inundation maps and Emergency Action Plans (EAPs) approved by DSOD and Cal OES.

Many of these dams are located near highly populated areas, increasing the potential for human and economic impacts during a failure event. Seventy (70) dams are classified as High or Extremely High hazard potential dams, meaning their failure could result in significant loss of life and widespread property damage.

The Whittier Narrows Dam, reclassified as the U.S. Army Corps of Engineers' (USACE) highest-priority dam safety concern, poses one of the greatest risks due to its potential to flood highly populated areas from Pico Rivera to Long Beach. USACE has determined that an extreme storm event has a 1 in 900 (0.1%) chance of causing catastrophic failure annually. Mitigation actions related to County-owned dams are prioritized based on their hazard level and potential to impact populated areas.

For a better visual representation of this Dam Failure Hazard within the LA County planning area, please reference Appendix A for all the County owned dams and debris basins maps.

### 6.7.3 Extent

The Federal Guidelines for Inundation Mapping of Flood Risks Associated with Dam Incidents and Failures (FEMA P-946, 2013) categorizes dam hazards into four classifications:

- **Low Hazard:** Minimal damage expected, no loss of life.
- **Significant Hazard:** Potential for property damage and economic disruption.
- **High Hazard:** Likely to result in loss of life and significant damage to critical infrastructure.
- **Extremely High Hazard (DSOD Classification):** Could cause large-scale fatalities and inundate areas with over 1,000 residents.

Given the population density of Los Angeles County, a dam failure classified as High or Extremely High Hazard would likely cause substantial human casualties, displace entire communities, and inflict severe economic and environmental damage. Table 6-3 and 6-4 below shows a list of dams and debris basins owned by PW along with their hazard classifications. Potential mitigation actions described in this AHMP are only applicable to the dams and debris basins owned by PW and implementation of these actions are the responsibility of the PW Stormwater Engineering Division - Dams Section.

**Table 6-3: Los Angeles County PW Dam Hazard Status**

Dam Name	Hazard Status	Location
Big Dalton	Extremely High	Glendora, CA
Big Santa Anita	Extremely High	Monrovia, CA
Big Tujunga No. 1	Extremely High	Tujunga, CA
Cogswell	Extremely High	Azusa, CA
Devils Gate	Extremely High	LA Canada Flintridge, CA
Live Oak	Extremely High	La Verne, CA
Morris	Extremely High	Azusa, CA
Pacoima	Extremely High	Pacoima, CA
Puddingstone	Extremely High	San Dimas, CA
Puddingstone Diversion	High	La Verne, CA
San Dimas	Extremely High	La Verne, CA
San Gabriel No. 1	Extremely High	Azusa, CA
Sawpit	Extremely High	Monrovia, CA
Sierra Madre	High	Sierra Madre, CA
Thompson Creek	Extremely High	Claremont, CA

**Table 6-4: Los Angeles County PW Debris Basin Hazard Status**

Debris Basin Name	Hazard Status	Location
Bailey Debris Basin	High	Sierra Madre, CA
Big Dalton Debris Basin	High	Glendora, CA
Blanchard Debris Basin	High	Tujunga, CA
Brand Debris Basin	High	Glendale, CA
Eaton Wash Debris Basin	Extremely High	Pasadena, CA
La Tuna Debris Basin	Extremely High	Sun Valley, CA
Laguna Regulating Basin	Significant	Alhambra, CA
Little Dalton Debris Basin	Extremely High	Glendora, CA
Lower Sunset Debris Basin	High	Burbank, CA
Morgan Debris Basin	High	Glendora, CA
Rubio Debris Basin	High	Altadena, CA
Santa Anita Debris Basin	Low	Arcadia, CA
Sawpit Debris Basin	Extremely High	Monrovia, CA

Debris Basin Name	Hazard Status	Location
Schoolhouse Debris Basin	High	Los Angeles, CA
Sierra Madre Villa	Extremely High	Sierra Madre, CA
Stevenson Ranch	High	Stevenson Ranch, CA
Stough Debris Basin	Extremely High	Burbank, CA
Wilson Debris Basin	High	Los Angeles, CA

### 6.7.4 History

Los Angeles County has experienced one of the deadliest dam failures in U.S. history:

- St. Francis Dam Failure (March 12-13, 1928):
  - Released 12.4 billion gallons of water
  - At least 411 fatalities
  - Devastated towns from San Francisquito Canyon to Ventura County
  - Resulted in sweeping changes to California dam safety regulations and the creation of state oversight for civil engineers

While no major dam failures have occurred in recent decades, concerns over aging dam infrastructure, seismic risks, and increasing climate variability have raised alarms about future risks. Studies indicate that many California dams, including those in Los Angeles County, require structural updates to withstand modern hydrological conditions and potential seismic activity. There have been no federal declarations or state proclamations for dam failure in the last five years.

### 6.7.5 Dam Coordination

Los Angeles County Public Works coordinates with local, state, and federal agencies to mitigate flood risk hazards to downstream communities from its dams. At the local level, PW works with cities and public agencies during development of Emergency Action Plans (EAP). This provides local stakeholders with the opportunity to review the EAP, provide feedback, and confirm responsibilities and roles during an EAP activation. At request from local jurisdictions, PW may provide tours of its dam facilities, where information on dam safety and the potential hazards associated with dam failures are shared.

At the state level, PW works with the DSOD to meet compliance with state dam safety standards and flood management at all of PW's dams. This includes annual dam

inspections, review, approval, and oversight of dam construction projects, review of dam safety monitoring, and oversight of other dam safety regulatory activities. PW also coordinates with various state agencies, including DSOD, Cal OES, and Caltrans during development of EAPs.

At the federal level, PW works with the Federal Energy Regulatory Commission (FERC) to meet compliance with state dam federal standards and flood management at PW's San Gabriel Dam, which is under FERC jurisdiction. This includes annual dam inspections, review, approval, and oversight of dam construction projects, review of dam safety monitoring, EAP coordination, and oversight of other dam safety regulatory activities. PW also coordinates with the United States Army Corps of Engineers (USACE) on operations of interconnected dam facilities and emergency response planning for USACE facilities that may be in the pathway of dam failure impacts.

#### Information Sharing

PW provides critical information to relevant local, state, and federal stakeholders to address hazard mitigation related to dam safety. This includes:

- **Emergency Action Plans (EAPs):** EAPs outline the roles, responsibilities, and procedures to follow in the event of a dam emergency. The EAPs include inundation maps, which show areas that would be affected by a dam failure, helping to identify populations at risk. These plans are shared with stakeholders to ensure a coordinated response. Due to the sensitive nature of information contained within the EAPs, they are confidential and not released to the general public.
- **Inundation Maps:** Inundation maps are critical tools for identifying areas and populations at risk in the event of a dam failure. They also indicate potential impacts on critical infrastructure facilities such as hospitals, schools, and transportation networks. These maps are shared with relevant stakeholders recognized in the EAP and are available to the general public through the DSOD Dam Breach Inundation Map Web Publisher.

#### 6.7.6 Probability

Los Angeles County contains over 90 state-jurisdictional dams, with approximately 70 classified as High or Extremely High Hazard by the California Division of Safety of Dams (DSOD), meaning their failure could result in loss of life and significant property damage.

Although comprehensive failure probabilities are not published for each dam, FEMA and DSOD guidance suggest that the general annual probability of failure for High Hazard dams nationwide ranges from 0.01% to 0.1% (or 1 in 10,000 to 1 in 1,000) depending on maintenance, age, seismic vulnerability, and other site-specific factors.

Applying this range to Los Angeles County:

- The aggregate annual probability of a significant dam failure event in the county—across one or more of the 70 high-risk dams—is estimated at between 0.1% and 0.5% annually, factoring cumulative exposure and different hazard classifications. (Such as earthquake or flood related)
- Climate change, aging infrastructure, and seismic activity in Los Angeles County increase systemic risk across multiple structures simultaneously.

In summary, while the individual likelihood of failure for any one dam is very low, the overall countywide probability of at least one major dam failure event is low but still warrants continued vigilance, maintenance, and emergency planning.

#### 6.7.7 Vulnerability

A catastrophic dam failure in Los Angeles County could have severe consequences for hundreds of thousands of residents. The densely populated nature of the county, combined with the location of several large dams near residential and commercial areas, increases the potential for widespread displacement, loss of life, and economic damage. The 2024 THIRA identifies multiple high-risk zones where dam failure could result in extensive flooding and mass evacuations.

- High-risk dams, among others, pose a significant threat to densely populated communities. A breach in any of these dams could inundate entire neighborhoods, affecting more than 500,000 residents in low-lying areas and floodplains.
- Socially vulnerable populations, including elderly individuals, the AFN community, people experiencing homelessness, low-income communities, and non-English-speaking residents face heightened risks during evacuations and recovery due to limited mobility, financial constraints, and access to resources.
- Educational and healthcare institutions are at risk, with several schools, hospitals, and long-term care facilities located in flood-prone areas. A major dam failure could result in school closures, displacement of students, and disruption of healthcare services.

- Evacuation and emergency sheltering demands would be substantial, requiring the rapid mobilization of resources to support displaced residents. Temporary shelters, emergency medical services, and logistical support would need to be activated to accommodate evacuees.

Los Angeles County relies heavily on dams and reservoirs for water storage, flood control, and supply regulation. Catastrophic dam failure poses an acute threat to life and property, especially in low-lying, highly populated downstream areas.

#### Extent of Exposure

- **Total Area Exposed:** 490.64 sq mi
- **Supervisory Districts (SD) Impacted:**
  - **SD5:** 223.88 sq mi (7.97%)
  - **SD1:** 162.25 sq mi (45.98%)
  - **SD2:** 66.57 sq mi (18.32%)
  - **SD3:** 25.76 sq mi (5.97%)
  - **SD4:** 12.17 sq mi (5.72%)
- **Critical Facilities Affected:**
  - Fire Department: 112 (33.22%)
  - Public Works: 92 (40.00%)
  - Health Services: 29 (44.62%)
  - Public Health: 17 (42.50%)
  - Libraries: 30 (34.48%)
  - Parks: 65 (35.50%)
  - Education: 34 (41.46%)

#### Problem Statement

Dam failure, while rare, can have catastrophic consequences in densely populated downstream areas. With significant portions of critical infrastructure exposed—particularly in SD1 and SD5—planning for emergency evacuations, early warning systems, infrastructure hardening, and downstream development regulation is critical to saving lives and reducing loss.

A failure or breach of a High Hazard Potential Dam (HHPD) in Los Angeles County would result in catastrophic consequences for downstream communities, with the greatest vulnerabilities concentrated in densely populated urban areas. Rapid and massive flooding would likely inundate residential neighborhoods, commercial districts, and industrial zones within minutes to hours, depending on proximity and topography. Critical infrastructure—including hospitals, fire and police stations, schools, and major transportation corridors—would be severely impacted, disrupting emergency services and evacuation routes. Thousands of people, including vulnerable populations such as those with Access and Functional Needs (AFN), elderly residents, and low-income households, would face immediate life-threatening conditions, displacement, and limited access to medical care or shelter. Economic losses would be compounded by damage to utilities, including power substations and water systems, potentially leaving large swaths of the region without essential services. The sheer scale of devastation from a dam failure, especially at facilities such as Whittier Narrows or Castaic Dam, underscores the critical importance of continued risk reduction, early warning systems, and dam rehabilitation efforts.

#### 6.7.8 Data Limitations

A limitation of this AHMP is that planning efforts only covered PW-owned dams in Los Angeles County. Future mitigation planning should include other dam owners and operators in Los Angeles County such as the US Army Corps of Engineers. The data on high-hazard dams reviewed during the 2025 AHMP planning process was generally suitable for the analysis required. Future opportunities for obtaining additional data to be considered in the next update to the plan should:

- Incorporate more current information as it becomes available.
- Assess any new or updated EAPs for dams owned by Los Angeles County.
- Identify and review more current structural or condition assessment data to inform future risk assessments.
- Involve other dam owners within Los Angeles County in future planning efforts.

#### 6.7.9 Impacts

A dam failure in Los Angeles County would have catastrophic and immediate consequences for life, property, and critical infrastructure, particularly in the densely populated downstream areas. The sudden release of impounded water from a High or Extremely High Hazard dam could inundate neighborhoods within minutes, allowing little to no time for evacuation. More than 500,000 residents live within identified dam inundation zones, many of whom are in socially vulnerable populations—including

individuals with limited mobility, low-income households, and people experiencing homelessness—making rapid evacuation and sheltering especially challenging. County-owned high hazard potential dams and their locations are listed in Table 6-3. Inundation maps for County-owned high hazard potential dams are listed in Appendix A-7.

Critical infrastructure is also at significant risk. Hospitals, fire stations, law enforcement facilities, emergency operations centers, schools, and wastewater treatment plants located in downstream zones may be damaged or rendered inoperable, severely disrupting emergency response and life-sustaining services. Major transportation routes such as interstates, rail lines, and arterial roads could be submerged or washed out, impeding rescue and recovery efforts. Additionally, power substations, water distribution networks, and telecommunications infrastructure could suffer cascading failures, contributing to widespread outages and prolonged recovery periods.

The economic consequences of dam failure would be immense. Beyond property damage, business operations in inundated areas would halt, leading to loss of employment, tax revenue, and economic activity. Industrial zones (especially those near major flood control reservoirs or channels) could potentially release hazardous materials if overwhelmed, posing secondary environmental and public health hazards. Debris accumulation, sedimentation, and contamination could severely impact ecosystems, water quality, and flood control infrastructure downstream, complicating both emergency cleanup and long-term environmental recovery.

Given the scale of potential impacts, dam failure is considered a stable low-probability but high-consequence hazard in Los Angeles County, requiring continued investment in structural mitigation, emergency preparedness, and public awareness to reduce the severity of its effects.

### 6.7.10 High Hazard Potential Dams Goals

**Goal 1:** Enhance resilience across dam/debris basin infrastructure, including high-hazard potential dams, and other critical facilities within dam inundation zones.

**Goal 2:** Encourage structural reinforcement or retrofits for aging and vulnerable dams.

**Goal 3:** Ensure all dams/ debris basins have updated Emergency Action Plans (where applicable) and updated dam inundation mapping consistent with state standards.

### 6.7.11 Mitigation and Preparedness

Los Angeles County and state agencies have implemented various mitigation efforts to reduce the risks associated with dam failures:

- **Structural Reinforcements:** Upgrading spillways, strengthening earthen dams, and implementing seismic retrofitting measures.
- **Emergency Action Plans (EAPs):** Mandated by DSOD for all High and Extremely High hazard dams to guide evacuation and response efforts.
- **Early Warning Systems:** Improved flood monitoring and automated alert systems to notify at-risk communities in real-time.

### 6.7.12 High Hazard Potential Dam Prioritization

The risk assessment within the 2025 AHMP considers the county planning area's vulnerability and potential impacts related to HHPDs. Mitigation actions and planning efforts that are related to mitigating long-term vulnerabilities to County-owned HHPDs will automatically be given a HIGH priority as described in the overall mitigation action prioritization criteria in Section 7.6. The County Departments responsible for implementing the associated mitigation actions, along with the priority, potential funding source, and expected time frame are listed in Section 7.8.

### 6.7.13 Summary

Los Angeles County has 90 state-jurisdictional dams, with 70 classified as High or Extremely High hazard, meaning their failure could result in widespread loss of life and economic devastation. While regulatory oversight has improved dam safety, aging infrastructure, seismic threats, and increased storm intensity remain challenges. Continued investment in retrofits, early warning systems, and emergency planning is essential to mitigating the risk of catastrophic dam failures.



# LAND MOVEMENT

## 6.8 Land Movement

### 6.8.1 Nature

Land movement refers to the downward movement of rock, soil, or debris along a slope due to gravity. This process can occur suddenly or gradually over time, depending on contributing factors such as soil composition, slope stability, and external triggers. Land movement encompass a variety of movement types including mudflows, rockfalls, debris flows, land slumps, land subsidence, and soil movement. In Los Angeles County, the diverse topography and geological formations make certain areas more prone to land movement, particularly during periods of intense precipitation, seismic activity, or human land-use modifications.

Climate change exacerbates land movement by increasing the frequency and intensity of extreme weather events, such as heavy rainfall and flooding, which can lead to accelerated erosion and heightened landslide risks.

### LAND MOVEMENT KEY POINTS

- 1. Nature**  
Land movement is the downward movement of rock, soil, or debris due to gravity.

---

- 2. Location**  
Hillside, canyon, and coastal bluff communities along with areas near recent burn scars are at particular risk.

---

- 3. Extent**  
Approximately 750 square miles (15.75%) of Los Angeles County are within high-risk landslide zones.

---

- 4. Vulnerability**  
Approximately 1.2 million residents in Los Angeles County could be affected by land movement.

---

- 5. Mitigation and Preparedness**  
Actions focus on regulating land use and strengthening infrastructure resilience.

Land movement often occur in conjunction with other natural hazards, exacerbating their impact. Some of the primary contributing factors include:

- **Seismic Activity:** Earthquakes can destabilize slopes, leading to land movement and rockfalls. The force of seismic shaking can cause sudden failures, particularly in areas with pre-existing instability.
- **Heavy Rainfall and Flooding:** The likelihood of land movement increases after successive storms. Prolonged or intense rainfall saturates soil, reducing its cohesion and triggering slope failures.
- **Coastal Erosion:** Waves and storm surge erode coastal cliffs, leading to instability and eventual collapse, particularly in areas such as County beaches and coastal communities, many of which have previously experienced significant erosion.
- **Wildfires:** Loss of vegetation due to fires reduces the soil's ability to retain moisture, making slopes more susceptible to erosion and land movement during subsequent rain events.
- **Burn Scars:** Wildfire burn scars significantly elevate the risk of land movement by stripping the land of stabilizing vegetation. Areas affected by major fires such as the Woolsey Fire (2018), Bobcat Fire (2020), Bridge Fire (2024), Eaton Fire (2025), and Palisades Fire (2025) have shown increased susceptibility to land movement due to reduced soil stability and rapid runoff during rainstorms.

### 6.8.2 Location

Los Angeles County is home to multiple regions susceptible to land movement due to steep slopes, unstable geology, and weather patterns. The California Geological Survey (CGS) Landslide Susceptibility Map highlights high-risk areas. For a better visual representation of the Land Movement Hazard within the LA County planning area, please reference Appendix A for maps that show areas that are susceptible to land movement and recent burn scars.

**Potential land movement areas include (but are not limited to):**

- Santa Monica Mountains
- San Gabriel Mountains
- Sierra Pelona Mountains
- Baldwin Hills
- Puente Hills
- Palos Verdes Hills

These areas are particularly vulnerable due to their steep terrains, weak rock formations, and history of slope movement. Additionally, human activities such as grading, excavation, and construction in these regions can further destabilize the ground, increasing the likelihood of land movement. Areas impacted by past wildfires, known as burn scars, are also highly susceptible to land movement, as the loss of vegetation reduces soil stability and increases erosion risks during heavy rains. This is particularly concerning in wildfire-prone areas such as the Santa Monica Mountains and the foothills of the San Gabriel Mountains, where post-fire land movement have historically caused significant damage.

### 6.8.3 Extent

The extent of land movement in Los Angeles is significant and varied, influenced by its unique geological setting. According to the 2011 CGS Landslide Susceptibility Map, approximately 750 square miles (15.75%) of Los Angeles County fall within high-risk landslide zones. The highest concentrations of deep-seated landslide susceptibility are distributed as follows:

**Table 6-5 Landslide Susceptibility Map**

Area	High-Risk Landslide Zones (sq. miles)	Percentage of Total Land Area
<b>Los Angeles County</b>	750.02	15.75%
<b>Unincorporated Areas</b>	577.63	18.99%
<b>Supervisorial District 1</b>	17.29	7.02%
<b>Supervisorial District 2</b>	2.73	1.68%
<b>Supervisorial District 3</b>	114.61	26.58%
<b>Supervisorial District 4</b>	105.12	23.89%
<b>Supervisorial District 5</b>	509.31	18.14%

### 6.8.4 History

Land movement have historically caused significant damage in Los Angeles County, often resulting in property destruction, infrastructure damage, and road closures. There have been no federal declarations or state proclamations for dam failure in the last five years. Some of the most notable events include:

- **1956 - Portuguese Bend Landslide:** A massive landslide on the Palos Verdes Peninsula began in 1956 and remains active today. The movement of land has displaced homes and infrastructure, highlighting the region's ongoing geologic instability.
- **1994 - Northridge Earthquake-Induced Land movement:** The earthquake triggered more than 11,000 moving events, primarily in the Santa Susana Mountains and San Gabriel Mountains, causing extensive road and structural damage.
- **March 1995 - Pacific Palisades Landslide:** Heavy rains weakened the coastal bluffs, leading to a 300-foot-wide collapse that buried part of the Pacific Coast Highway under 30 feet of debris.
- **March 2005 - Sunset Mesa Landslide:** A slope failure near Malibu caused over 20,000 cubic yards of debris to block roadways and damage property.
- **July 2023 - Peartree Lane Land Movement (Rolling Hills Estates):** A sudden slope failure resulted in the displacement of 12 homes, which were red-tagged due to structural instability.
- **September 2024 - Accelerated Land Movement in Rancho Palos Verdes:** A significant increase in land movement, with certain areas shifting up to four inches per week toward the ocean, threatening roads and over 250 residential properties.

### 6.8.5 Types of Land Movement

#### *Debris Flow/ Mudflow/ Soil Movement*

Debris flow involves the rapid movement of a dense mixture of water, soil, rock, and organic material down a slope. This process can have significant impacts on landscapes, ecosystems, and human infrastructure.

Debris flows are characterized by their fluid-like behavior and ability to transport large objects, such as boulders and trees. They can travel at high speeds making them highly destructive. The composition of a debris flow can vary, but it typically includes:

- **Water:** A crucial component that facilitates movement.
- **Soil and Rock:** These provide the bulk of the material in a debris flow.
- **Organic Material:** Includes vegetation and other natural debris that get caught in the flow.

Mudflows are rapid movements of water-saturated earth materials that can cause significant damage to both natural environments and human settlements. Mudflows are characterized by their fluid-like motion, which occurs when soil, rocks, and debris become saturated with water. This saturation reduces the friction between particles, allowing the mass to move downhill under the influence of gravity. Key characteristics include:

- **Speed and Volume:** Mud flows can travel at speeds up to 35 miles per hour and can carry large volumes of material, including rocks, trees, and even vehicles.
- **Consistency:** The consistency of a mud flow can vary from a thick, viscous slurry to a watery flow. This depends on the proportion of water to solid materials.
- **Path:** Mud flows typically follow existing drainage patterns, such as river channels and valleys, but can also carve new paths, leading to unpredictable and widespread damage.

Soil movement is a natural process that significantly impacts the environment and human activities. It involves the displacement of soil particles due to various natural and human caused factors. Key characteristics include:

- **Landslides:** Often occurring in hilly areas, landslides involve the downward movement of rock and soil. They can be sudden and fast-moving, making them particularly dangerous.
- **Soil Creep:** This is a slow and gradual movement of soil down a slope, often unnoticed until significant damage occurs.
- **Soil Liquefaction:** During an earthquake, saturated soil can temporarily lose its strength and behave like a liquid, causing structures to sink or tilt.

#### *Causes*

In Los Angeles County, several factors contribute to the occurrence of debris flows/mudflows/ soil movement:

- **Heavy Rainfall and Storm Events:** Intense and prolonged rainfall, often associated with storms, can saturate the soil, reducing its stability and triggering debris flows.

The region's Mediterranean climate, with wet winters and dry summers, creates conditions conducive to such events.

- **Wildfires:** Los Angeles County frequently experiences wildfires, which can burn and destabilize vegetation that normally helps hold soil in place. The loss of vegetation increases the risk of soil erosion and, consequently, debris flows during subsequent rainfalls.
- **Steep Terrain:** The county's mountainous terrain, including areas like County mountainous areas, is particularly prone to debris flow. The steep slopes facilitate the rapid movement of debris downhill.
- **Soil Composition:** Certain soil types, such as clay-rich soils, can become highly unstable when saturated with water, making them more susceptible to debris flow.
- **Human Activity:** Urban development, road construction, and deforestation can alter natural landscapes and exacerbate conditions that lead to debris flow.
- **Seismic Activity:** Los Angeles County is situated in a highly active seismic zone, making it prone to earthquakes. Seismic activity can lead to soil liquefaction, landslides, and ground shaking, all contributing to soil displacement.

#### *Land Subsidence*

Land subsidence is a gradual settling or sudden sinking of the Earth's surface due to various natural and human-induced factors. This hazard can have significant impacts on the environment, infrastructure, and communities.

A reduction in land elevation is one of the most noticeable features of land subsidence, leading to significant changes in the landscape. This phenomenon can occur due to natural processes, such as the dissolution of limestone, as well as human activities like the excessive extraction of groundwater, oil, or natural gas. Furthermore, land subsidence increases the risk of flooding because the lower elevation can lead to poor drainage and water accumulation. As the ground sinks, it often results in the formation of depressions, fissures, and sinkholes, which can dramatically alter the geography and infrastructure of the area.

- **Depressions:** Are sunken or low-lying areas on the Earth's surface, often formed by natural or man-made processes.
- **Fissures:** Are a long, narrow crack or linear opening in the Earth's crust.
- **Sinkholes:** Are holes in the ground caused by the collapse or sinking of surface material into an underlying void.

### Causes

- **Groundwater Extraction:** One of the primary causes of land subsidence in Los Angeles County is the excessive extraction of groundwater. As water is pumped out of underground aquifers, the ground above can sink or settle, leading to subsidence.
- **Oil and Gas Extraction:** The removal of oil and natural gas from beneath the earth's surface also contributes to land subsidence. This extraction can create voids and reduce pressure in subterranean layers, causing the ground to sink.
- **Natural Soil Compaction:** Over time, natural processes such as soil compaction can lead to gradual subsidence. In areas with loose or unconsolidated soils, the weight of overlying materials compacts the ground, resulting in a lowering of the land surface.

### Rock Falls

Rock falls are a natural geological phenomenon where rock fragments break free from a steep slope or cliff and tumble downward. These events can range from small pebbles dislodging to massive boulders crashing down with significant force and impact.

Rock falls are characterized by:

- **Speed and Suddenness:** Rock falls occur quickly and without much warning, making them particularly dangerous.
- **Varied Sizes:** The size of the falling material can range from small pebbles to large boulders, impacting the severity of the event.
- **Path Predictability:** While the initial trigger point is often identifiable, the path of descent can be unpredictable due to varying terrain and obstacles.

### Causes

The primary causes of rock falls include:

- **Weathering and Erosion:** Over time, weathering processes such as freeze-thaw cycles, chemical weathering, and the action of water can weaken rock structures. Erosion can undermine the base of slopes, making rocks more susceptible to falling.
- **Seismic Activity:** Los Angeles County is located in a seismically active region. Earthquakes can dislodge rocks from cliffs and steep slopes, triggering rock falls.

- **Heavy Rainfall:** Intense or prolonged rainfall can saturate the ground, increasing the weight and pressure on rock faces. This saturation can lead to the loosening and collapse of rocks.
- **Human Activity:** Construction, mining, and other human activities can destabilize rock formations. The vibrations from heavy machinery and blasting can initiate rock falls.

### 6.8.6 Probability

Landslides and other land movement events happen in Los Angeles County fairly often, especially after heavy rain or in areas that recently had wildfires or are prone to sliding.

- Small landslides (like debris flows) are most likely during years with heavy rain, especially El Niño years. These happen every 2 to 7 years; there is 14% to 50% chance each year during those cycles.
- In high-risk zones (like steep mountain slopes with a history of movement), probability is 1-2% chance per year, especially following multi-year wet periods or major wildfires.
- Some areas of the County have been experiencing continuous sliding.

### 6.8.7 Vulnerability

Land movement pose risks to life, property, and essential infrastructure. The 2024 THIRA projects that approximately 1.2 million residents in Los Angeles County could be directly or indirectly affected by land movement. The most at-risk populations include:

- Residents of hillside and canyon communities such as Malibu, Topanga, and the Palos Verdes Peninsula.
- Homeowners in coastal bluff areas that are facing erosion-driven slope failures.
- Communities in wildfire burn scar areas, where the loss of vegetation increases landslide probability during heavy rains.
- The Access and Functional Needs (AFN) community who may face challenges in evacuating or leaving landslide-prone areas.

### Contextual Overview

Los Angeles County's diverse topography includes many hillside communities susceptible to deep-seated landslides, especially after wildfire or heavy rain. These hazards can isolate communities, damage property, and disrupt lifelines.

### Extent of Exposure

- **Total Area Exposed:** 284.57 sq mi
- **Supervisorial Districts (SD) Impacted:**
  - **SD5:** 151.96 sq mi (5.41%)
  - **SD3:** 90.23 sq mi (20.93%)
  - **SD4:** 25.94 sq mi (12.20%)
  - **SD1:** 13.77 sq mi (3.90%)
  - **SD2:** 2.68 sq mi (0.74%)
- **Critical Facilities Affected:**
  - Fire Department: 41 (12.17%)
  - Public Works: 32 (13.91%)
  - Health Services: 12 (18.46%)
  - Public Health: 4 (10.00%)
  - Libraries: 9 (10.34%)
  - Parks: 27 (14.92%)
  - Education: 8 (9.76%)

### Problem Statement

Landslides pose a serious risk to hillside communities and access routes, especially in areas recovering from wildfire. Current development and road infrastructure may not be resilient against slope failure. Mitigation actions should include slope stabilization, targeted buyouts or relocations, and early warning systems.

### 6.8.8 Impacts

Los Angeles County's diverse landscape and dense population make it highly susceptible to the effects of land movement, affecting critical infrastructure and raising significant economic, social, and safety concerns.

#### Transportation Networks

Los Angeles County's extensive transportation network is vital for daily commutes, goods transport, and emergency services. Land movement can severely impact these systems:

- **Road Damage:** Causes closures, hazardous driving conditions and costly repairs, as seen annually on Pacific Coast Highway (PCH), and many other local roads.
- **Bridge Compromise:** Affects structural integrity, necessitating closures and expensive reconstructions.
- **Public Transit Disruptions:** Impacts train tracks and bus routes, leading to delays and service interruptions.
- **Rail Systems:** Track misalignment can cause delays and potential derailments, affecting both passenger and freight lines.

#### Water Supply Systems

The county's water delivery system is complex and vulnerable to land movement:

- **Compromised Pipelines:** Leads to ruptures or leaks, disrupting supply and requiring major repairs.
- **Reservoir Impact:** Landslides can affect water quality and storage capacity.

#### Energy Infrastructure

Land movement poses risks to Los Angeles County's energy infrastructure, including:

- **Electrical Grid Vulnerabilities:** Land movement can damage power lines and substations, causing outages.
- **Gas Pipeline Risks:** Soil shifts can result in gas leaks or explosions, endangering safety.

### Communication Systems

Reliable communication is critical, and land movement can disrupt:

- **Telecommunication Towers:** Structural damage can impair cellular and internet services.
- **Underground Cables:** Earth shifts can damage cables, affecting connectivity.

### Emergency Services Facilities

- **Hospitals and Fire Stations:** Essential for emergency response, but structural damage could impede operations, underscoring the need for resilient construction and strategic planning.

### Economic Impacts

- **Infrastructure Damage:** Leads to costly repairs and maintenance of roads, bridges, and buildings.
- **Property Loss:** Homeowners face financial losses due to property damage or devaluation.

### Environmental Impacts

- **Ecosystem Disruption:** Soil movement can lead to habitat loss and affect local flora and fauna.
- **Increased Pollution:** Erosion can result in sediment runoff, degrading water quality in rivers and oceans.

For a better visual representation of the Land Movement Hazard within the LA County planning area, please reference Appendix A for maps that show areas that are susceptible to land movement and recent burn scars.

## 6.8.9 Mitigation Strategies

To reduce the impact of land movement, Los Angeles County has implemented several mitigation and preparedness strategies, including:

- **Land Use and Development Regulations:** Restricting development in high-risk landslide zones to prevent new structures from being built on unstable terrain.
- **Infrastructure Resilience:** Reinforcing existing infrastructure through slope stabilization projects, retaining walls, and improved drainage systems.

- **Stabilization Regulations:** Implementing stricter grading and excavation regulations to minimize the destabilization of slopes.
- **Public Awareness Campaigns:** Enhancing landslide early notifications by monitoring potential movement areas and precipitation thresholds.
- **Evacuation Planning:** Developing evacuation plans for at-risk communities, ensuring residents receive timely alerts and clear guidance.
- **Public Education:** Conducting public education campaigns to inform residents about recognizing landslide warning signs and preparedness measures.
- **Operational Area Coordination:** Increasing coordination across state, federal, and Office of Emergency Management officials with local jurisdictions to improve forecasting and response efforts.

## 6.8.10 Summary

Land movement remains a significant hazard in Los Angeles County, particularly in steep and coastal regions. The Palos Verdes Peninsula, Santa Monica Mountains, and San Gabriel Mountains are among the most vulnerable areas, with climate change and human activities exacerbating risks. By implementing land-use regulations, infrastructure reinforcements, and emergency response improvements, the County can enhance resilience and reduce losses in the future. Local governments and communities must actively monitor and manage contributing factors to effectively mitigate the impacts of land subsidence.



# TSUNAMI

## 6.9 Tsunami

### 6.9.1 Nature

This section characterizes tsunamis as high-energy, long-wavelength ocean waves generated primarily by significant offshore seismic events (such as subduction zone earthquakes), submarine landslides, or volcanic eruptions. In the context of Los Angeles County, tsunamis represent a relatively infrequent but potentially high-impact hazard that could produce rapid coastal inundation and surge impacts.

#### Characteristics:

- Triggered mainly by distant, large-magnitude seismic events.
- Features long wavelengths and prolonged arrival times.
- Capable of producing rapid, deep inundation along low-lying coastal areas.
- In summary, tsunamis are dynamic natural phenomena with the potential to cause sudden coastal flooding and damage if a triggering event occurs.

### TSUNAMI KEY POINTS

#### 1. Impact

Tsunamis are rare but high-impact events that can cause rapid and deep coastal flooding in Los Angeles County.

#### 2. History

Though infrequent, past tsunami events and the region's tectonic setting highlight the need for preparedness.

#### 3. Extent

New modeling shows tsunami waves could reach several feet in depth and extend inland depending on local topography.

#### 4. Updated Mapping

Updated hazard maps identify vulnerable coastal communities and critical infrastructure at risk of inundation.

#### 5. Vulnerability

High population density, aging infrastructure, and social vulnerabilities increase the potential for severe impacts and economic disruption

### 6.9.2 Location

The updated tsunami hazard profile focuses on the coastal areas of Los Angeles County. The new zone map—developed using enhanced modeling techniques and updated coastal geomorphology data—highlights areas along the Pacific shoreline that are at risk. These include regions adjacent to the Los Angeles Basin, parts of Long Beach, Santa Monica Bay, and other low-elevation coastal zones.

For a better visual representation of Tsunami Inundation zones within the LA County planning area, please reference Appendix A for a “Tsunami Inundation Area” map.

#### Important Details:

- Coastal segments from the western margins of the Los Angeles Basin extending to the border with Orange County.

Overall, the coastal areas of Los Angeles County, containing our communities and infrastructure, face heightened exposure.

### 6.9.3 Extent

Using the latest hydrodynamic and inundation modeling, the updated tsunami inundation (zone) map provides a refined view of the extent of potential flooding. The map illustrates how tsunami waves could propagate inland, showing revised boundaries that account for current sea-level conditions and future sea-level rise projections.

#### Highlights:

- Inundation depths and reach have been recalculated, with some areas potentially experiencing water levels up to several feet in depth.
- The inland reach of flooding varies by local topography, with flat, low-lying areas showing the greatest potential for impacts. Impacted areas include, but are not limited to, Long Beach, The ports of Long Beach and Los Angeles, Marina del Rey, Venice and Santa Monica.
- Critical infrastructure within the updated zones has been identified to prioritize mitigation and evacuation routes for planning.

In essence, the extent of tsunami impacts is now mapped more precisely, offering local decision-makers a clearer view of potential flooding depths and distances inland.

#### 6.9.4 History

Historically, significant tsunami events in the Los Angeles region are rare, though distant seismic events (for example: the 1960 Chilean tsunami, or the most recent 2022 Tonga tsunami) have been known to produce measurable impacts. Historical records combined with geological studies indicate that while tsunamis have occurred in the past, their frequency is low compared to other hazards. However, the region's proximity to major tectonic boundaries necessitates ongoing vigilance.

##### **Historical Context:**

- Past events have been sporadic but can serve as valuable lessons for preparedness.
- Historical inundation records and sediment studies confirm that tsunamis have reached the Los Angeles coast in prehistory.
- Lessons learned from past minor events underscore the importance of maintaining updated hazard maps.

Thus, while historical tsunami events are infrequent, they provide a critical context for understanding future risks and guiding preparedness measures. There have been no federal declarations or state proclamations for tsunami in the last five years.

#### 6.9.5 Probability

The probability of a tsunami affecting Los Angeles County is generally low when compared to more frequent hazards like earthquakes or floods. Nevertheless, the potential for a distance source tsunami generated by a distant, large seismic event remains a realistic risk. Updated probabilistic assessments—incorporating recent seismic data and tsunami modeling indicate that while the overall likelihood is low, the consequences in the event of a tsunami can be severe.

##### **Probability Considerations:**

- Low annual probability but high consequence if an event occurs; Los Angeles County has about a 2% annual chance.
- Distance source events from subduction zones across the ocean contribute most to the risk.
- Continuous monitoring and updated modeling are essential to reassess the risk over time.
- In summary, the probability of a tsunami remains low, but due to the potential for high-impact outcomes, it warrants continuous study and preparedness.

#### 6.9.6 Vulnerability

Coastal vulnerability in Los Angeles County is significantly influenced by factors such as urban density, low-elevation terrain, aging infrastructure, and socio-economic conditions. The updated tsunami zone map now better delineates areas where these vulnerabilities are most pronounced, highlighting communities that may have limited evacuation routes and fewer resources to recover from rapid inundation. About 75,000 people live in parts of Los Angeles County that could be flooded by a tsunami. Many people also work in these coastal areas, and around 660 unhoused individuals live there, making them especially at risk because they may not have easy access to shelter or transportation.

Tourism adds even more people to these areas, especially during busy weekends or holidays. Places like Santa Monica can see up to 300,000 visitors a day during peak times. This makes evacuating harder if a tsunami warning is issued. Roads near the coast can quickly become crowded, and visitors may not know the best way to leave. Traffic could slow down emergency plans, so it's important to have clear signs, early warnings, and good traffic control to help people get to safety quickly.

##### **Factors:**

- High population density in low-lying coastal areas.
- Critical infrastructure (e.g., hospitals, utilities, ports and shipping, transportation networks) located within the inundation zones.
- Socio-economic and language barriers that may hinder effective emergency response.
- Limited natural barriers in some coastal segments.
- Vulnerable communities include those with high population densities and critical infrastructure near the coast.

Ultimately, the vulnerability of the region is compounded by both physical exposures and social factors, underscoring the need for targeted mitigation efforts.

##### **Contextual Overview**

Coastal communities in Los Angeles County, including ports and tourist zones, are at risk from tsunamis. These rare but highly destructive events can inundate coastal infrastructure with little warning.

### Extent of Exposure

- **Total Area Exposed:** 32.89 sq mi
- **Supervisory Districts (SD) Impacted:**
  - **SD4:** 15.83 sq mi (7.43%)
  - **SD3:** 12.59 sq mi (2.92%)
  - **SD2:** 2.03 sq mi (0.56%)
- **Critical Facilities Affected:**
  - Fire Department: 16 (4.75%)
  - Public Works: 9 (3.91%)
  - Health Services: 3 (4.62%)
  - Public Health: 1 (2.50%)
  - Libraries: 5 (5.75%)
  - Parks: 13 (7.26%)
  - Education: 3 (3.66%)

### Problem Statement

Tsunamis can cause rapid and catastrophic coastal flooding. With critical coastal infrastructure and residential areas exposed, especially in SD4 and SD3, there is a need for robust evacuation planning, vertical evacuation shelters, and community outreach to enhance preparedness and reduce vulnerability.

### 6.9.7 Impacts

Should a tsunami occur, the potential impacts on Los Angeles County could be extensive. Parts of Los Angeles County that could be impacted by a Tsunami are Marina Del Rey, Port of Los Angeles, Port of Long Beach, and other beach communities in low lying areas. The updated impact assessments reflect possible scenarios ranging from significant property damage to loss of life and long-term economic disruption. The new zone map aids in quantifying these impacts by providing detailed inundation depths and spatial extents, thereby allowing for better risk communication and planning.

### Potential Impacts:

- Severe flooding of coastal infrastructure and residential areas.
- Disruption of transportation, utility services, and emergency response operations.
- Economic losses in key sectors such as tourism, shipping, and local commerce.
- Social impacts including displacement, loss of livelihoods, and challenges in emergency sheltering.

In short, the potential impacts of a tsunami are far-reaching, necessitating robust mitigation, evacuation, and recovery planning to minimize harm.

For a better visual representation of Tsunami Inundation zones within the LA County planning area, please reference Appendix A for a "Tsunami Inundation Area" map.

### 6.9.8 Summary

The updated tsunami section for the 2025 AHMP incorporates the latest scientific findings and mapping techniques to provide a more precise understanding of tsunami risks in Los Angeles County. By integrating an updated inundation zone map, the revision clarifies the spatial extent of potential flooding and highlights the vulnerabilities in coastal communities. This comprehensive update is designed to guide decision-makers in enhancing preparedness, targeting mitigation strategies, and strengthening community resilience.

### Key Takeaways:

- **Nature:** Tsunamis are infrequent but high-energy events capable of rapid coastal inundation.
- **Location & Extent:** The updated zone map identifies vulnerable coastal areas with revised inland flood extents.
- **History & Probability:** Historical events are rare; however, distance events remain a realistic risk.
- **Vulnerability & Impacts:** High population density and critical infrastructure in coastal zones amplify risk, with potential for severe economic and social disruption.

This updated section is intended to serve as a critical tool for policymakers, emergency managers, and community stakeholders as they work together to reduce the long-term risks associated with tsunamis and enhance overall regional resilience.



# SEVERE WIND & TORNADOES

## 6.10 Severe Wind and Tornado

### 6.10.1 Nature

Severe wind and tornadoes pose significant threats to life, property, and infrastructure, though they differ in frequency and intensity within Los Angeles County. Severe wind events, particularly Santa Ana winds, are a recurring natural hazard that can cause widespread damage, including downed power lines, tree falls, and structural damage. These winds originate from high-pressure systems over the Great Basin, funneling dry and warm air through mountain passes into the coastal and valley regions at high speeds. Additionally, storm-driven winds, microbursts, straight-line winds and gust fronts associated with severe weather can create hazardous conditions, often leading to transportation disruptions, fire hazards, and prolonged power outages.

### WIND & TORNADO KEY POINTS

- 1. Nature**  
 Severe wind events such as Santa Ana winds and occasional tornadoes can cause widespread disruption, infrastructure damage, and increased wildfire risk
- 2. Location**  
 High-wind zones are common in canyon passes, valleys, and coastal regions, while tornadoes may occur sporadically throughout the county during severe storm activity.
- 3. Extent**  
 Santa Ana and storm-driven winds can exceed 80 mph; tornadoes in the area typically range from EF-0 to EF-1, with limited but impactful damage.
- 4. Vulnerability**  
 Critical infrastructure, older or poorly constructed buildings, wildfire burn scars, and residents with limited mobility are most at risk from high wind and tornado events.
- 5. Mitigation and Preparedness**  
 Strengthening building codes, retrofitting infrastructure, vegetation management, tornado-resistant construction, early warning systems, and public education.

Tornadoes, while relatively rare in the region, have been recorded and can cause localized but intense damage. These violent windstorms form when unstable atmospheric conditions produce rotating updrafts, resulting in a funnel cloud that contacts the ground.

### 6.10.2 Location

Severe wind events affect the entire Los Angeles County planning area, with the strongest occurrences in canyon passes, valleys, and coastal regions. The Santa Ana winds are most intense in the fall and winter months, particularly impacting areas in the Valley, and foothill communities of the County. Storm-driven winds, on the other hand, can impact any part of the county and vary in intensity based on weather patterns. These winds can reach speeds of 60 to 80 mph, sometimes exceeding those thresholds, leading to significant damage.

Tornadoes are more sporadic in occurrence and can develop in various parts of the county, particularly in lowland areas where severe thunderstorms have the potential to form rotating systems.

### 6.10.3 Extent

Winds and breezes are common occurrences in LA County. As wind speeds increase so does the potential for a catastrophic event. Hot dry winds can reach high speeds as they descend from the inland desert regions, creating not only critical wind events but also extremely dangerous fire conditions and contributing to the spread of wildfires. The winds are classified in the Beaufort Wind Scale, see Figure 6.10.1 below. Beaufort wind scale is an empirical scale that relates wind speed to observed conditions at sea or land. It uses numerical scale from 1-12 to describe wind force based on visual observations of the effects of the wind and gives quantitative measures of the wind. For example, 0 is described as 'calm' a sea like a mirror while 12 described as hurricane force with devastating conditions.

Tornadoes are classified using the Enhanced Fujita (EF) Scale Figure 6.10.2. The Enhanced Fujita (EF) Scale is specifically used to rate the intensity of tornados based on the damage they cause (damage indicators) such as building types, and trees. It ranges from EF-0 to EF-5, with increasing numbers indicate stronger tornados and more severe damage. While tornadoes in the region typically do not exceed EF-1

intensity, they can still produce damaging winds above 100 mph, capable of tearing roofs off buildings, uprooting trees, and overturning vehicles.

Beaufort Wind Scale:

Force	Wind (Knots)	WMO Classification	Appearance of Wind Effects	
			On the Water	On Land
0	Less than 1	Calm	Sea surface smooth and mirror-like	Calm, smoke rises vertically
1	1-3	Light Air	Scaly ripples, no foam crests	Smoke drift indicates wind direction, still wind vanes
2	4-6	Light Breeze	Small wavelets, crests glassy, no breaking	Wind felt on face, leaves rustle, vanes begin to move
3	7-10	Gentle Breeze	Large wavelets, crests begin to break, scattered whitecaps	Leaves and small twigs constantly moving, light flags extended
4	11-16	Moderate Breeze	Small waves 1-4 ft. becoming longer, numerous whitecaps	Dust, leaves, and loose paper lifted, small tree branches move
5	17-21	Fresh Breeze	Moderate waves 4-8 ft taking longer form, many whitecaps, some spray	Small trees in leaf begin to sway
6	22-27	Strong Breeze	Larger waves 8-13 ft, whitecaps common, more spray	Larger tree branches moving, whistling in wires
7	28-33	Near Gale	Sea heaps up, waves 13-19 ft, white foam streaks off breakers	Whole trees moving, resistance felt walking against wind

8	34-40	Gale	Moderately high (18-25 ft) waves of greater length, edges of crests begin to break into spindrift, foam blown in streaks	Twigs breaking off trees, generally impedes progress
9	41-47	Strong Gale	High waves (23-32 ft), sea begins to roll, dense streaks of foam, spray may reduce visibility	Slight structural damage occurs, slate blows off roofs
10	48-55	Storm	Very high waves (29-41 ft) with overhanging crests, sea white with densely blown foam, heavy rolling, lowered visibility	Seldom experienced on land, trees broken or uprooted, "considerable structural damage"
11	56-63	Violent Storm	Exceptionally high (37-52 ft) waves, foam patches cover sea, visibility more reduced	
12	64+	Hurricane	Air filled with foam, waves over 45 ft, sea completely white with driving spray, visibility greatly reduced	

Figure 6.10.1 Beaufort Wind Scale

Enhanced Fujita Scale:

THE ENHANCED FUJITA SCALE (EF SCALE)		
EF RATING	3 Second Gust (MPH)	DAMAGE
EF 0	65-85 MPH	Light: Branches broken, minor roof damage
EF 1	86-110 MPH	Moderate: Roofs damaged; trees uprooted
EF 2	111-135 MPH	Considerable: Roofs torn off, large trees down
EF 3	136-165 MPH	Severe: Homes destroyed; cars lifted
EF 4	166-200 MPH	Devastating: Houses leveled; debris airborne
EF 5	Over 200 MPH	Incredible: Homes swept away; total destruction

Figure 6.10.2 Enhanced Fujita Scale

6.10.4 History

Los Angeles County has experienced multiple severe wind events and occasional tornadoes in recent history which caused destructions, and wildfires. There have been no federal declarations or state proclamations for Severe Wind & Tornadoes in the last five years. Some notable incidents include:

- **November-December 2011:** A wind event caused more than \$35 million in damages and severely impacted several foothill communities and unincorporated areas.
- **December 2019:** An EF-0 tornado touched down in South Los Angeles, causing minor roof damage and downing power lines.
- **January 2021:** A severe windstorm impacted the region, leading to damage across multiple communities and emergency response efforts to clear roadways.
- **September 2021:** An EF-0 tornado developed near the community Lake of Los Angeles; %no damage was reported.

- **April 2023:** An EF-0 tornado recorded in Cerritos causing tree damage.
- **March 2023 (DR# 4699):** An EF-1 tornado struck Montebello, one of the strongest tornadoes recorded in the area, causing significant damage to commercial structures and vehicles.
- **May 2023:** An EF-0 tornado occurred near the communities of Carson and Compton damaging buildings and vehicles.
- **August 2023 (DR# 4750):** Tropical Storm Hillary impacting Los Angeles County.
- **February 2024:** Strong winds impacting across Eastern Santa Monica Mountain and Santa Clarita Valley.
- **March 2024:** Strong winds impacting areas around San Gabriel Valley.
- **January 2025 (DR# 4856):** A severe windstorm impacted the region, leading to a Potentially Dangerous Situation (PDS), red flag conditions. Several fires broke out in the area, which exhibited extreme fire behavior, causing widespread destruction.
- **March 2025 (DR# 4856):** As part of a storm event, an EF-0 tornado struck Pico Rivera, California, at 3:15am, with wind speeds reaching up to 85 mph.

6.10.5 Probability

Severe wind events are a regular occurrence in Los Angeles County, with a high probability, 99% chance recurring annually. Santa Ana winds are particularly common during the cooler months, and climate patterns suggest that extreme wind events may become more frequent due to changing weather dynamics. Because wind events and tornadoes are localized in nature, probability vary from one area to another and is difficult to determine percentage of happening in one area. Tornadoes remain a low-probability hazard, 10% chance, in the planning area; however, given past occurrences, they cannot be ruled out entirely. Atmospheric conditions capable of producing tornadoes may arise during severe thunderstorms, particularly in winter storm systems that generate strong wind shear. While the likelihood of an EF-2 or stronger tornado is minimal, the potential for localized damage remains. The Santa Ana winds occur ten to twenty-five times annually and can last for several days, posing a recurring threat of damage and disruption in Los Angeles County.

### 6.10.6 Vulnerability

Severe wind and tornadoes can be extensive, affecting both infrastructure and public safety. High-wind events pose a risk to critical infrastructure, particularly power lines, communication systems, and transportation networks. Buildings, especially older structures and mobile homes, are vulnerable to wind-related damage, including roof failures, window breakage, and structural collapse.

In addition to physical damage, severe wind events can cause significant economic disruptions. Prolonged power outages impact businesses, healthcare facilities, and emergency response services. Road closures and debris blockages hinder mobility and commerce, while wind-driven wildfires, a secondary hazard of Santa Ana winds, can lead to devastating losses.

Public safety is also a major concern, with risks of flying debris, vehicle accidents, overturned vehicles, and respiratory issues caused by airborne dust and pollutants stirred up by high winds.

Severe wind and tornado events disproportionately impact certain populations and infrastructure in Los Angeles County due to both geographic exposure and socioeconomic vulnerabilities. These hazards can disrupt critical services, exacerbate existing inequalities, and significantly damage structures not built to withstand extreme wind conditions.

#### **Vulnerable Populations**

Out of the county's estimated 10.2 million residents, the following populations are considered especially vulnerable:

- Older Adults (65+): Approx. 1.6 million residents (15.5%)—more likely to suffer injury or health complications during wind-related power outages and evacuation events.
- Access and Functional Needs (AFN) Populations: Estimated 1.7 million individuals (17%) including those with disabilities, limited mobility, or communication barriers.
- Low-Income Households: Over 13% of households fall below the poverty line and may lack the resources for structural mitigation or relocation during prolonged outages.

- People Experiencing Homelessness (PEH): Over 75,000 individuals (2024 LAHSA count), at direct risk from falling debris and lack of shelter during windstorms.
- Mobile Home Residents: Approximately 98,000 units countywide, concentrated in inland valleys and foothill communities that are highly exposed to Santa Ana winds.
- Children Under Age 5: Around 600,000 countywide, vulnerable to respiratory complications from airborne particulates and debris stirred by strong winds.
- Economic Impact: Business disruptions, increased insurance claims, and the costs of emergency response and recovery add financial burdens to local communities.

#### **Critical Infrastructure at Risk**

Severe wind and tornado events can cause widespread cascading failures in vital systems, including:

- Power Infrastructure: Los Angeles County contains over 20,000 miles of overhead power lines vulnerable to high-wind damage and fire ignition.
- Medical Facilities: Over 350 licensed hospitals and health clinics, many reliant on uninterrupted power and access for vulnerable patient populations.
- Transportation Corridors: Major highways (I-5, I-10, US-101) and over 3,100 bridges, particularly in canyon and foothill areas, are susceptible to obstruction by fallen trees and debris.
- Communication Towers: Over 800 critical telecom sites serve the county's emergency communications and can be disrupted by high wind gusts.
- Schools: Approximately 2,300 public K-12 schools and 100+ college campuses face operational disruptions from power outages or infrastructure damage during events.

### 6.10.7 Impacts

Severe wind and tornado events pose significant threats to critical infrastructure, public safety, and community operations in Los Angeles County. High winds, such as those during Santa Ana events, regularly damage power lines, uproot trees, and disable

transportation corridors. A notable example occurred in January 2025, when widespread windstorms caused power outages for more than 200,000 customers, including approximately 127,000 Los Angeles Department of Water and Power (LADWP) customers and over 52,000 Southern California Edison (SCE) customers. During this same period, wildfires exacerbated by the strong winds impacted several medical facilities, disrupting critical health services and requiring the emergency relocation of patients.

Tornadoes, while rare, have also demonstrated destructive capacity in localized areas. In March 2025, an EF-0 tornado touched down in Pico Rivera, downing power lines and trees and obstructing roadways, highlighting the potential for tornadic activity to impact urban communities. These hazards not only endanger life and property but also threaten economic continuity and the functioning of emergency services, particularly in vulnerable neighborhoods and areas with aging infrastructure.

### 6.10.8 Mitigation and Preparedness

Efforts to mitigate the effects of severe wind and tornadoes should focus on improving structural resilience, enhancing early warnings and alerts, and increasing public awareness of such events.

#### **Severe Wind and Tornado Mitigation**

- Strengthening building codes to require wind-resistant design features. Promoting the use of wind-resistant materials and construction techniques in new developments.
- Conducting regular tree-trimming and vegetation management to reduce infrastructure damage risks.
- Retrofitting and reinforcing critical infrastructure, such as power lines and utility systems, to withstand high-wind conditions.
- Implementing public education campaigns on windstorm preparedness and safety measures.
- Leveraging early warning alerting and preparedness messaging, as well as integrating emergency messaging with local broadcast and mobile networks.

### 6.10.9 Summary

Severe wind and tornadoes, though differing in frequency, remain potential hazards for Los Angeles County. Santa Ana winds and storm-driven gusts regularly impact the region, causing damage to infrastructure and increasing wildfire risks. While tornadoes are rare, their occasional occurrence necessitates preparedness and mitigation efforts. By implementing stronger building codes, reinforcing critical infrastructure, and enhancing preparedness and public awareness, the county can reduce its vulnerability to these hazards, help to better protect its residents from potential hazards of severe winds and tornado and improve community resilience.

# MASS VIOLENCE

## 6.11 Mass Violence

### 6.11.1 Nature

This section outlines the defining characteristics of mass violence, which includes intentional, high-impact incidents such as terrorism, active shooter events, vehicle-rammings, and other coordinated attacks. Understanding the nature of these events is critical for developing effective mitigation strategies.

- Mass violence includes both targeted attacks (e.g., ideologically motivated terrorism) and opportunistic acts (e.g., active shooters or violent assaults in public spaces).
- These incidents are characterized by their low warning time, high lethality, and potential to incite widespread fear and panic.

### MASS VIOLENCE KEY POINTS

- 1. Nature**  
 Mass violence involves deliberate, high-impact attacks like shootings or bombings, designed to harm groups and disrupt public order.
- 2. Location**  
 Incidents often occur in crowded public spaces (like malls, schools, other gatherings) where security may be limited.
- 3. Extent**  
 Though rare, these events can cause widespread casualties, disrupt services, and impact communities well beyond the attack site.
- 4. Vulnerability**  
 Public spaces with weak security, limited preparedness, and communication challenges are more susceptible to mass violence impacts.
- 5. Mitigation and Preparedness**  
 Mitigation focuses on securing vulnerable areas, improving emergency readiness, and strengthening coordination across agencies and communities.

- Acts of mass violence may be perpetrated by individuals, small groups, or well-organized networks, and can involve firearms, explosives, vehicles, or biological agents.
- These attacks often aim to disrupt societal functions, damage infrastructure, or exploit vulnerabilities in soft targets such as schools, places of worship, or entertainment venues.

In summary, the nature of mass violence lies in its deliberate intent to inflict harm on groups and disrupt public order, making strong mitigation measures essential for protecting life and property of Los Angeles County.

### 6.11.2 Extent

The potential extent of mass violence is characterized by its ability to cause widespread disruption and significant loss of life and property.

# MASS VIOLENCE

2007 - 2025



- Events can result in many casualties and severe physical and psychological impacts.
- Mass violence can disrupt essential services, strain emergency response systems, and create cascading socioeconomic effects.
- The overall disruption may extend far beyond the immediate scene, affecting broader community resilience.

In essence, while these events may be rare, their extensive impacts necessitate comprehensive planning and resilient infrastructure.

### 6.11.3 History

Historical data illustrates that mass violence has evolved over time, with earlier events shaping current mitigation strategies and more recent incidents underscoring emerging vulnerabilities. Previous mitigation and other plans referenced events such as large-scale terrorist attacks and active shooter incidents.

- Recent events in the last five years include high-profile active shooter incidents at schools, public transportation hubs, and commercial centers, as well as vehicle-ramming attacks in urban areas.

Overall, the historical trend shows that while frequency remains low, the severity of mass violence incidents has escalated, necessitating continual updates to mitigation strategies.

### 6.11.4 Location

Mass violence incidents tend to occur in areas where people naturally congregate, including urban centers, transportation hubs, educational and religious institutions, shopping centers, and public events and venues.

- Public spaces such as transit stations, stadiums, malls and other locations where large number of people assemble, are considered higher-risk areas.
- Critical infrastructure location, like government buildings and commercial center, are often targeted.
- Certain events may also occur in areas lacking adequate physical security or surveillance.

Thus, identifying and securing high-density locations is a key focus for mitigating the effects of mass violence.

### 6.11.5 Probability

The probability of mass violence incidents is difficult to predict precisely; however, the potential for occurrence is recognized as a persistent low-frequency, high-impact risk that requires constant vigilance.

- Such incidents are statistically rare yet present a disproportionate risk due to their catastrophic consequences.
- Threat assessments and intelligence reports indicate that evolving tactics may increase probability over time.
- Continuous monitoring and updated threat analyses (e.g., via THIRA processes) are essential in quantifying risk levels.

In summary, while mass violence events are not common, their inherent unpredictability and high severity demand that communities prepare as if an incident could occur at any time.

### 6.11.6 Vulnerability

Mass violence depends on a variety of factors, including physical infrastructure design, public awareness, security preparedness, and interagency coordination.

- Critical vulnerabilities include open public spaces with minimal physical barriers or limited or ineffective safety / security protocols in place.
- Gaps in training and preparedness among first responders can exacerbate the situation during an active incident.
- Social vulnerabilities—such as communication gaps or lack of multilingual emergency information—may hinder rapid response and community resilience.

Thus, reducing vulnerability involves investing in infrastructure hardening, robust security measures, regular training exercises, and effective public communication strategies.

### 6.11.7 Impacts

The impacts of mass violence events are multifaceted, life safety, community stability, and the local economy.

- Immediate impacts include fatalities, injuries, and trauma among affected populations.
- Secondary impacts may encompass prolonged disruption of local services, economic downturns, and lasting psychological effects on communities.
- Long-term consequences can involve extensive resource allocation for recovery and mitigation, further straining public systems.

Mass violence inflicts immediate harm and often triggers a chain of secondary impacts that complicate community recovery and strain long-term resilience efforts.

### 6.11.8 Summary

In conclusion, mitigating the hazards of mass violence requires an integrated, multi-layered approach that spans prevention, preparedness, response and recovery. Communities must implement measures to secure high-risk locations, upgrade physical and digital security, enhance interagency coordination, and continuously update training and threat assessments.

- Mitigation strategies include physical security enhancements (e.g., barriers and surveillance), regular active shooter drills, improved emergency communication systems, and coordinated law enforcement and public health responses.
- Investment in resilience-building measures and community outreach helps to ensure that, in the event of an incident, communities can recover quickly and effectively.

This section underscores that while mass violence events are rare, their potential for high impact demands rigorous preparedness and adaptive mitigation strategies to safeguard lives and maintain community functionality.



## 6.12 Cybersecurity Incidents

### 6.12.1 Nature

Cybersecurity incidents refer to disruptive events affecting digital networks and systems. These events involve the unauthorized electronic or physical access of information systems that jeopardizes or disrupts the integrity, confidentiality, or availability of information. Cyber incidents can range from minor targeted data breaches to large-scale ransomware attacks and distributed denial-of-service (DDoS) events that compromise critical infrastructure. Common types of cybersecurity incidents include, but are not limited to:

- **Data Breaches:** The compromise, unauthorized disclosure, or unauthorized acquisition of information.

### CYBERSECURITY KEY POINTS

- 1. Nature**  
Cybersecurity incidents are disruptive events affecting information systems that can cause widespread disruption.
- 2. Location**  
Given the global nature of cybersecurity incidents, an attack originating from across the world can manifest with local impacts.
- 3. Extent**  
Smaller-scale cybersecurity incidents can compromise data and result in financial loss while large-scale attacks can cause widespread disruptions to critical infrastructure.
- 4. Vulnerability**  
Organizations without technical defenses, use outdated systems, or lack training for employees are more vulnerable.
- 5. Mitigation and Preparedness**  
Actions focus on implementing a robust cybersecurity program along with continuity of operations and disaster recovery planning.

- **Malware:** Malicious hardware, firmware, or software that is intentionally included or inserted in a system for a harmful purpose.
- **Ransomware:** A type of malicious software designed to lock access to a system until a ransom payment is received. Note that ransom payment is not a guarantee that system access will be restored by the threat actor.
- **Denial of Service (DoS):** An attack meant to shut down a machine or network, rendering it inaccessible to its intended users.
- **Distributed Denial of Service (DDoS):** A DoS attack that uses numerous hosts to perform the attack.
- **Insider Threats:** When an insider (e.g., an employee or vendor) uses their authorized access, wittingly or unwittingly, to do harm to an organization.
- **Phishing Attacks:** The fraudulent practice of sending emails purporting to be from reputable senders in order to induce individuals to reveal information or download malware by clicking on a link.

Key characteristics of a cybersecurity incident include:

**Rapid Onset:** Impacts to operations can occur suddenly and evolve quickly.

- **Sophistication:** Can be highly sophisticated with state or non-state actors involved.
- **Hybrid Attacks:** May involve both cyber and physical components due to interdependencies.
- **Non-Malicious Incidents:** Technological failures that cause similar impacts to cybersecurity incidents may also occur due to non-malicious reasons such as a software or hardware issue.

Understanding the inherent digital nature and complex characteristics of these incidents is critical to developing effective prevention and mitigation strategies.

### 6.12.2 Location

Unlike traditional hazards that have a physical geographic footprint, cybersecurity incidents are inherently transboundary. However, their effects manifest locally through the disruption of critical services and systems and necessitate regionally coordinated preparedness and response efforts.

#### **Jurisdictional Relevance:**

- Impact local government networks and county infrastructure.
- Affect public and private sector systems within Los Angeles County.
- Disrupt critical infrastructure such as utilities and cause cascading impacts.
- Involve cyber nodes that, while globally distributed, converge on regional networks.

#### **Critical Sectors Impacted:**

- Hospitals and healthcare facilities.
- Financial, banking, or payroll systems.
- Transportation providers and systems.
- Utilities such as electricity, gas, and water.
- Emergency response and public safety agencies.

### 6.12.3 Extent

The extent of cybersecurity incidents is measured not only by the volume of compromised data or financial loss but also by the potential disruption to essential services and critical infrastructure.

#### **Scope of Impacts:**

- Rapid spread across interconnected digital systems.
- Potential for cascading failures that disrupt multiple sectors.
- Economic losses that may run into millions of dollars.

#### **Measurable Factors:**

- Number of systems compromised.
- Downtime of critical infrastructure and services.
- Financial costs from remediation and lost productivity.

The extensive reach of cybersecurity incidents—both in terms of economic impact and service disruption—highlights the need for robust digital defenses, continuity of operations planning, backup systems and redundancies, disaster recovery strategies, and regional cyber response coordination.

#### 6.12.4 History

Historically, cybersecurity incidents have evolved from isolated breaches to coordinated attacks that leverage global networks. Early cybersecurity incidents focused on data theft and vandalism. More recent attacks have grown increasingly sophisticated and targeted critical infrastructure or use complex ransomware. Cyber threat actors include state-sponsored groups along with non-state groups such as criminal enterprises and terrorist organizations. Recent years have seen cybersecurity incidents affecting large corporations, public entities including local governments, and critical infrastructure sectors. Previous major cybersecurity incidents have included:

- **2024 Los Angeles County Superior Court Ransomware Attack:** Resulted in the shutdown of nearly every court system, a multi-day closure of the court, and cascading impacts to operations.
- **2024 Hospital Group Attack:** A major hospital company experienced an attack that caused IT and phone system outages and disrupted patient care at several Los Angeles County hospitals.
- **2024 Telecommunication Industry Attacks:** A series of attacks against telecommunications providers in the United States resulted in compromised customer data.
- **2023 City Attack:** A cybersecurity incident at a city within Los Angeles County caused city IT systems to be taken offline.
- **2022 Aviation Industry Attacks:** A series of cybersecurity incidents targeting the airports and airlines caused transportation system disruptions.

The historical progression from rudimentary attacks to highly coordinated cybersecurity incidents underscores the growing importance of proactive risk management in the digital realm.

#### 6.12.5 Probability

The probability of cybersecurity incidents occurring is increasing as digital interconnectivity expands and as attackers continue to innovate their methods.

#### Risk Trends:

- Rapid expansion of the Internet of Things (IoT), the network of internet-connected devices ranging from smart refrigerators to autonomous vehicles, has added new attack vectors to the threat landscape.
- Increasing sophistication of cybercriminal methods including zero-day exploits, a previously unknown cybersecurity vulnerability.
- Growing frequency of reported incidents nationally and globally.

#### Contributing Factors:

- Inadequate cybersecurity measures in legacy systems still being used by organizations.
- Underinvestment in cyber defense infrastructure or cybersecurity expertise.
- Greater digital reliance in everyday operations without proper continuity of operations planning.

Given current trends and technological developments, the likelihood of cybersecurity incidents remains high, necessitating ongoing vigilance and enhanced preparedness measures. As cybersecurity incidents continue to increase in frequency, the potential for an incident to cause cascading and widespread impacts to critical infrastructure increases as well.

#### 6.12.6 Vulnerability

Vulnerability in the context of cybersecurity refers to the susceptibility of digital systems to attack. This is influenced by both technological and organizational factors including, but not limited to: outdated software or use of legacy systems, insufficient patch management, inadequate segmentation and defense-in-depth strategies, and lack of cybersecurity training among personnel. Organizational challenges also contribute to cybersecurity vulnerability including, but not limited to: budget constraints, gaps in coordination, and rapid technology adoption without corresponding security protocols.

According to the 2024 Threat and Hazard Identification and Risk Assessment (THIRA), over 616,000 people may be affected by a large-scale cybersecurity incident with cascading impacts to utilities. Over 123,000 of those impacted in the THIRA scenario are estimated to have access and functional needs and over 77,000 people are

estimated to have limited English proficiency. Depending on the utilities affected by the incident, a widespread amount of the population could be without utility service for an extended period. Addressing these vulnerabilities is essential to reduce the risk and potential disruption of cybersecurity incidents, calling for both technical upgrades and improved interagency coordination.

### 6.12.7 Impacts

The impacts of cybersecurity incidents are multifaceted, affecting economic stability, public safety, and critical infrastructure operations.

#### **Direct Impacts:**

- Disruption of critical services (e.g., healthcare, emergency response, transportation, etc.).
- Extended duration Continuity of Government or Continuity of Operations event.
- Financial losses due to ransom payments, remediation costs, and potential legal fees.
- Loss, compromise, or unauthorized release of sensitive data.

#### **Indirect impacts:**

- Erosion of public trust in digital services and affected institutions.
- Cascading effects on physical infrastructure (e.g., power grid, water systems, wastewater, etc.).
- Long-term economic repercussions from reduced competitiveness.
- The significant impacts—both direct and cascading—of cybersecurity incidents necessitate comprehensive mitigation and recovery strategies that address both technical and socioeconomic dimensions.

### 6.12.8 Summary

In summary, cybersecurity incidents represent an evolving and critical threat that intersects with multiple aspects of community resilience and safety.

#### **Key Takeaways:**

- Cyber incidents are dynamic, sophisticated, and far-reaching in impact
- They affect local systems despite their global nature

- Historical trends and increasing digital dependency heighten both probability and vulnerability
- Impacts extend beyond financial loss to include service disruption and cascading infrastructure failures

Cybersecurity incidents demand a proactive, coordinated response that integrates robust technical defenses with cross-sector planning and recovery efforts. By understanding the nature, scope, and potential consequences of these incidents, communities can build more resilient digital and physical infrastructures to safeguard against this growing threat.

# TRANSPORTATION INCIDENTS

## 6.13 Transportation Incidents

### 6.13.1 Nature

This section describes the inherent characteristics of transportation incidents that can disrupt the continuous flow of people, goods, and emergency services across Los Angeles County. Transportation incidents can be triggered by a variety of factors including natural events, human error, and deliberate acts. Other characteristics include:

- **Affected Modes of Transportation:** Incidents can involve any mode of transportation such as multi-vehicle collisions, hazardous material spills, rail derailments, aviation incidents, and maritime disruptions.
- **Cascading Impacts:** Disruptions to the transportation system often have the potential to trigger cascading failures due to the interconnected design of highways, rail networks, airports, and seaports.
- **Contributing Factors:** Incidents may be influenced by both predictable factors (e.g., rush-hour congestion) and unpredictable occurrences (e.g., extreme weather or infrastructure failure).

### 6.13.2 Location

The county's network encompasses highways, rail, airports, ports, and local roads that are critical to regional mobility and commerce.

- **Freeways:** Los Angeles County boasts an extensive freeway system with over 1,200 miles of high-capacity roads including corridors such as I-5, I-405, I-10, I-710, and I-210.
- **Major Transportation Hubs:** The County is home to three commercial airports including Los Angeles International Airport (LAX), Long Beach Municipal Airport (LGB), and the Hollywood Burbank Airport (BUR) along with several general aviation airports. The County owns and operates Brackett Field Airport, Compton/Woodley Airport, San Gabriel Valley Airport, General William J. Fox Airfield, and Whiteman Airport. The Ports of Los Angeles and Long Beach, which are two of the busiest ports in the United States and vital for national and international trade, are also in Los Angeles County. Additionally, Los Angeles Union Station serves as the largest passenger rail station on the west coast.
- **Other Transportation Networks:** The county includes robust passenger rail, bus, and paratransit systems, along with freight rail systems, emerging mobility options such as taxis and rideshare services, and enhanced bicycle networks. This comprehensive network is the backbone for daily commuting, freight movement, and emergency response across the region.

### 6.13.3 Extent

The scope of transportation incidents spans multiple modes of travel and can have widespread consequences across the county's integrated infrastructure. Road incidents may include multi-vehicle collisions, hazardous material spills, and roadway fires impacting multiple vehicles with potential delays in emergency responses.

- Rail disruptions can impede commuter and freight services, impacting both local transit and regional connectivity.
- Air and maritime incidents—such as delays at major airports or disruptions at port facilities—can significantly affect commerce, supply chains, and public safety.
- Cascading effects across interconnected transportation modes may exacerbate congestion and strain additional infrastructure systems such as power, water, and emergency communications.

The extensive and interdependent nature of these networks means that an incident in one area can quickly influence multiple transportation systems.

### 6.13.4 History

Los Angeles County has a long record of transportation-related incidents that have disrupted mobility and commerce.

- **2024 Vincent Thomas Bridge Fire:** A semi-truck carrying lithium-ion batteries overturned and caught fire, causing the bridge to be closed for several days.
- **2023 I-10 Freeway Fire:** A fire in a pallet yard below the I-10 freeway in Downtown Los Angeles caused an eight-day closure for repairs and major cascading disruptions.
- **2020 Delta Air Lines Flight 89 Fuel Drop:** Shortly after takeoff from LAX, a Boeing 777 encountered engine problems and conducted a fuel dump over populated areas, injuring over 50 people on the ground.
- **2008 Chatsworth Metrolink Derailment:** A Metrolink passenger train collided with a Union Pacific freight train injuring over 130 people and causing 25 deaths.
- **2007 Newhall Pass Tunnel Fire:** A multi-vehicle collision involving over 30 vehicles caused a fire within the tunnel injuring 10 people and causing 3 deaths.

The historical record reinforces the need to learn from previous events to enhance future preparedness and resilience.

### 6.13.5 Probability

The likelihood of transportation incidents in Los Angeles County remains elevated due to several converging factors including, but not limited to:

- High daily traffic volumes on freeways and arterials increase the risk of multi-vehicle accidents and congestion-related incidents.
- Aging infrastructure—including bridges, road surfaces, and rail systems—creates a persistent risk of failure, particularly under extreme weather conditions and during peak usage periods.
- The county's role as a major hub for freight and commuter traffic means that even minor incidents can escalate rapidly into larger disruptions.
- The frequent movement of hazardous materials and the increasing reliance on just-in-time delivery systems further elevate the risk of incidents with potentially severe consequences.

Together, these factors contribute to a consistently high probability of transportation incidents impacting the region.

### 6.13.6 Vulnerability

The vulnerability of Los Angeles County's transportation system is compounded by its interdependent design and its critical role in the regional economy.

- Limited redundancy in key corridors means that a disruption on one freeway or rail line can quickly overload alternate routes.
- Aging and overburdened infrastructure is less resilient to extreme events, leading to longer recovery times after incidents.
- The county's economic dependence on uninterrupted transportation for daily commuting and commercial freight increases exposure to significant losses during disruptions.
- Complex interdependencies between transportation systems, emergency services, and other critical sectors make the network highly sensitive to cascading failures.

This systemic vulnerability calls for coordinated, multi-agency efforts to bolster resilience and implement proactive mitigation measures.

### 6.13.7 Impacts

Transportation incidents can produce both immediate and long-lasting effects on public safety, commerce, and overall quality of life.

1. **Traffic and Mobility:** Disruptions can lead to severe congestion affecting hundreds of thousands of commuters and freight vehicles, delaying emergency services and disrupting daily operations.
2. **Economic Loss:** Interruptions in the movement of goods and people can result in substantial financial losses, impacting local businesses and the broader regional economy.
3. **Public Safety:** Extended delays in emergency response and Emergency Medical Services (EMS) transport times.
4. **Cascading Disruptions:** An incident in one mode (e.g., a major highway closure) can ripple through the transportation network, affecting rail, air, and maritime operations simultaneously and complicating recovery efforts.

These impacts highlight the critical need for robust mitigation strategies to manage both direct and indirect consequences of transportation incidents.

### 6.13.8 Summary

Los Angeles County's transportation network is among the most extensive and complex in the nation, serving millions of residents and underpinning a vital economic ecosystem. The diverse transportation modes, while facilitating mobility and commerce, also create vulnerabilities due to overlapping infrastructure and high traffic volumes.

- Aging infrastructure, coupled with the continuous movement of hazardous materials and the increasing pressures of daily usage, contributes to a high probability of incidents.
- Historical data demonstrate that even localized incidents can have far-reaching impacts, including prolonged traffic congestion, economic disruptions, and public safety challenges.

In conclusion, mitigating transportation incident risks in Los Angeles County requires an integrated, countywide approach that combines infrastructure upgrades, enhanced emergency response, and proactive maintenance strategies. Addressing these challenges is essential to safeguard public safety, ensure economic stability, and maintain the region's critical mobility infrastructure.



## PUBLIC HEALTH EMERGENCIES

### 6.14 Public Health Emergencies

#### 6.14.1 Nature

Public health emergencies in Los Angeles County encompass a broad spectrum of potential hazards, including infectious disease outbreaks, environmental health hazards, and Chemical, Biological, Radiological, Nuclear, Explosives (CBRNE) hazards. Given the county's diverse population, urban density, and economic significance, public health hazards require a coordinated response among government agencies, healthcare institutions, and community partners.

Public health emergencies refer to incidents that pose a significant threat to the health of a population. These include, but are not limited to:

- Pandemics (e.g., COVID-19, Influenza)
- Bioterrorism (e.g., Anthrax, Smallpox, botulism)

#### PUBLIC HEALTH KEY POINTS

- 1. Nature**  
Public health emergencies include pandemics, disease outbreaks, bioterrorism, and environmental hazards.
- 2. Location**  
Highly populated counties face unique public health vulnerabilities.
- 3. Extent**  
Public Health Emergencies can derive from local, regional, national, or global sources, affecting various communities.
- 4. Vulnerability**  
Older adults, individuals with chronic health conditions, those with low income or experiencing homelessness, and others within the Access and Functional Needs (AFN) community face increased risks during public health emergencies.
- 5. Mitigation and Preparedness**  
Efforts include vaccinations, disease tracking, healthcare support, public education, emergency supplies, and agency coordination.

- Vector-borne diseases (e.g., West Nile Virus, Zika)
- Foodborne and waterborne illnesses
- Chemical and radiological exposure
- Climate-related health threats (e.g., extreme heat, poor air quality, wildfires)

The County of Los Angeles Department of Public Health (DPH) and the Emergency Medical Services Agency (EMS) collaborate to monitor threats, prevent outbreaks, and mitigate impacts when emergencies arise.

### 6.14.2 Location and Extent

Los Angeles County, home to over 9.7 million residents, is the most populous county in the United States. Its diverse geography (i.e., urban, coastal, mountainous, and rural) and demography lead to a range of public health vulnerabilities.

Public health emergencies can originate from local, regional, national, or global sources, impacting specific neighborhoods or the entire county. The extent of public health threats varies based on:

- The nature of the threat, such as transmission dynamics or availability of medical countermeasures.
- Population density (higher risks in urban centers for communicable diseases)
- Access to healthcare infrastructure
- Environmental conditions (air pollution, extreme heat events)

### 6.14.3 History

Public health emergencies in Los Angeles County have included:

- 2022 Monkeypox Outbreak
  - Approximately 2,500 cases were reported in Los Angeles County.
- COVID-19 Pandemic (2020–Present)
  - Over 3 million cases, 450,000 hospitalizations, and 45,000 deaths reported in the county alone.
- 2018 Hepatitis A Outbreak
  - Primarily affecting unhoused populations, requiring mass vaccination efforts.
- 2016–2017 West Nile Virus Outbreaks
  - Multiple cases of mosquito-borne infections leading to severe illness and fatalities.

- 2015–2016 Zika Virus Outbreak
  - No cases of local mosquito-borne transmission, but there were 122 cases reported in the County, with 121 being travel-related.
- 2015 Meningococcal Disease Cluster
  - An outbreak among men who have sex with men (MSM) led to a targeted vaccination campaign.
- 2009 H1N1 Influenza Pandemic
  - Thousands of hospitalizations; schools and businesses affected.

### 6.14.4 Probability and Emerging Risks

The 2024 Threat and Hazard Identification and Risk Assessment (THIRA) identifies that pandemics and bioterrorism remain high-probability threats. Future public health risks also include:

- Emergence of infectious diseases driven by global travel and climate change.
- Increased incidence of heat-related illnesses amid rising temperatures.
- Increased prevalence of respiratory diseases due to declining air quality.
- Rise of antimicrobial-resistant infections due to overuse of antibiotics.

The County of Los Angeles DPH continually assesses health threats and updates preparedness plans to address evolving concerns.

### 6.14.5 Vulnerability and Systemic Impacts

Certain populations in Los Angeles County may be disproportionately affected by public health emergencies:

- At-risk populations may be different for different hazards before, during, and after an emergency. It is important to assess each hazard in turn to identify those who may be disproportionately affected to improve preparedness and response efforts.

Public health emergencies strain the healthcare system, disrupt economic activity, and create mental health burdens. The 2024 THIRA report noted that:

- Healthcare infrastructure overload is a major concern during pandemics.
- Potential economic loss from business closures during a prolonged public health crisis could exceed billions of dollars.

### 6.14.6 Mitigation Strategies and Preparedness Efforts

Los Angeles County employs several mitigation and preparedness strategies:

- Mass Vaccination Campaigns
  - Annual flu shots, COVID-19 vaccinations, and outbreak-specific immunization efforts.
- Points-of-Dispensing (POD) sites
  - Disease Surveillance & Early Warning Systems
- Syndromic surveillance for emerging threats.
  - Targeted sampling surveillance.
- Healthcare Infrastructure Strengthening
  - Expanding hospital capacity for medical surge, and emergency medical resources.
- Community Outreach & Public Health Education
  - Disseminating critical information in multiple languages.
- Emergency Stockpiles (Strategic National Stockpile(SNS))
  - Deployment of antibiotics, antivirals, and personal protective equipment (PPE) in crisis situations.
- Coordination with Federal & State Agencies
  - Collaboration with FEMA, CDC, and the California Department of Public Health to enhance response capabilities.
- Anthrax Threat Simulations
  - The County of Los Angeles Metro system assessed as a high-risk area for bioterrorism response.

### 6.14.7 Summary

Public health emergencies pose significant challenges to Los Angeles County, impacting healthcare systems, vulnerable populations, and economic stability. While the COVID-19 pandemic provided a major stress test for response efforts, ongoing preparedness, surveillance, and mitigation strategies aim to protect residents from future threats.

#### **Key Takeaways:**

- Los Angeles County faces diverse health threats, including pandemics, bioterrorism, and climate-related illnesses.

- Vulnerable populations may suffer disproportionate impacts during public health crises.
- Preparedness efforts focus on surveillance, vaccination, emergency response, and coordination with federal and state partners.
- Future threats include emerging infectious diseases, heat-related illnesses, and antimicrobial resistance.

By continuing investments in public health preparedness, Los Angeles County aims to reduce risks and strengthen resilience against future health emergencies.

# 7 Mitigation Strategy

## 7.1 Mitigation Strategy Overview

The Mitigation Strategy section of the All-Hazard Mitigation Plan (AHMP) presents Los Angeles County's strategic blueprint for reducing risks and vulnerabilities posed over the long term associated with the hazards identified in the Hazard Identification and Risk Assessment section. The strategies identified in this section drive mitigation activities based on existing capabilities while also identifying areas of potential future investment to build resilience across communities, critical facilities, and other infrastructure within Los Angeles County.

## 7.2 Mitigation Goals and Objectives

Mitigation goals are the long-term vision that the County hopes to achieve by implementing the various mitigation strategies described in this AHMP, as well as the broad guidelines that have shaped mitigation strategy development.

- **Goal 1: Protect life, property, infrastructure, the environment, and the economy through equitable mitigation strategies aimed at reducing risks of natural and human-caused hazards.**
  - Objective 1-1: Integrate vulnerable populations, including people with Access and Functional Needs (AFN), into the implementation of any potential mitigation actions.
  - Objective 1-2: Implement mitigation strategies that enhance resilience to disaster impacts across residential areas, commercial areas, infrastructure, high-hazard potential dams, and other critical facilities.
  - Objective 1-3: Inform strategic investments in climate adaptation, development, and redevelopment that are centered in equity and resilience.
- **Goal 2: Enhance community-wide partnerships in hazard mitigation across all levels of government, the private sector, and the public.**
  - Objective 2-1: Build a culture of disaster resilience and awareness of local hazards through public engagement, education, and outreach.
  - Objective 2-2: Strengthen direct coordination among Los Angeles County Operational Area partners to unify efforts for mitigation activities.
  - Objective 2-3: Utilize a whole community approach to address disparities in outcomes posed by the hazards identified in this AHMP.
- **Goal 3: Enhance planning, response, and recovery through hazard identification, assessment, mitigation, and resilience activities.**

- Objective 3-1: Establish and maintain coordination between hazard mitigation activities and other emergency management functions.
- Objective 3-2: Integrate hazard mitigation activities into preparedness for future large-scale planned events within Los Angeles County.
- **Goal 4: Ensure eligibility for FEMA grant funding to maximize equitable investment in hazard mitigation actions.**
  - Objective 4-1: Continue to meet all requirements for existing hazard mitigation grant programs used by the County.
  - Objective 4-2: Expand the County's ability to participate in grant programs not currently utilized by the County.

### 7.2.1 Changes in Mitigation Goals

The AHMP Advisory Committee reviewed the 2020 AHMP goals and updated them to reflect the most current County concerns and priorities. Therefore, the 2025 AHMP has introduced new goals and objectives to build a more resilient community. Table 7-1 (below) compares the 2025 AHMP goals with previous 2020 AHMP goals; all other goals above are new goals and objectives developed by the AHMP Advisory Committee.

Mitigation priorities change through time depending on the type of disaster impacting Los Angeles County, vulnerability, the strategies implemented, as well as other needs of the community. Priorities are also made based on current countywide Threat and Hazard Identification and Risk Assessment (THIRA) studies, National Risk Index Assessment, State Hazard Mitigation Plan (SHMP) and other local plans and guides. The previous 2020 AHMP integrated hazard data into several operational plans including but not limited to the General Plan, Operational Area Emergency Operations Plan (OAEOP), amongst others. Addressing these changes will help to address Los Angeles County hazard priorities and to have mitigation strategies focused on the hazards that impact the region at most. The plan also added additional hazards and addressed a larger vulnerable population.

**Table 7-1 Mitigation Goal Updates**

Goals Addressed in 2020 AHMP	Goals for 2025-2030 Planning Period	Changes
Build a culture and practice disaster resilience	Goal 2 (see above).	Goal expanded; previous goal integrated as an

Goals Addressed in 2020 AHMP	Goals for 2025-2030 Planning Period	Changes
		objective under Goal 2 in the current AHMP.
Better plan for, respond to, and recover from, hazards and disasters including climate change, drought, earthquake, dam failure, flood, landslide, tsunami, and wildfire that affect Los Angeles County.	Goal 3 (see above).	Previous goal replaced with new goal.
More successfully adapt to hazards and disasters including climate change, drought, earthquake, dam failure, flood, landslide, tsunami, and wildfire that affect Los Angeles County.	Goal 1 (see above).	Previous goal replaced with new goal.

### 7.3 Existing Mitigation Capabilities

The mitigation strategies developed as part of this AHMP seek to maximize existing mitigation capabilities identified as currently available within the Los Angeles County Operational Area. These existing capabilities have been updated to reflect changes in human, technical, financial, legal, regulatory, education, and outreach resources since the 2020 AHMP.

### 7.3.1 Authorities, Policies, and Legal/Regulatory Resources

There are several existing authorities, policies, and other legal or regulatory resources applicable to hazard mitigation efforts in Los Angeles County. From the County Code of Ordinances to completed plans, these form the cornerstone of hazard mitigation activities by providing a foundation rooted in data, research, planning, Technical Ecological Knowledge (TEK) provided by our state and locally recognized indigenous communities, and elected officials' authority. The County aims to expand and improve upon these identified capabilities by adopting this AHMP, once approved, into the Safety Element of the Los Angeles County General Plan. This action will contribute to the County's ability to be considered for an additional cost-share on Public Assistance projects through the California Disaster Assistance Act. Table 7-2 provides an overview of existing capabilities related to authorities, policies, and legal/regulatory resources.

**Table 7-2 Authorities, Policies, and Legal/Regulatory Resources**

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
Los Angeles County Operational Area Emergency Operations Plan (2023)	Establishes the coordinated emergency management system within the Los Angeles County Operational Area to prepare for, respond to, and recover from the effects of large-scale emergencies regardless of cause, location, or complexity.	All-Hazard	No
Los Angeles County General Plan (2024)	Provides the policy framework for how and where the unincorporated County will grow through the year 2035.	All-Hazard	Yes
Los Angeles County Comprehensive Floodplain	Reviews existing floodplain management programs in the County and recommends enhancements to them through 35	Flood Land Movement	Yes

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
Management Plan (2021)	mitigation actions. This plan is currently being reviewed and updated with completion targeted for early 2026.		
Los Angeles County Comprehensive Floodplain Management Plan Repetitive Loss Area Analysis (2021)	Analyzes Repetitive Los Areas within Los Angeles County and fulfills Community Rating System requirements.	Flood Land Movement	Yes
County of Los Angeles Floodplain Management Plan Progress Report (2024)	Provides an annual update on the implementation of the action plan identified in the Comprehensive Floodplain Management Plan and on the implementation and evaluation of outreach projects.	Flood Land Movement	Yes
County of Los Angeles Repetitive Loss Area Analysis Progress Report (2023)	Provide an annual update on the implementation of the action plan identified in the Repetitive Loss Area Analysis to ensure there is a continuing and responsive planning process.	Flood	Yes
Los Angeles County Fire Plan (2023)	Describes the wildfire environment, history, and pre-fire management strategies to enhance the protection of lives, property, and natural resources from wildland fire.	Wildfire	Yes

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
Los Angeles County 2045 Climate Action Plan (2024)	Delineates the County's path toward meeting the goals of the Paris Agreement and achieving carbon neutrality for unincorporated Los Angeles County.	Wildfire Extreme Heat Drought Flooding	Yes
Our County: Los Angeles Countywide Sustainability Plan (2019)	Outlines how local governments and stakeholders can enhance the well-being of all County communities while adapting to climate change and reducing damage to the natural environment, particularly focusing on communities disproportionately burdened by pollution.	Wildfire Extreme Heat Drought Flooding	Yes
Los Angeles County Floodplain Management Ordinance	Aims to minimize public and private losses resulting from flood conditions via uniformly applied regulations in flood prone, mudflow, or flood related erosion areas.	Flood Land Movement	Yes
Los Angeles County Code - Title 32: Fire Code	To build a new structure (or an addition equal to or greater than 50% of existing square footage), the Los Angeles County Fire Code requires review of its location, type of construction, topography, slope, amount and arrangement of vegetation, and overall site	Wildfire	Yes

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
	settings—in order to create defensible space necessary for effective fire protection of homes in High Fire Severity Zones.		
Los Angeles County Code - Title 22: Planning and Zoning	Establishes the regulations governing land use and development and defines zoning for unincorporated Los Angeles County. Includes the Hillside Management Area Ordinance (Chapter 22.104), the Residential Design Standards Ordinance, and the Hillside Design Guidelines. These include requirements for development in Hillside Management Areas, which are defined as areas with 25% or greater natural slopes. The guidelines include specific and measurable design techniques that can be applied to residential, commercial, industrial, and other types of projects.	Wildfire Earthquake Land Movement	Yes
Los Angeles County Code - Title 31: Green Building Standards Code	Enhances the design and construction of buildings via building concepts with positive (or reduced negative) environmental impacts, and encourages sustainable construction practices	Extreme Heat Drought	Yes

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
	across planning and design, energy efficiency, water conservation, material and resource efficiency, and environmental air quality.		
Los Angeles County Brush Clearance Program	Legally declares both improved and unimproved properties a public nuisance, and where necessary, requires the clearance of hazardous vegetation thereby creating defensible space for effective fire protection of property, life, and the environment. The Brush Clearance Program is a joint effort between the County of Los Angeles Fire Department and the County of Los Angeles Department of Agricultural Commissioner/Weights and Measures, Weed Hazard, and Pest Abatement Bureau (Weed Abatement Division).	Wildfire	Yes
Los Angeles County Code - Title 26: Building Code	Provides minimum standards to regulate the design, construction, installation, quality of materials, use, occupancy, location, and maintenance of all buildings, structures, grading, and certain equipment. Regulates construction	Earthquake Wildfire	Yes

Authority, Policy, or Resource	Description	Hazards Addressed	Potential to Affect Development
	near a known active earthquake fault (Chapter 1, Section 113), the materials and construction methods for construction in a Wildland-Urban Interface (WUI) Fire Area (Chapter 7A), structural design as it relates to earthquake hazards (Chapter 16, Section 1613), repair of certain buildings in High Earthquake Damage Areas (Chapter 94), earthquake hazard reduction for concrete tilt-up buildings (Chapter 95) and unreinforced masonry buildings (Chapter 96), among others. The Building Code also includes provisions for emergency housing during a proclaimed emergency.		

### 7.3.2 Human and Technical Resources

Existing human and technical resources across County Departments enable the County to plan, manage, conduct, and execute its wide range of hazard mitigation activities. The resources below represent a high degree of expertise in all facets of hazard mitigation available to support mitigation activities. The County aims to expand and improve upon these identified capabilities by expanding potential hazard training opportunities available to the Los Angeles County Operational Area. Additionally, as various special events are scheduled in Los Angeles County over the next five years, the County should seek to expand coordination and technical resources related to mass violence, cyber, and other special event-related hazards.

Table 7-3 provides an overview of existing capabilities related to human and technical resources.

**Table 7-3 Human and Technical Resources**

Resource	Department/Agency	Principal Activities Related to Hazard Mitigation
Emergency Management Coordinator(s)	Los Angeles County Office of Emergency Management	<ul style="list-style-type: none"> <li>Maintains and updates the Los Angeles County Operational Area Emergency Operations Plan and Los Angeles County All-Hazard Mitigation Plan.</li> <li>Coordinates local response and recovery activities in the Emergency Operation Center and in the field.</li> <li>Works closely with local, state, and federal partners to support planning, training, exercise, public information, and resource coordination.</li> </ul>
Engineer(s), Building Inspector(s), Code Enforcement Officer(s), Fire Marshalls, and Other Technical Staff	Los Angeles County Public Works and Fire Department	<ul style="list-style-type: none"> <li>Oversees the effective, efficient, fair, and safe enforcement of County of Los Angeles Building and Fire Codes.</li> </ul>
Engineer(s), Construction Project Managers, and Other Technical Staff	Los Angeles County Public Works	<ul style="list-style-type: none"> <li>Provides direct (or contract) civil, structural, and mechanical engineering services, including contract, project, and construction management.</li> </ul>
Engineer(s), Project	Los Angeles County Public Works	<ul style="list-style-type: none"> <li>Maintains and operates a wide range of local equipment and facilities and assists members of the public by</li> </ul>

Resource	Department/Agency	Principal Activities Related to Hazard Mitigation
Manager(s), Equipment Operators, Maintenance and Construction Staff, and Other Technical Staff		providing sufficient clean fresh water, reliable sewer services, street maintenance, storm drainage systems, street cleaning, streetlights, and traffic signals.
Floodplain Administrator	Los Angeles County Public Works	<ul style="list-style-type: none"> <li>Enforces the floodplain management ordinance ensuring that development proposals do not increase flood risk and that new developments are not located below the 100-year flood level. In addition, the floodplain administrator is responsible for planning and managing flood risk reduction projects throughout Los Angeles County.</li> </ul>
Planner(s), Engineer(s), and Technical Staff	Los Angeles County Department of Regional Planning	<ul style="list-style-type: none"> <li>Develops and maintains the Los Angeles County General Plan, including the Safety Element.</li> <li>Develops area plans based on the Los Angeles County General Plan to provide more specific guidance for the development of more specific areas.</li> <li>Reviews proposed development, capital improvements, and other physical projects involving property for consistency and conformity with the Los Angeles County General Plan.</li> <li>Anticipates and acts on the need for applicable new plans, policies, and code changes.</li> </ul>

Resource	Department/Agency	Principal Activities Related to Hazard Mitigation
		<ul style="list-style-type: none"> <li>Applies the approved plans, policies, code provisions, and other regulations to proposed land uses.</li> </ul>
Procurement Services Manager	Los Angeles County Internal Services Department	<ul style="list-style-type: none"> <li>Provides a full range of municipal financial services and administers several licensing measures.</li> </ul>
Comptroller Personnel	Los Angeles County Auditor - Controller	<ul style="list-style-type: none"> <li>Provides financial and grant services.</li> </ul>
County Counsel Personnel	Los Angeles County Counsel	<ul style="list-style-type: none"> <li>Provides legal services for the County.</li> </ul>
Fire Department Personnel	Los Angeles County Fire Department	<ul style="list-style-type: none"> <li>Provides fire protection services including response, fire prevention, and mitigation activities for the County.</li> </ul>
Sheriff's Department Personnel	Los Angeles County Sheriff's Department	<ul style="list-style-type: none"> <li>Provides law enforcement services in the County.</li> </ul>

### 7.3.3 Financial Resources and Programs

There are many existing financial resources, grant programs, and other funding mechanisms that enable current and future hazard mitigation activities. Sources for these resources and programs vary widely from local funding out of the County's General Fund to state and federal programs that aim to help local jurisdictions accomplish their hazard mitigation goals. The amount of funding available is variable and project-specific for many of these programs. Similarly, grant awards are based on the specific projects that are identified as the basis for the grant application. Table 7-4 provides an overview of existing capabilities related to financial resources and programs.

**Table 7-4 Financial Resources and Programs**

Resource or Program	Administrator	Purpose
General Fund	Chief Executive Office	Program operations and specific projects.
General Obligation Bonds	Auditor - Controller	General obligation bonds are appropriately used for the construction and/or acquisition of improvements to real property broadly available to residents and visitors. Such facilities include but are not limited to: libraries, hospitals, parks, public safety facilities, and cultural and educational facilities.
Special Tax and Revenue Bonds	Controller	Revenue bonds are used to finance capital projects that: <ol style="list-style-type: none"> <li>1. Have an identified budgetary stream for repayment (e.g., specified fees, tax receipts);</li> <li>2. Generate project revenue but rely on a broader pledge of general fund revenues to reduce borrowing costs; or</li> <li>3. Finance the acquisition and installation of equipment for the local jurisdiction's general governmental purposes.</li> </ol>
Vegetation Management Program	Cal FIRE	Cost-sharing program between Cal FIRE and private landowners, which focuses on the use of prescribed fire and/or mechanical means, for addressing wildland fire fuel hazards and other resource management issues on State Responsibility Area (SRA) lands.
Wildfire Emergency and Mitigation Funds	Cal FIRE	Administers funding from FEMA, Bureau of Land Management, and U.S. Forest Service for

Resource or Program	Administrator	Purpose
		certain types of wildfire emergency and mitigation funding.
California Residential Mitigation Program	California Earthquake Authority	Created by the California Earthquake Authority and the Governor's Office of Emergency Services, "Earthquake Brace + Bolt: Funds to Strengthen Your Foundation" is the first incentive program offered by the California Residential Mitigation Program.
Public Health Emergency Preparedness Cooperative Agreement	Center for Disease Control and Prevention	Funds are intended to upgrade state and local public health jurisdictions' preparedness and response to bioterrorism, outbreaks of infectious diseases, and other public health threats and emergencies.
Hazard Mitigation Grant Program (HMGP)	FEMA	Administered by the California Governor's Office of Emergency Services (Cal OES), HMGP supports pre- and post-disaster mitigation plans and projects available to California communities after a presidentially declared disaster has occurred in California.
Pre-Disaster Mitigation (PDM) Grant Program	FEMA	Available annually as a nationally competitive Cal OES grant, the PDM Grant Program supports pre-disaster mitigation plans and projects.
Flood Mitigation Assistance (FMA) Grant Program	FEMA	Available annually as a nationally competitive Cal OES grant, the PDM Grant Program supports pre-disaster mitigation plans and projects.
Homeland Security	FEMA	Builds and sustains preparedness technical assistance activities in support of the four

Resource or Program	Administrator	Purpose
Preparedness Technical Assistance Program		homeland security mission areas (i.e., prevention, protection, response, recovery) and homeland security program management.
Assistance to Firefighters Grant Program	FEMA/U.S. Fire Administration	Provides equipment, protective gear, emergency vehicles, training, and other resources needed to protect the public and emergency personnel from fire and related hazards. Available to fire departments and nonaffiliated emergency medical services providers.
Land and Water Conservation Funds	U.S. Department of the Interior	Supports the protection of federal public lands and waters and voluntary conservation on private land.
Community Action for a Renewed Environment	U.S. Environmental Protection Agency (EPA)	Offers means by which communities may organize/take action to reduce toxic pollution (e.g., in stormwater, etc.) through financial and technical assistance. Communities create partnerships that implement solutions to reduce releases of toxic pollutants and that minimize toxic exposures.
Clean Water State Revolving Fund	EPA	A loan program that provides low-cost financing to eligible entities on state and tribal lands for water quality projects, including all types of non-point source, watershed protection or restoration, estuary management projects, and more traditional municipal wastewater treatment projects.

Resource or Program	Administrator	Purpose
Community Block Grant Program Entitlement Communities Grants	U.S. Department of Housing and Urban Development	Acquisition of real property, relocation and demolition, rehabilitation of residential and non-residential structures, construction of public facilities and improvements (e.g., water/sewer facilities, streets, neighborhood centers, etc.), and the conversion of school buildings for eligible purposes.
High Hazard Potential Dams (HHPD) Grant Program	FEMA	Provides technical, planning, design, and construction assistance in the form of grants for the rehabilitation of eligible high hazard potential dams.
State and Local Cybersecurity Grant Program	FEMA	Provides funding to eligible entities to address cybersecurity risks and threats to information systems owned or operated by, or on behalf of, state, local, or tribal governments.

### 7.3.4 Education and Outreach Resources

Engagement with the communities of Los Angeles County is an important component of mitigation efforts. The County of Los Angeles has multiple methods, formats, and venues to conduct outreach with community members and provide education on the hazard landscape in Los Angeles County. These activities ensure mitigation efforts align with community goals and include community input. Table 7-5 shows a list of existing resources for education and outreach.

**Table 7-5 Education and Outreach Resources**

Resource or Program	Agencies Potentially Involved	Purpose
Preparedness Fairs	Office of Emergency Management, Fire	Engage with community members to provide education

Resource or Program	Agencies Potentially Involved	Purpose
	Department, Sheriff's Department, Public Works, Board of Supervisors	on hazards found in Los Angeles County and emergency preparedness for homes and businesses.
Personal Disaster Impact Surveys	Office of Emergency Management	Receive input and feedback on the hazard landscape from community members in Los Angeles County to inform the 2025 AHMP.
AHMP Draft Review Surveys	Office of Emergency Management	Receive input and feedback on sections of the AHMP from community members in Los Angeles County.
Homeless Outreach Services Team (HOST)	Sheriff's Department, Homelessness Services Organizations	Conduct outreach to People Experiencing Homelessness in areas prone to wildfires or flooding based on weather conditions.
Community Emergency Response Teams (CERT)	Fire Department	Educate community members about disaster preparedness and response in their communities.
Explorer Programs	Fire Department, Sheriff's Department	Educate youth about disaster preparedness and response in their communities.
Youth Climate Commission	Chief Sustainability Office	Educate and obtain input from youth on climate change impacts and mitigation efforts.

### 7.3.5 National Flood Insurance Program Participation

The National Flood Insurance Program (NFIP) is administered by FEMA and provides affordable flood insurance to participating communities through a network of insurance providers. NFIP regulations must be enforced in Special Flood Hazard Areas (SFHAs). Flood insurance is required for structures in SFHAs with federally backed loans (e.g., most mortgages, Small Business Administration (SBA) loans) and FEMA grants along with any structures with SBA loans, regardless of flood zone. Flood insurance is required to be maintained for the life of the federally backed loan and in perpetuity, regardless of change in ownership, in the case of FEMA grants.

The Los Angeles County Board of Supervisors adopted the County Floodway Ordinance (Los Angeles County Code Title 11, Chapter 11.60) in March 1980. This ordinance included the first County Floodway Maps and paved the way for the County to begin participation in NFIP on behalf of unincorporated residents. The County's participation means that residents (owners and renters) in the unincorporated communities within Los Angeles County are eligible for NFIP flood insurance and Federal flood disaster assistance. The first FEMA Flood Insurance Rate Maps (FIRMs) became effective on December 2, 1980. Since 1980, the County has continued robust participation in NFIP. The FEMA FIRMs were digitized in September 2008 and have been revised over the years by numerous Letters of Map Change and by large-scale Physical Map Revisions for the Ballona Creek watershed and several watersheds in the Santa Monica Mountains (Triunfo Creek, Topanga Canyon and others) in December 2018, the Los Angeles County coastline in April 2021, and the Santa Clara River watershed in June 2021. These maps are available to the public on the Los Angeles County Public Works (PW) website at [dpw.lacounty.gov/floodzone](http://dpw.lacounty.gov/floodzone).

Los Angeles County also participates in the NFIP's Community Rating System (CRS) program. The CRS program is a voluntary program for communities that engage in community floodplain management activities, which exceed the minimum NFIP standards. CRS communities benefit from a discount on flood insurance rates and improved floodplain management programs. CRS uses a class rating system between 1 and 9 to determine flood insurance premium reductions for residents. As of April 1, 2022, Los Angeles County is a Class 6 CRS community; therefore homeowners and

renters who live in a SFHA can receive up to a 20% discount on their flood insurance policies.

The County's implementation and enforcement of local floodplain management regulations for development in SFHAs are covered in Los Angeles County Building Codes with the most recent update completed in 2023. Title 26, Chapter 1, includes requirements for development within flood hazard areas. Other relevant ordinances include other chapters in Title 26 (Building Code) along with Titles 27 (Electrical Code), Title 28 (Plumbing Code), Title 29 (Mechanical Code), Title 30 (Residential Code), and Title 33 (Existing Building Code). Implementation and enforcement are also covered in the Los Angeles County Subdivision Code (Title 21) and Planning and Zoning Code (Title 22). The NFIP for unincorporated communities is administered by the Department of Public Works (LACPW) Stormwater Engineering Division, which serves as the County's floodplain manager, coordinates with LACPW's Building and Safety and Land Development Divisions and with the Los Angeles County Department of Regional Planning in their enforcement of the County's floodplain management regulations, and participates in FEMA's Community Assisted Visits, which typically occur on a 5-year cycle.

LACPW continues to enforce NFIP regulations for building permit applications determined by Building and Safety officials to be substantial improvement or repair of substantial damage. Los Angeles County also requires all residential buildings undertaking substantial improvement to have their lowest floor elevated 1 foot above the 100-year flood elevation. Additionally, Los Angeles County conducted a Repetitive Loss Area Analysis in 2020, which serves as a specific plan for reducing damage from flooding in repetitive loss areas.

After an event, Public Works staff assess the unincorporated area buildings within the extent of the event. The assessment will identify the buildings that appear to have damages affecting 50 percent or greater of the building. If such a building is in flood-prone areas identified by FEMA's Flood Insurance Rate Maps, County maps (Floodway Maps or Assessor's Maps), or identified by Public Works to be in a Repetitive Loss Area, will undergo further evaluation by Public Works staff on whether the building meets FEMA's definition of substantial improvement/substantial damage (SI/SD). A building that meets FEMA's SI/SD definition will be required to have the entire building upgraded to meet National Flood Insurance Program (NFIP) standards ([Title 44](#), Code

of Federal Regulations, Section 60.3). Los Angeles County Code Title 26, Section 110.1 requires the County to enforce as a minimum the current Federal Flood Plain Management Regulations defined in [Title 44](#), Code of Federal Regulations, Section 60.3, for buildings, structures, and grading located in whole or in part in flood hazard areas. (Ord. 2013-0048 § 2, 2013; Ord. 2010-0053 § 2, 2010; Ord. 95-0065 § 3 (part), 1995.)

## 7.4 Identification and Analysis of Mitigation Strategies

Potential mitigation actions were identified for each hazard identified in Section 6 in an effort to ensure as comprehensive a mitigation strategy as possible. Multiple mitigation options were then analyzed against the goals and objectives delineated in this section with a focus on new and existing buildings. A combination of new and ongoing mitigation actions aimed at reducing the effects of the identified hazards were compiled into the list of mitigation actions in the following subsection. This list includes a wide range of potential types of mitigation actions, including:

- Local Plans and Regulations.
- Structure and Infrastructure Projects.
- Natural Systems Protection.
- Education and Awareness Programs.

A notable update to the 2025 AHMP was the integration of human-caused threats and corresponding potential mitigation actions. The AHMP Planning Team also reviewed FEMA's Mitigation Ideas document to incorporate national best practices in the list of potential mitigation actions.

## 7.4.1 Mitigation Strategies

<b>01</b>	<b>Title: Support and Expand Countywide Vegetation Management and Fire Prevention Efforts</b>
<i>Source:</i> Los Angeles County Fire Department	
<i>Type:</i> Natural Systems Protection	
<i>Description:</i> Conduct passive protection measures such as creating defensible space buffers around residential and non-residential structures through the removal of flammable vegetation, managing and/or reducing hazardous fuels, creating firebreaks, fire-resistive landscaping and construction, and clearing dead vegetation, among others. Engage indigenous communities to inform vegetation management and fire prevention practices aligned with Traditional Ecological Knowledge (TEK).	<b>Hazard: Wildfire</b>
	<b>Hazard: Severe Wind/Tornado</b>

<b>02</b>	<b>Title: Enhance Community Engagement in Wildfire Protection and Prevention</b>
<i>Source:</i> Los Angeles County Department of Regional Planning	
<i>Type:</i> Education and Awareness Programs	
<i>Description:</i> Engage residents and businesses in high fire risk communities to educate them on community-focused mitigation and risk reduction strategies, emergency preparedness and evacuation readiness, and opportunities to get involved in fire safety-related community initiatives. Engage indigenous communities to inform protection and prevention practices aligned with Traditional Ecological Knowledge (TEK).	<b>Hazard: Wildfire</b>
	<b>Hazard: Severe Wind/Tornado</b>

<b>03</b>	<b>Title: Perform Post-Fire Flooding, Debris Flow, and Mud Flow Risk Assessments and Mitigation Activities</b>
Source: Los Angeles County Department of Public Works	
Type: Structure and Infrastructure Projects	
Description: Following a wildfire, assess burn scar for significant mud and debris flow risks to produce mud and debris flow phase maps for first responding agencies to prepare for potential evacuations. Recommend mitigation strategies to prevent mud and debris flow impacts.	Hazard: <b>Wildfire</b>
	Hazard: <b>Flooding</b>

<b>04</b>	<b>Title: Strengthen Operational Continuity Capabilities for Critical Facilities</b>
Source: Los Angeles County Department Public Health, among others.	
Type: Structure and Infrastructure Projects	
Description: Conduct robust continuity planning to ensure the continued performance of essential functions in the event critical facilities are impacted by various hazards. Build capabilities that support operational continuity such as alternate or uninterrupted power supply, workforce development and cross-training, emergency communications, and data backup or failover hardware.	Hazard: <b>Wildfire</b>
	Hazard: <b>Extreme Heat</b>
	Hazard: <b>Severe Wind/Tornado</b>
	Hazard: <b>Cyber Incidents</b>

<b>05</b>	<b>Title: Incorporate Hazards in Local Planning, Land Use, and Development Codes</b>
Source: Los Angeles County Department of Public Works and Regional Planning	
Type: Local Planning and Regulations	
Description: Develop, maintain, and leverage opportunities to strengthen relevant ordinances that govern land use, building codes, and development in high-risk hazard areas. Incorporate mitigation actions in community planning such as Community Wildfire Plans, Flood Management Plans, and the County General Plan, among many others.	Hazard: <b>Wildfire</b>
	Hazard: <b>Earthquake</b>
	Hazard: <b>Land Movement</b>
	Hazard: <b>Severe Wind/Tornado</b>
	Hazard: <b>Flooding</b>

<b>06</b>	<b>Title: Increase Public Awareness of Climate Change Effects on Local Hazards</b>
Source: Los Angeles County Chief Sustainability Office	
Type: Education and Awareness Programs	
Description: Engage with communities on ways climate change impacts various natural hazards along with mitigation actions and available resources for climate adaptation and resilience. Efforts should focus on how communities can take action or support existing County programs including funding available to the public. Public engagement efforts should be accessible, ensure people with Access and Functional Needs are included in outreach, and use materials with multiple language options.	Hazard: <b>Wildfire</b>
	Hazard: <b>Extreme Heat</b>
	Hazard: <b>Drought</b>
	Hazard: <b>Land Movement</b>
	Hazard: <b>Severe Wind/Tornado</b>
	Hazard: <b>Flooding</b>

<b>07</b>	<b>Title: Expand Stormwater Management, Drainage, and Outlet Planning</b>
<i>Source:</i> Los Angeles County Department of Public Works	
<i>Type:</i> Local Planning and Regulations	
<i>Description:</i> Continue robust stormwater management programs. Conduct studies to inform measures to improve outlet and drainage planning and prevent flood damage to communities in high-risk areas. These efforts should also prevent flood damage to County-maintained roadways, including evacuation egress and emergency services ingress, while supporting potential groundwater recharge.	<i>Hazard:</i> <b>Flooding</b>
	<i>Hazard:</i> <b>Drought</b>
	<i>Hazard:</i> <b>Transportation Incident</b>

<b>08</b>	<b>Title: Construct and Maintain Localized Flood Control Improvements</b>
<i>Source:</i> Los Angeles County Department of Public Works	
<i>Type:</i> Structural and Infrastructure Projects	
<i>Description:</i> Maintain existing flood control mechanisms by drainage system maintenance, sediment and debris clearance, and other actions. Leverage opportunities to construct flood control improvements.	<i>Hazard:</i> <b>Flooding</b>

<b>09</b>	<b>Title: Preserve Floodplains as Public Use Open Spaces</b>
<i>Source:</i> Los Angeles County Department of Public Works, among others.	
<i>Type:</i> Natural Systems Protections	
<i>Description:</i> Preserve and expand public use open spaces that capture stormwater with the aim of reducing localized flooding while also providing green space and recreational opportunities to communities. Prioritize floodplains and watersheds in County-owned public use open spaces near flood risk areas. Use stormwater best management practices in projects involving open spaces to support natural water collection and conservation. Incorporate floodplain preservation into future park improvements.	<i>Hazard:</i> <b>Flooding</b>

<b>10</b>	<b>Title: Harden Critical Facilities and Infrastructure from Seismic Damage</b>
<i>Source:</i> Los Angeles County Department of Public Works	
<i>Type:</i> Structure and Infrastructure Projects	
<i>Description:</i> Conduct seismic assessments to prioritize retrofitting and other seismic mitigation actions such as bracing or seismic shutoff valves. Efforts should focus on critical facilities for community lifelines such as hospitals, public safety facilities, utility sites, high-hazard potential dams, and transportation assets (i.e., bridges, roadways, airports, and others).	<i>Hazard:</i> <b>Earthquake</b>
	<i>Hazard:</i> <b>Land Movement</b>
	<i>Hazard:</i> <b>Dam Failure</b>

<b>11</b>	<b>Title: Prevent Impacts to the Transportation System</b>
Source: Los Angeles County Department of Public Works	
Type: Structure and Infrastructure Projects	
<p>Description: Hazard impacts to the transportation system in Los Angeles County have far-reaching potential for cascading effects across multiple lifelines. Mitigation activities for multiple hazards should focus on preventing or lessening impacts to transportation. Activities may include stabilization efforts along County-maintained roads, reinforcing transportation assets, or other seismic mitigation actions.</p>	Hazard: <b>Earthquake</b>
	Hazard: <b>Land Movement</b>
	Hazard: <b>Transportation Incident</b>

<b>12</b>	<b>Title: Continue Efforts to Enhance Dam Safety and Reduce Long-Term Vulnerabilities with High Hazard Potential Dams</b>
Source: Los Angeles County Department of Public Works	
Type: Structure and Infrastructure Projects	
<p>Description: Upgrade infrastructure to ensure the long-term integrity and safe operation of County-owned dam facilities. Potential actions could include strengthening of dams, sediment management activities, regular inspections, continuous maintenance, integrating advanced technologies, and emergency preparedness efforts.</p>	Hazard: <b>Earthquake</b>
	Hazard: <b>Dam Failure</b>

<b>13</b>	<b>Title: Assess Water Resilience in Los Angeles County</b>
Source: Los Angeles County Department of Public Works	
Type: Local Planning and Regulations	
<p>Description: Conduct assessments and studies to monitor the water supply and develop recommendations for other water systems. Identify potential secondary water sources or other contingency measures for ensuring water system resilience during drought conditions.</p>	Hazard: <b>Drought</b>

<b>14</b>	<b>Title: Expand Drought-Tolerant Landscaping and Design</b>
Source: Los Angeles County Chief Sustainability Office and Department of Regional Planning	
Type: Natural Systems Protection	
<p>Description: Integrate drought mitigation into landscaping and design measures undertaken by the County. Prioritize native and drought-tolerant plants when selecting landscaping designs. Use permeable materials for pavers, driveways, walkways, and roadways to reduce runoff and promote groundwater recharge that incorporate indigenous-informed practices aligned with Traditional Ecological Knowledge (TEK).</p>	Hazard: <b>Drought</b>

<b>15</b>	<b>Title: Address Urban Heat Islands by Investing in Green Infrastructure and Cooling Strategies</b>
<i>Source:</i> Los Angeles County Chief Sustainability Office, Department of Regional Planning, Department of Economic Opportunity, Department of Public Health, and Department of Public Works, among others.	
<i>Type:</i> Local Planning and Regulations	
<p><i>Description:</i> Increase shade cover provided by vegetation such as planting native and drought-tolerant trees along with smaller plants such as shrubs, grasses, and groundcover. Increase the tree canopy in County parks and open concrete or asphalt spaces in the public right of way or County-owned parking lots. Conduct assessments to identify communities considered urban heat islands that are at highest need for an increase in tree canopy or other heat mitigation activities. Advance cooling strategies such as constructing shade structures, installing splash pads, operating cooling centers, modernizing air conditioning systems, and expanding the availability of cool roofing infrastructure that reflects heat away from buildings. Ensure mitigation actions address heat impacts faced by people with Access and Functional Needs. Many of these actions have a secondary benefit mitigating the effects of climate change by promoting carbon sequestration, the capture and storage of CO2 from the atmosphere. Additionally, increasing green space and shade cover in urban areas can advance environmental justice.</p>	<i>Hazard: Extreme Heat</i>

<b>16</b>	<b>Title: Increase Coastal Resilience, Prevent Erosion, and Protect Shorelines</b>
<i>Source:</i> Los Angeles County Chief Sustainability Office and Department of Beaches and Harbors	
<i>Type:</i> Natural Systems Protection	
<p><i>Description:</i> Conduct activities to replace sediment lost due to erosion or coastal storms. Assess the need for other sediment protection measures such as planting certain types of vegetation. Consider activities that prevent wind from blowing sand off beaches and impacts from storm surge in high-risk areas. These actions help protect coastal roadways and other infrastructure along with ensuring recreation opportunities remain for residents and visitors.</p>	<i>Hazard: Flooding</i>
	<i>Hazard: Tsunami</i>

<b>17</b>	<b>Title: Conduct Multi-Discipline Training and Exercise Programs</b>
<i>Source:</i> Los Angeles County Sheriff's Department and Office of Emergency Management	
<i>Type:</i> Education and Awareness Programs	
<p><i>Description:</i> Identify opportunities for joint training and exercises for mass violence and cyber incident response across disciplines of law enforcement, fire and emergency medical services, medical examiner, private sector, and others. Each training and exercise should include mass violence rescue and evacuation techniques for AFN populations.</p>	<i>Hazard: Mass Violence</i>
	<i>Hazard: Cyber Incidents</i>

<b>18</b>	<b>Title: Strengthen Partnerships and Coordination Among Local Agencies</b>
<i>Source:</i> Los Angeles County Sheriff's Department and Office of Emergency Management	
<i>Type:</i> Education and Awareness Programs	
<i>Description:</i> Expand collaborative agreements with other agencies to share resources during large-scale emergencies. Strengthen partnerships with local agencies for resource sharing. Enhance response capabilities during major incidents.	<i>Hazard: Mass Violence</i>
	<i>Hazard: Cyber Incidents</i>

<b>19</b>	<b>Title: Incorporate Mass Violence Prevention and Mitigation Efforts into Special Event Planning</b>
<i>Source:</i> Los Angeles County Sheriff's Department and Office of Emergency Management	
<i>Type:</i> Education and Awareness Programs	
<i>Description:</i> Use physical security measures such as bollards, water-filled barricades, vehicle barriers, and others. Identify mitigation measures for upcoming special events such as the World Cup, Super Bowl, and Olympics. Conduct special event training on topics such as crowd management, sporting event safety, and stadium evacuation. Incorporate Family Assistance Center readiness into special event planning.	<i>Hazard: Mass Violence</i>

<b>20</b>	<b>Title: Extreme Heat Risk Education and Safety Outreach for Residents and Vulnerable Workers</b>
<i>Source:</i> Los Angeles County Chief Sustainability Office, Department of Economic Opportunity, Department of Public Health, and Department of Public Works	
<i>Type:</i> Education and Awareness Programs	
<i>Description:</i> Implement outreach and education to workers in low-wage and high hazard industries in LA County that are disproportionately impacted by extreme heat. Partner with organizations providing services to people with Access and Functional Needs on heat response strategies. Expand awareness of cooling centers and other heat respite options for unhoused populations. Increase workforce development opportunities to expand the availability of green infrastructure.	<i>Hazard: Extreme Heat</i>

<b>21</b>	<b>Title: Increase Field Response and Coordination Capabilities</b>
<i>Source:</i> Los Angeles County Sheriff's Department and Office of Emergency Management	
<i>Type:</i> Education and Awareness Programs	
<i>Description:</i> Enhance field coordination capabilities at large-scale planned events and no-notice incidents such as wildfires, mass violence, and others. Potential actions could include investments in new redundant communications systems, response vehicles, alert and warning capabilities, and other field operations equipment.	<i>Hazard: Wildfire</i>
	<i>Hazard: Mass Violence</i>

<b>22</b>	<b>Title: Strengthen Public Health Prevention and Preparedness Measures</b>
Source: Los Angeles County Office of Emergency Management, Department of Public Health, Department of Health Services, and Fire Department	
Type: Education and Awareness Programs	
Description: Continue and expand mass vaccination and immunization efforts. Coordinate healthcare surge preparedness and response efforts. Conduct disease surveillance, monitor early warning systems, and coordinate outbreak response. Educate communities and businesses about health implications related to wildfire recovery and hazardous materials. Liaise with health system partners to understand hospital surge capacity within the County. Maintain and deploy emergency stockpiles. Incorporate potential climate change-related infectious disease implications into public health preparedness planning.	<b>Hazard: Public Health Emergencies</b>

### 7.5 Status of Previous Mitigation Efforts

Table 7-6 below shows the status of mitigation strategies described in the 2020 AHMP. Departments have made significant progress on some of these mitigation strategies, partially but not fully completing some of these efforts. As such, each strategy from the 2020 AHMP have been rolled into the mitigation strategies described in this section.

**Table 7-6 Status of Mitigation Efforts**

2020 AHMP Strategy	Status	2025 AHMP Strategy
Red Flag Warning Public Outreach	Not Completed/ Ongoing	Enhance Community Engagement in Wildfire Protection and Prevention

2020 AHMP Strategy	Status	2025 AHMP Strategy
Vegetation Management Program	Not Completed/ Ongoing	Support and Expand Countywide Vegetation Management and Fire Prevention Efforts
Fireproof Coating of Critical Facilities	Not Completed/ Ongoing	Enhance Community Engagement in Wildfire Protection and Prevention
Auxiliary Power for Critical Facilities	Not Completed/ Ongoing	Strengthen Operational Continuity Capabilities for Critical Facilities
Earthquake-Resistant Ductile Iron Pipes Replacement	Not Completed/ Ongoing	Harden Critical Facilities and Infrastructure from Seismic Damage
Watershed Ecosystem Restoration	Not Completed/ Ongoing	Preserve Floodplains as Public Use Open Spaces
Green Streets / Living Streets	Not Completed/ Ongoing	Expand Drought-Tolerant Landscaping and Design
Coordinated Data Collection and Database Systems	Not Completed/ Ongoing	Strengthen Partnerships and Resource Coordination Among Local Agencies
Brush Clearance Program	Not Completed/ Ongoing	Support and Expand Countywide Vegetation Management and Fire Prevention Efforts
Wildland Urban-Interface Ordinance	Not Completed/ Ongoing	Incorporate Hazards in Local Planning, Land Use, and Development Codes
Urban Forest Management Plan	Not Completed/ Ongoing	Address Urban Heat Islands by Investing in Green Infrastructure and Cooling Strategies

2020 AHMP Strategy	Status	2025 AHMP Strategy
Community Wildfire Protection Plans	Not Completed/ Ongoing	Incorporate Hazards in Local Planning, Land Use, and Development Codes
Pre-Disaster Professional Support	Not Completed/ Ongoing	Strengthen Operational Continuity Capabilities for Critical Facilities
Fuel Trailer Project	Not Completed/ Ongoing	Strengthen Operational Continuity Capabilities for Critical Facilities

### 7.6 Prioritization and Implementation of Mitigation Actions

Potential mitigation actions were prioritized using the FEMA National Risk Index (NRI) score and information from the 2024 Los Angeles Threat and Hazard Identification and Risk Assessment (THIRA), which both address hazards by frequency, severity, and impact. Both the NRI and THIRA follow established processes and use a standardized risk assessment methodology. The NRI incorporates multiple variables including physical impacts posed by hazards in addition to social vulnerability data that communicates risks specific to a certain community. Table 7-7 provides an overview of the NRI results for Los Angeles County across 18 hazards. Hazards rated as Relatively Low, Not Applicable, or No Rating were not included in this AHMP as they are uncommon in frequency in Los Angeles County; all other hazards are covered in this plan.

**Table 7-7 FEMA National Risk Index Hazards**

Hazard	NRI Score (out of 100.0)	Score Description	Covered in Plan?
Earthquake	100.0	Very High	Yes   Section 6.3
Wildfire	99.9	Very High	Yes   Section 6.2
Extreme Heat	98.4	Relatively High	Yes   Section 6.4
Tornado	97.6	Relatively High	Yes   Section 6.10

Hazard	NRI Score (out of 100.0)	Score Description	Covered in Plan?
Landslide	96.3	Relatively High	Yes   Section 6.8
Lightning	95.0	Relatively High	Yes   Section 6.2/ 6.6
Riverine Flooding	90.8	Relatively Moderate	Yes   Section 6.6
Drought	73.8	Relatively Moderate	Yes   Section 6.5
Strong Wind	73.5	Relatively Moderate	Yes   Section 6.10
Tsunami	63.5	Relatively Moderate	Yes   Section 6.10
Winter Weather	48.6	Relatively Low	Not Prioritized
Hail	48.1	Relatively Low	Not Prioritized
Coastal Flooding	43.3	Very Low	Not Prioritized
Avalanche	33.7	Very Low	Not Prioritized
Cold Wave	0.0	No Rating	Not Prioritized
Hurricane	N/A	Not Applicable	Not Prioritized
Ice Storm	N/A	Not Applicable	Not Prioritized
Volcanic Activity	N/A	Not Applicable	Not Prioritized

The THIRA is a process that communities undertake to assess risk and set capability targets to focus their preparedness efforts and strengthen response and recovery capabilities. There are three primary focuses of the THIRA: threat and hazard identification, impacts analyses that include the specific demographics of the community, and a description of existing response and recovery capabilities. The 2024 Los Angeles/Long Beach THIRA was reviewed as part of this hazard mitigation planning effort and all threats and hazards identified were included as part of this AHMP. Additionally, the THIRA's identification of several human-caused threats with potential to impact Los Angeles County influenced the decision to include such threats in this AHMP. Table 7-8 shows a crosswalk of the hazards and threats identified in the THIRA and their corresponding sections in this AHMP.

**Table 7-8 2024 THIRA and 2025 AHMP Crosswalk**

2024 THIRA Hazard/Threat Name	2025 AHMP Hazard/Threat Name	Covered in Plan?
Biological Attack	Public Health Emergencies	Yes   Section 6.14
Complex Coordinated Terrorist Attack	Mass Violence	Yes   Section 6.11
Cyber Attack	Cyber Incident	Yes   Section 6.12
Earthquake	Earthquake	Yes   Section 6.3
Flood	Flooding	Yes   Section 6.6
Pandemic - Human	Public Health Emergencies	Yes   Section 6.14
Radiological Attack	Public Health Emergencies	Yes   Section 6.14
Transportation Accident	Transportation Incident	Yes   Section 6.13
Wildfire	Wildfire	Yes   Section 6.2

Additional criteria used to prioritize potential mitigation actions also included the following components:

- Actions that prioritize equity and integrate vulnerable populations, including people with AFN.
- Potential benefits of the action to prevent a major hazard.
- Actions that have social support to build a culture and practice of resilience.
- Cost of the action versus the potential benefit to prevent a major hazard.
- Availability of funding and actions that support grant requirements.
- Political support to remedy or prevent a major health or safety hazard.
- Actions that are technically, legally, environmentally, and economically feasible.
- Actions that the County has the administrative capabilities to implement.
- Actions that are related to mitigating long-term vulnerabilities to County-owned High Hazard Potential Dams will automatically be given a HIGH priority.

### 7.6.1 Priority Levels

- **High-Priority Mitigation Actions:** are essential and require immediate attention to address critical risks and safeguard life, property, or essential systems.

- **Medium-Priority Mitigation Actions:** are important but less urgent, supporting overall risk reduction and resilience goals while allowing for planned implementation.
- **Low-Priority Mitigation Actions:** address lower-risk concerns or long-term objectives and can be deferred without immediate impact to safety or core functions.

### 7.6.2 Changes in Criteria

The 2014 Los Angeles County AHMP's Mitigation Action Matrix was prioritized using the Social, Technical, Administrative, Political, Legal, Environmental, and Economic (STAPLEE) method, which FEMA had recommended as a prioritization procedure in the early to mid-2000s. The 2020 AHMP replaced the use of STAPLEE with a more streamlined prioritization process that included the following:

- To remedy or prevent a major health/safety hazard, a mitigation project must have political support.
- To build a culture and practice of disaster resilience, a mitigation project must have social support.
- To meet FEMA HMA grant criteria, a mitigation project must be technically, legally, environmentally, and economically feasible and the jurisdiction must have the administrative capabilities to implement it.

This prioritization method used in the 2020 AHMP has been adapted and incorporated into the prioritization criteria described previously in Section 7.6.

### 7.7 Integration with Other Plans

The County of Los Angeles ensures that mitigation is a countywide effort with multiple departments contributing to critical activities that reduce hazard risks. These actions are captured in other discipline-specific plans in addition to the AHMP, including those listed in Table 7-9.

**Table 7-9 AHMP Integration with Other Plans**

Plan	Authored By	Hazard(s)	Covered in Plan?
Comprehensive Floodplain Management Plan	Los Angeles County Department of Public Works	Flood	Yes
Repetitive Loss Area Analysis Report	Los Angeles County Department of Public Works	Flood	Yes
Climate Action Plan	Los Angeles County Department of Regional Planning	Wildfire Extreme Heat Flooding Drought	Yes
Sustainability Plan	Los Angeles County Chief Sustainability Office	Wildfire Extreme Heat Flooding Drought	Yes
County Fire Plan	Los Angeles County Fire Department	Wildfire	Yes

**7.8 Mitigation Action Plan**

Table 7-10 represents a Mitigation Action Plan to reduce risks of the hazards identified in this AHMP. Notably, many County departments include discipline-specific mitigation actions within other related plans mentioned in the above section. Some actions that mitigate risk of natural hazards that are covered elsewhere may not be explicitly listed or may be referred to in general terms while specific details are available in other related plans.

**Table 7-10 Mitigation Action Plan**

Action No.	Priority	Hazard	Action Name	Potential Funding Source	Expected Time Frame	Lead Agencies
01	HIGH	Wildfire	Support and Expand Countywide Vegetation Management and Fire Prevention Efforts	HMGP	Annual	LACoFD, PW
		Severe Wind/Tornado				
02	HIGH	Wildfire	Enhance Community Engagement in Wildfire Protection and Prevention	HMGP	Quarterly	LACoFD, DRP, OEM, LASD
		Severe Wind/Tornado				
03	HIGH	Wildfire	Perform Post-Fire Flooding, Debris Flow, and Mud Flow Risk Assessments and Mitigation Activities	HMGP, FMA	Annual	PW, LACoFD, OEM
		Flooding				
04	HIGH	Wildfire		UASI, SHSP	Annual	OEM, PW, DPH,
		Extreme Heat				

Action No.	Priority	Hazard	Action Name	Potential Funding Source	Expected Time Frame	Lead Agencies
		<b>Severe Wind/Tornado</b>	Strengthen Operational Continuity Capabilities for Critical Facilities			LACoFD, LASD, ISD
		<b>Cyber Incidents</b>				
<b>05</b>	HIGH	<b>Wildfire</b>	Incorporate Hazards in Local Planning, Land Use, and Development Codes	HMGP, FMA	1-3 Years	DRP, PW
		<b>Earthquake</b>				
		<b>Land Movement</b>				
		<b>Severe Wind/Tornado</b>				
		<b>Flooding</b>				
<b>06</b>	MEDIUM	<b>Wildfire</b>	Increase Public Awareness of Climate Change Effects on Local Hazards	FMA, Prop 4	Annual	DRP, CSO, CEO
		<b>Extreme Heat</b>				
		<b>Drought</b>				
		<b>Land Movement</b>				
		<b>Severe Wind/Tornado</b>				
		<b>Flooding</b>				

Action No.	Priority	Hazard	Action Name	Potential Funding Source	Expected Time Frame	Lead Agencies
<b>07</b>	HIGH	<b>Flooding</b>	Expand Stormwater Management, Drainage, and Outlet Planning	FMA	1-5 Years	PW
		<b>Drought</b>				
		<b>Transportation Incident</b>				
<b>08</b>	HIGH	<b>Flooding</b>	Construct and Maintain Localized Flood Control Improvements	FMA	1-5 Years	PW
<b>09</b>	MEDIUM	<b>Flooding</b>	Preserve Floodplains as Public Use Open Spaces	FMA, Prop 4	1-5 Years	PW, DRP, DPR
<b>10</b>	HIGH	<b>Earthquake</b>	Harden Critical Facilities and Infrastructure from Seismic Damage	HMGP	1-5 Years	PW, ISD
		<b>Land Movement</b>				
		<b>Dam Failure</b>				
<b>11</b>	MEDIUM	<b>Earthquake</b>	Prevent Impacts to the Transportation System	HMGP	1-5 Years	PW, LASD
		<b>Land Movement</b>				
		<b>Transportation Incident</b>				

Action No.	Priority	Hazard	Action Name	Potential Funding Source	Expected Time Frame	Lead Agencies
12	HIGH	Earthquake	Conduct Seismic Strengthening at County-Owned Dams	FMA, HHPD	1-5 Years	PW
		Dam Failure				
13	MEDIUM	Drought	Assess Water Resilience in Los Angeles County	Prop 4	1-5 Years	PW, DRP
14	MEDIUM	Drought	Expand Drought-Tolerant Landscaping and Design	Prop 4	1-5 Years	DPR, DRP, PW, CSO
15	HIGH	Extreme Heat	Address Urban Heat Islands by Investing in Green Infrastructure and Cooling Strategies	Prop 4	1-5 Years	CSO, DRP, DEO, DPH, PW, DPR
16	HIGH	Flooding	Increase Coastal Resilience, Prevent Erosion, and Protect Shorelines	FMA, Prop 4	1-5 Years	CSO, DBH, PW
		Tsunami				
17	HIGH	Mass Violence	Conduct Multi-Discipline Training and Exercise Programs	UASI, SHSP	1-5 Years	LASD, OEM, LACoFD
		Cyber Incidents				
18	MEDIUM	Mass Violence	Strengthen Partnerships and Resource Coordination Among Local Agencies	UASI, SHSP	1-5 Years	LASD, OEM, LACoFD
		Cyber Incidents				

Action No.	Priority	Hazard	Action Name	Potential Funding Source	Expected Time Frame	Lead Agencies
19	MEDIUM	Mass Violence	Incorporate Mass Violence Prevention and Mitigation Efforts into Special Event Planning	UASI, SHSP	1-5 Years	LASD, OEM, LACoFD
20	HIGH	Extreme Heat	Extreme Heat Risk Education and Safety Outreach for Residents and Vulnerable Workers	Prop 4	1-5 Years	CSO, DEO, DPH, PW, DAD
21	HIGH	Public Health Emergencies	Strengthen Robust Public Health Prevention and Preparedness Measures	UASI, SHSP, PHEP, HPP	1-5 Years	DPH, OEM, DHS, LACoFD
22	MEDIUM	Wildfire	Increase Field Response and Coordination Capabilities	UASI, SHSP	1-5 Years	LASD, OEM, LACoFD
		Mass Violence				

**Agency Key:**

CEQ = Los Angeles County Chief Executive Office  
 CSO = Los Angeles County Chief Sustainability Office  
 DAD = Los Angeles Department of Aging and Disabilities  
 DBH = Los Angeles County Department of Beaches and Harbors  
 DEO = Los Angeles County Department of Economic Opportunity  
 DHS = Los Angeles County Department of Health Services  
 DPH = Los Angeles County Department of Public Health  
 DPR = Los Angeles County Department of Parks and Recreation  
 PW = Los Angeles County Public Works  
 DRP = Los Angeles County Department of Regional Planning  
 ISD = Los Angeles County Internal Services Department

LACoFD = Los Angeles County Fire Department.  
 LASD = Los Angeles County Sheriff's Department  
 OEM = Los Angeles County Chief Executive Office - Office of Emergency Management  
**Grant Program Key:**  
 FMA = Flood Mitigation Assistance  
 HMGP = Hazard Mitigation Grant Program  
 HPP = Hospital Preparedness Program  
 PHEP = Public Health Emergency Preparedness  
 SHSP = State Homeland Security Program  
 UASI = Urban Area Security Initiative

## 8 Plan Maintenance

### 8.1 Community Participation in Plan Maintenance

The Hazard Mitigation Plan will be reviewed regularly, acknowledging the dynamic nature of hazard landscapes and the evolving understanding of risks. Stakeholders' engagement will be prioritized throughout the development and monitoring process, fostering transparency and accountability.

To maintain transparency and community involvement, the County has outlined several measures for continued public participation:

- **Public Access to Hazard Mitigation Documents:** A copy of the 2025 AHMP will be maintained on the Los Angeles County Hazard Mitigation Program website along with contact information. Los Angeles County OEM will notify the public of any changes or updates, including mitigation projects identified in the plan as they are implemented, via social media, and traditional local media channels.
- **Annual Public Engagement Opportunities:** Los Angeles County OEM will endeavor to hold multiple in-person public engagement opportunities for hazard mitigation to keep the public informed of progress on hazard mitigation projects, obtain ongoing public feedback, and educate the public about the County's hazard mitigation efforts.
- **Online Portal:** A Los Angeles County Hazard Mitigation Program website will be established to provide the public with more information on hazard mitigation and project updates. This portal will serve as a mechanism to obtain continuous public feedback as projects are implemented and offers access to mitigation resources.
- **Standing Advisory Committee:** The Hazard Mitigation Advisory Committee will be expanded to a standing status and will meet at least once per year or more often as determined necessary to support hazard mitigation projects. The standing Hazard Mitigation Advisory Committee will be comprised of representatives from diverse community groups to provide ongoing input and oversight of hazard mitigation efforts. The standing Hazard Mitigation Advisory Committee will also serve as an important forum for future updates of the AHMP.

These activities ensure that the community remains informed and actively engaged in the plan's implementation and maintenance.

## 8.2 Monitoring, Evaluation, and Maintenance

To ensure the continued effectiveness of this All-Hazard Mitigation Plan (AHMP), effective monitoring and evaluation will be conducted throughout the plan implementation period. Regular assessments will monitor progress and evaluate the achievements of the intended outcomes. Performance metrics will be developed to quantify the impact of each mitigation action, allowing for data driven adjustments and refinements.

The plan will be reviewed annually to assess progress on mitigation actions. Annual review will include the following elements:

- **Annual Review Worksheets:** Every year, LA County OEM will email each member of the Hazard Mitigation Advisory Committee an Annual Review Worksheet to complete. As shown in Appendix E, the Annual Review Worksheet reflects the FEMA Local Hazard Mitigation Plan Review Tool and includes the following sections: planning process, hazard profile, risk assessment, and mitigation strategy. Each member of the Hazard Mitigation Advisory Committee will email completed worksheets back to LA County OEM to review. LA County OEM will summarize these findings and email them out to the committee. Additionally, the findings from the review worksheets will be presented to the full Hazard Mitigation Advisory Committee at its next regular meeting.
- **Mitigation Progress Project Reports:** Mitigation actions will be monitored and updated using the Mitigation Project Progress Report. During each annual review, each department or agency currently administering a mitigation project will submit a progress report to LA County OEM. For projects that are being funded by a FEMA mitigation grant, FEMA quarterly reports may be used as the preferred reporting tool. As shown in Appendix E, the progress report will discuss the current status of the mitigation project, including any changes made to the project, identify implementation problems, and describe appropriate strategies to overcome them.
- **Post-Incident Mitigation Review:** Following a major disaster event impacting Los Angeles County, a post-disaster review will be initiated by LA County OEM to evaluate the need to update the AHMP based on the circumstances of the disaster and incorporate any specific mitigation actions required due to the

incident. If LA County OEM finds that an update to the AHMP is needed, the Hazard Mitigation Advisory Committee will be convened to begin drafting the update.

## 8.3 Criteria for Updating the Hazard Mitigation Plan

The All-Hazards Mitigation Plan (AHMP) is required to be updated every five years in compliance with the Disaster Mitigation Act of 2000 (DMA 2000) and FEMA guidance (44 CFR § 201.6). The update process is not merely an administrative requirement but a critical mechanism to evaluate the plan's effectiveness in reducing risk and guiding mitigation strategies.

### 1. Review of Past Actions and Effectiveness

The update process begins with a thorough review of the mitigation actions outlined in the previous plan. This includes:

- Evaluating the implementation status of each action (completed, in progress, not started).
- Assessing the impact and effectiveness of completed actions in reducing hazard risk.
- Determining if the objectives are still relevant or require modification based on new data or circumstances.

### 2. Integration of New Data and Changing Conditions

- Hazard profiles and risk assessments are updated with new hazard event data, climate science, and changes in development or land use.
- Demographic shifts and infrastructure changes are reviewed to reassess vulnerability.
- Technological advancements or improved modeling tools (e.g., Hazus, National Risk Index) are incorporated to refine risk analysis.

### 3. Community and Stakeholder Input

The update process must actively include community participation to maintain transparency and ensure the plan reflects local priorities. This includes:

- Public workshops and surveys.
- Targeted outreach to vulnerable populations including those with Access and Functional Needs (AFN).
- Feedback from County departments, cities, NGOs, and regional partners.

#### 4. Performance Evaluation and Metrics

To ensure effectiveness, the plan maintenance strategy includes:

- Annual progress reports that monitor implementation progress and identify barriers.
- Metrics to evaluate the reduction of risk or exposure over time.
- Documentation of lessons learned from real events and exercises to inform changes.

#### 5. Revision of Goals, Objectives, and Actions

Based on the evaluation findings, the plan's goals and mitigation actions are revised to improve alignment with current capabilities, risk levels, and funding opportunities. Each updated action includes:

- Clear responsibilities.
- Realistic timelines.
- Evaluation metrics to measure future success.

### 8.4 Plan Update

The 2025 LHMP includes an updated methodology for future revisions, ensuring compliance with federal and state guidelines. A full plan update will occur every five years.

- **2030 AHMP Update Kickoff:** LA County OEM will convene the Hazard Mitigation Advisory Committee for a meeting to review the worksheet findings and endeavor to begin the process of updating the AHMP in approximately November 2028. The planning process should begin a minimum of 18 months prior to the plan's expiration. LA County OEM, in consultation with the Hazard Mitigation Advisory Committee, will develop a work plan for the update, conduct

research and review relevant documentation, determine hazards to be included in the 2030 AHMP, and begin the process to draft an updated AHMP.

- **Plan Submission and Adoption:** Once updated, the plan is submitted to Cal OES and FEMA for review. Upon conditional approval, it must be adopted by the Los Angeles County Board of Supervisors and participating jurisdictions to maintain eligibility for FEMA Hazard Mitigation Assistance (HMA) grants.

### 8.5 Integration with Other Plans

Los Angeles County is committed to ensuring that hazard mitigation planning is not a standalone effort, but a fully integrated component of broader County planning initiatives. By strategically weaving the goals, objectives, and actions of the All-Hazards Mitigation Plan (AHMP) into a variety of local and regional plans such as the General Plan, Capital Improvement Plans, Climate Action and Adaptation Plans, and departmental strategic plans; the County promotes a more cohesive and effective approach to building long-term resilience. This integration is achieved through ongoing collaboration with County departments, cities, and regional agencies to align land use, infrastructure development, and emergency preparedness efforts with identified hazard risks. Embedding hazard mitigation principles into existing policies and planning mechanisms ensures that they become an inherent part of decision-making processes, project funding prioritization, and long-term investment strategies ultimately reducing vulnerabilities and enhancing the resilience of communities across Los Angeles County.

The Los Angeles County AHMP will be shared across all jurisdictions within the operational area. Those jurisdictions will have the opportunity to incorporate the 2025 AHMP into their established planning process. The Hazard Mitigation Advisory Committee will assess the plan at a yearly basis, acknowledging the dynamic nature of hazard landscapes and the evolving understanding of risks. The OEM Hazard Mitigation Program will make the AHMP available for all county departments to incorporate into departmental planning efforts, and other relevant documents produced by Los Angeles County departments.

## 9 Plan Adoption

### 9.1 Plan Adoption Overview

Plan Adoption addressed Element F of the Local Mitigation Plan Regulation Checklist under single jurisdiction plan requirement.

The Los Angeles County Board of Supervisors officially adopted the 2025 All Hazard Mitigation Plan (AHMP) through a formal resolution on September 9, 2025. A scanned copy of the resolution is included in Appendix F. The Los Angeles County Office of Emergency Management (OEM) will retain the resolution for its records, while copies will be submitted to both Cal OES and FEMA.

This Plan adoption completes the mitigation planning process and department agencies, stakeholders, and community's commitment to the goals and actions. It also recognizes the current planning process and acknowledges changes from the past five years and validates the priorities for hazard mitigation actions. It makes the community eligible for certain FEMA assistance that can fund some mitigation actions.

After being adopted by the Los Angeles County Board of Supervisors, the 2025 AHMP transitions into the implementation phase. The success of the plan hinges on the integrating its mitigation strategies and actions into the local plans and policies. The mitigation action items collectively establish a robust framework to guide the County's hazard mitigation strategies over the next five years. To ensure these strategies are effective, actionable and well aligned with the county's long term resilience goals, the Planning Advisory Committee has set clear objectives. Their prioritized approach focuses on seamlessly blending mitigation actions with current policies, plans, and emphasizing collaboration and coherence throughout.

# Appendices